INCH-POUND

MIL-B-44472
20 August 1993

MILITARY SPECIFICATION

BEEF STRIPS IN CREAMED SAUCE, THERMOSTABILIZED,

FOR MEAL, READY-TO-EAT

This specification is approved for use by all Department and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers thermostabilized beef strips in creamed sauce in flexible pouches for use as a component of the Meal, Ready-to-Eat (MRE), Individual.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.1).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

MILITARY

MIL-P-44073 - Packaging and Thermoprocessing of Foods in Flexible Pouches

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Primary Drinking Water Regulations

(Copies are available from the Office of Drinking Water, Environmental Protection Agency, WH550D, 401 M Street, SW, Washington, DC 20460.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

Meat and Poultry Inspection Regulations (9 CFR Part 381)

(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

Dairy Plants Surveyed and Approved for USDA Grading Service

General Specifications for Approved Dairy Plants and Standards for Grades of Dairy Products

(Copies are available from the Dairy Standardization Branch, Dairy Division, Agricultural Marketing Service, U.S. Department of Agriculture, Room 2750, South Building, P.O. Box 96456, Washington, DC 20090-6456.)

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES (HHS), U.S. FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

U.S. Standard of Identity for Dry Cream (21 CFR Part 131)

U.S. Standard of Identity for Margarine (21 CFR Part 166)

(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

2.2 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.1).

AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists

(Application for copies should be addressed to the American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

AMERICAN DEHYDRATED ONION AND GARLIC ASSOCIATION (ADOGA)

Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to the American Dehydrated Onion and Garlic Association, One Maritime Plaza, 23rd Floor, San Francisco, CA 94108.)

AOAC INTERNATIONAL

Official Methods of Analysis of the AOAC

(Application for copies should be addressed to the AOAC International, 2200 Wilson Boulevard, Suite 400, Arlington, VA 22201-3301.)

NATIONAL ACADEMY OF SCIENCES

Food Chemicals Codex

(Application for copies should be addressed to National Academy Press, 2101 Constitution Avenue, NW, Washington, DC 20418.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.1), a sample shall be subjected to first article inspection (see 6.2) in accordance with 4.4.

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent and insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Beef strips, chopped, pressed, cooked, smoked (see 6.3.1). The smoked, cooked, pressed, chopped, beef strips (beef strips) shall be commercially cured in accordance with the USDA Meat and Poultry Inspection Regulations. The beef strips shall not contain more than 2.0 percent corn syrup or corn syrup liquid equivalent. The beef strips shall have a fat content of not greater than 8.0 percent, and a salt content of not greater than 3.7 percent. The moisture content of the beef strips shall be not greater than 71 percent nor less than 65 percent. The beef strips shall be approximately 4-1/4 inches long by 3/4 to 1 inch wide by 0.020 inch to 0.035 inch thick. The beef strips shall have a uniform color that is typical of cured beef. Packaged beef strips shall be maintained at an internal temperature of 28°F to 40°F for not more than 15 days prior to pouch filling. If destined for freezing, the packaged beef strips shall be frozen to an internal temperature of 0°F or below within 72 hours after packaging and shall be held for not more than 90 days prior to pouch filling and sealing.

3.2.2 Water. Water used for formulation, ice making, and washing shall conform to the National Primary Drinking Water Regulations.

3.2.3 Starch, modified, high opacity. The high opacity modified starch shall be white, odorless, finely pulverized, modified maize food starch for use in thermostabilized foods. The starch shall demonstrate initial viscosity development in the temperature range of 140°F to 170°F and be fully hydrated at common retort temperatures. The starch shall resist breakdown at low pH and under shear stress. The cooked slurry prepared from the starch shall be bland with essentially no cereal or starch taste.

3.2.4 Margarine. The margarine shall conform to the U.S. Standards of Identity for Margarine and shall possess a fine and pleasing flavor. The body shall be smooth, firm, and homogeneous. The margarine shall possess uniform medium yellow color and may be salted or unsalted.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

3.2.5 Cream, dry. The dry cream shall be made from cream and shall comply with U.S. Standards of Identity for Dry Cream. The dry cream shall be manufactured in a USDA approved plant that meets the requirements contained in the General Specifications for Approved Dairy Plants and Standards for Grades of Dairy Products. The dry cream shall be off-white in color with a flavor and odor typical of sweet cream, and shall contain an added emulsifier and an antioxidant to improve stability. The dry cream may also contain an added stabilizer, and an anticaking agent. The dry cream shall contain no other characterizing flavoring ingredients or nutritive carbohydrate sweeteners. The dry cream shall contain 70 to 74 percent, by weight, of milkfat and the moisture content shall not exceed 2.0 percent. The powder shall be free of hard lumps and be of such size that 100 percent shall pass through a U.S. Standard No. 12 sieve.

3.2.6 Shortening, powdered, vegetable (see 6.3.2). The powdered vegetable shortening shall consist of components which, when combined, will serve as a product whitening agent. The powdered shortening, when used as an ingredient in this product, shall withstand the conditions of thermoprocessing specified in this document without browning. A typical analysis of the powdered shortening follows:

| | |
|---|---|
| Fat | 20.00 percent ± 1.50 percent |
| Protein | 4.75 percent ± 0.75 percent |
| Carbohydrates | 70.00 percent ± 1.00 percent |
| Moisture | 2.00 percent maximum |

3.2.7 Onion powder. Onion powder shall be Fancy grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products.

3.2.8 Sugar, white, granulated. Sugar shall be white, refined, granulated cane or beet sugar, or a combination thereof.

3.2.9 Salt. Salt shall be noniodized, white, refined, sodium chloride, with or without anticaking agents and shall comply with the purity standards for sodium chloride of the Food Chemicals Codex.

3.2.10 Pepper, white, ground. Ground white pepper shall be derived from the dried mature berries of Piper nigrum L. from which the outer covering or the outer and inner covering have been removed. The ground pepper shall have a characteristic, penetrating odor, a hot biting, pungent flavor, and a light color. The ground white pepper shall contain not less than 1.0 mL of volatile oil per 100 grams of ground white pepper and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 40 sieve.

3.2.11 Celery, soluble. Soluble celery flavoring shall be prepared by blending and dispersing a minimum of 4.0 percent of total extractives of the dried fruit of Apium graveolens L. on a soluble, dry, edible carrier. The flavoring shall possess a clean, celery-like aroma with a slightly bitter taste. The flavoring shall be free-flowing, yellowish-gray in color and free of caking.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

3.2.12 Garlic powder. Garlic powder shall be Fancy grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products.

3.2.13 Thyme, soluble. Soluble thyme flavoring shall be prepared from extracts of dried leaves of the thymus vulgaris L. by blending and dispersing a minimum of 4.0 percent of total extractives of thyme on a soluble, dry, edible carrier.

3.2.14 Preblended spice and seasoning mixture. Preblended spices and seasonings may be used. The spices and seasonings in the mixture shall comply with the requirements of this specification. The containers used for the spice and seasoning mixture shall be labeled with each ingredient and the percentage of each ingredient in the mixture. The ingredients shall be in the same proportions as specified in the sauce formulation (see 3.3.1).

3.2.15 Starch, waxy maize, modified, filling and processing aid. The starch shall be white to off-white, odorless, finely pulverized powder suitable for use as a filling and processing aid in thermostabilized foods. When hydrated at temperatures of 165°F to 200°F, the starch shall develop a paste. The initial viscosity of the paste shall be retained under conditions of moderate shear and prolonged holding times. During retorting at temperatures in excess of 200°F, the starch shall undergo extensive to complete breakdown of the initial viscosity. The starch shall be bland and shall demonstrate easy dispersibility.

3.3 Preparation and processing. Processing shall be on a continuous basis.

3.3.1 Sauce preparation. The sauce shall be formulated and prepared as follows:

| Ingredient | Percent by weight |
|---|---|
| Water | 82.59 |
| Starch, modified, high-opacity | 5.00 |
| Margarine | 4.50 |
| Cream, dry | 3.00 |
| Shortening, powdered, vegetable | 2.50 |
| Onion powder | 1.00 |
| Sugar, white, granulated | 1.00 |
| Salt 1/ | 0.10 |
| Pepper, white, ground | 0.10 |
| Celery, soluble | 0.09 |
| Garlic powder | 0.08 |
| Thyme, soluble | 0.04 |

1/ The total amount of salt in the sauce formula shall be adjusted, as necessary, to produce a product that complies with the finished product salt requirement (see 3.6).



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

NOTE: The following sauce preparation procedures were used in the development of this product. Alternative procedures may be used provided all finished product requirements are met. (When alternative procedures are used, the time and temperature requirements specified for the prepared sauce are still applicable.)

a. The starch and part of the water shall be mixed to form a thin slurry.

b. The remaining ingredients (except starch, slurry, and beef) shall be combined and thoroughly mixed in a steam jacketed kettle.

c. The starch slurry shall be added and the final mixture heated to 180°F to 190°F and held in this temperature range for approximately five minutes.

d. The volume of the final mixture shall be adjusted with water to compensate for evaporation loss during heating and holding.

3.3.2 Filling and processing aid, starch preparation. When a filling and processing aid is used, a solution (slurry) shall be prepared with the filling and processing aid starch and cold water in a concentration adequate to hold ingredients in suspension for uniform distribution during mixing and pumping of the product.

3.3.3 Product preparation. The beef strips and sauce shall be combined in the following approximate proportions, using either a single-stage or multistage filling operation. The percent by weight of ingredients may be adjusted if necessary to ensure compliance with the finished product drained weight requirements (see 3.6).

| Ingredient | Percent by weight |
|---|---|
| Beef strips | 29.00 |
| Sauce | 71.00 |

3.4 Pouch filling and sealing. Each pouch (see 5.1) shall be filled with product such as to conform to the finished product requirements and to the following requirements:

a. Each pouch shall be filled and sealed in accordance with the pouch filling and sealing requirements specified for class 1 of MIL-P-44073.

b. The temperature of the product at time of filling shall be 150°F to 180°F.

c. Each filled and sealed pouch shall be in the retort process within two hours after sealing.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

3.5 Pouch thermoprocessing. The filled and sealed pouches shall be thermostabilized by retorting until a sterilization value ($F_O$) of not less than 6 has been achieved. The thermoprocessing operation shall be in compliance with the thermoprocessing requirements for class 1 of MIL-P-44073.

3.6 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign material such as, but not limited to, dirt, insect parts, hair, wood, glass, or metal.

b. There shall be no foreign odor or flavor such as, but not limited to, burnt, scorched, stale, sour, rancid, musty, or moldy.

c. There shall be no color foreign to the product.

d. No individual pouch shall contain less than 7.5 ounces of product.

e. The average net weight shall be not less than 8.0 ounces.

f. Not less than 75 percent by weight of the beef strips shall be intact beef strips.

g. The beef strips shall be uniformly distributed throughout the sauce.

h. The meat shall be reddish brown in color and the sauce a characteristic cream sauce color.

i. Texture of the beef strips shall not be dry, rubbery, or mushy.

j. The sauce shall not be lumpy or excessively thick or thin.

k. The product shall show no evidence of excessive heating (materially darkened or scorched).

l. The drained weight of the beef strips in any individual pouch shall be not less than 1.8 ounces.

m. The average drained weight of the beef strips shall be not less than 2.2 ounces.

n. The fat content of the finished product in any individual pouch shall be not greater than 12.0 percent.

o. The average fat content shall be not greater than 10.0 percent.

p. The salt content of the finished product in any individual pouch shall be not less than 0.5 percent nor greater than 1.5 percent.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

3.6.1 Palatability. The finished product shall be equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance.

3.7 Plant qualification. The beef component and the finished product shall originate and be produced, processed, and stored in plants regularly operating under the Meat and Poultry Inspection Regulations of the U.S. Department of Agriculture.

3.8 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall ensure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by the USDA. The USDA will determine the degree of inspection and supervision necessary to ensure compliance with the requirements of this specification.

4.3 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this specification and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this specification or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material examination. In accordance with 4.1, components and materials shall be examined in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

4.5.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, and compliance shall be verified by examination of pertinent labels, markings, U.S. Grade Certificates, certificates of analyses, or other such valid documents acceptable to the inspection agency. If necessary, each ingredient shall be examined organoleptically or inspected according to generally recognized test methods, such as the methods described in the Official Methods of Analysis of the AOAC and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, filling, sealing, and packaging requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Filled and sealed pouch examination. Examination of the filled and sealed pouches shall be in accordance with the quality assurance provisions of MIL-P-44073.

4.5.4 Net weight examination. The net weight of the filled and sealed pouches shall be determined by weighing each sample unit on a suitable scale tared with a representative empty pouch. Any individual net weight of less than 7.5 ounces shall be scored as a minor defect. The lot size shall be expressed in pouches. The sample unit shall be one filled and sealed pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5. Results shall be reported to the nearest 0.1 ounce. In addition, the lot shall be rejected if the sample average net weight is less than 8.0 ounces.

4.5.5 Product and drained weight examination.

4.5.5.1 Product examination. The filled and sealed sample pouches shall be held for a minimum of 72 hours at room temperature ($65^{\circ}F$ to $75^{\circ}F$) after completion of the thermoprocessing operation. The pouches shall be heated in $180^{\circ}F$ to $190^{\circ}F$ water for ten minutes, opened, and inspected. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The sample size shall be as indicated by the sampling plan specified in table I. The contents shall be examined for the defects indicated in table II.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

TABLE I. Double sampling plan for product examination 1/

| Lot size (pouches) | Sample size (pouches) | Cumulative sample | Acceptance number | Rejection number |
|---|---|---|---|---|
| 0 to 500,000 | 20 | -- | 0 | 2 |
| | 20 | 40 | 1 | 2 |

1/ a. If no defects are found in the first sample, the lot shall be accepted.

b. If the number of defects found in the first sample equals or exceeds the rejection number, the lot shall be rejected.

c. If the number of defects found in the first sample exceeds the acceptance number but is less than the rejection number, the second sample shall be inspected. Defects found in the first and second sample shall be combined and if the number of defects in the cumulative sample equals or exceeds the rejection number, the lot shall be rejected.

TABLE II. Product defects 1/ 2/

| Category | Defect |
|---|---|
| Major | |
| 101 | Pouch contains less than 75 percent by weight of intact beef strips 3/ |
| 102 | Beef strips not uniformly distributed throughout the sauce |
| 103 | Meat not reddish brown in color or sauce not a characteristic cream sauce color |
| 104 | Texture of meat dry, rubbery, or mushy |
| 105 | Sauce is lumpy or excessively thick or thin |
| 106 | Product shows evidence of excessive heating (materially darkened or scorched) |

1/ The presence of foreign material (for example, dirt, insect parts, hair, wood, glass, metal), foreign odor or flavor (for example, burnt, scorched, stale, sour, rancid, musty, moldy), or foreign color shall be cause for rejection of the lot.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

2/ Product not equal to or better than the approved preproduction sample in palatability and overall appearance shall be cause for rejection of the lot (see 3.6.1).

3/ Examination for this defect shall be accomplished on sample pouches used for drained weight examination.

4.5.5.2 Drained weight examination. The filled and sealed sample pouches shall be held for a minimum of 72 hours at room temperature (65°F to 75°F) after completion of the thermoprocessing operation. The pouches shall be heated in 180°F to 190°F water for approximately ten minutes, opened and inspected. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The sample size shall be as indicated by the double sampling plan specified in table III. The drained weight shall be determined and examined for the defects listed in table IV.

TABLE III. Double sampling plan for drained weight examination 1/

| Lot size (pouches) | Sample size (pouches) | Cumulative sample | Acceptance number | Rejection number |
|---|---|---|---|---|
| 0 to 500,000 | 20 | -- | 0 | 2 |
| | 20 | 40 | 1 | 2 |

1/ a. If no defects are found in the first sample, the lot shall be accepted.

b. If the number of defects found in the first sample equals or exceeds the rejection number, the lot shall be rejected.

c. If the number of defects found in the first sample exceeds the acceptance number but is less than the rejection number, the second sample shall be inspected. Defects found in the first and second sample shall be combined, and if the number of defects in the cumulative sample equals or exceeds the rejection number, the lot shall be rejected.

TABLE IV. Drained weight defect 1/

| Category | Defect |
|---|---|
| Major | |
| 101 | Drained weight of beef strips in a pouch is less than 1.8 ounces 2/ |

1/ To determine drained weight, the pouch contents shall be poured into a flat-bottom container. A minimum of three times the pouch's volume of 180°F to 190°F water shall be added to the container so as to cover



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

the contents. The contents and water shall be gently agitated so as to liquefy rendered fat and to remove the sauce without breaking the beef strips. The contents shall then be poured into a U.S. Standard No. 7 sieve in a manner that will distribute the product over the sieve without breaking the beef strips. The sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at approximately a 45° angle and allowed to drain for two minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.

2/ If the sample average drained weight of beef is less than 2.2 ounces, the lot shall be rejected.

4.5.6 Fat and salt content testing. Eight filled and sealed pouches shall be selected at random from the lot. The product shall be tested in accordance with the Official Methods of Analysis of AOAC for fat content, method 976.21, 985.15, or 960.39, and for salt content, method 935.47, except that preparation of the samples shall be as follows: The unopened pouches shall be gently warmed in a water bath to melt fat adhering to the inside of the pouches. The pouches shall be opened and the entire contents of each pouch shall be separately blended in a Waring Blendor or equivalent. The test results shall be reported to the nearest 0.1 percent. Any result failing to conform to the fat or salt requirements in 3.6 shall be classified as a major defect and shall be cause for rejection of the lot.

4.5.7 Packaging examination. Examination of packaging shall be in accordance with the quality assurance provisions of MIL-P-44073.

## 5. PACKAGING

5.1 Packaging. Packaging shall be in accordance with the requirements of MIL-P-44073.

## 6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1 and 2.2).
c. When a first article is required (see 3.1, 4.4, and 6.2).
d. Provisions for approved preproduction samples (see 3.6.1 and 6.2).



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

6.2 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209-4. The first article should be a preproduction sample. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should also include specific instructions in acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

6.3 Ingredient information.

6.3.1 Beef strips, chopped, pressed, cooked, smoked. It has been found that Smoked Beef Strips manufactured by Land O' Frost, Incorporated and beef slices (which shall be cut into strips by the vendor) manufactured by Carl Buddy and Company meet the requirements of 3.2.1 and performed satisfactorily in the development of this product.

6.3.2 Shortening, powdered, vegetable. It has been found that powdered vegetable shortening Spray Dried Creaming Agent 84943 manufactured by Armour Food Ingredients meets the requirements of 3.2.13 and performed satisfactorily in the development of this product.

6.4 Subject term (key word) listing.

Combat field feeding
Food processing
Operational ration
Pouch food
Shelf stable

Custodians:

Army - GL
Navy - SA
Air Force - 50

Review activities:

Army - MD, QM
Navy - MC
DLA - SS

Preparing activity:

Army - GL

(Project 8940-0748)



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

| I RECOMMEND A CHANGE: | 1. DOCUMENT NUMBER | 2. DOCUMENT DATE (YYMMDD) |
|---|---|---|
| | MIL-B-44472 | 1993 August 20 |

3. DOCUMENT TITLE
BEEF STRIPS IN CREAMED SAUCE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

| a. NAME (Last, First, Middle Initial) | b. ORGANIZATION |
|---|---|
| c. ADDRESS (Include Zip Code) | d. TELEPHONE (Include Area Code)<br>(1) Commercial<br>(2) AUTOVON<br>(If applicable) |
| | 7. DATE SUBMITTED (YYMMDD) |

8. PREPARING ACTIVITY

| a. NAME | b. TELEPHONE (Include Area Code) (1) Commercial | (2) AUTOVON/DSN |
|---|---|---|
| U.S. Army Natick RD&E Center | 508-651-4501 | 256-4501 |
| c. ADDRESS (Include Zip Code)<br>Commander, U.S. Army Natick RD&E Center<br>ATTN: SATNC-WTP<br>Natick, MA 01760-5018 | IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:<br>Defense Quality and Standardization Office<br>5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466<br>Telephone (703) 756-2340 AUTOVON 289-2340 | |

DD Form 1426, OCT 89 NATICK OP4, JUL 91 Previous editions are obsolete 198/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check source to verify that this is the current version before use.