INCH-POUND

MIL-C-44469
28 May 1993

MILITARY SPECIFICATION

CHILI AND MACARONI, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers thermostabilized chili and macaroni in flexible pouches for use as a component of the Meal, Ready-to-Eat, Individual.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.1).

SPECIFICATIONS

MILITARY

MIL-P-44073 - Packaging and Thermoprocessing of Foods in Flexible Pouches

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research, Development and Engineering Center, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks, and Sugars Used in the Preparation of Thermostabilized Foods for the Armed Forces

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Primary Drinking Water Regulations

(Copies are available from the Office of Drinking Water, Environmental Protection Agency, WH550D, 401 M Street, S.W., Washington, DC 20460.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

Meat and Poultry Inspection Regulations (9 CFR Parts 301-399)

(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

Institutional Meat Purchase Specifications for Fresh Beef, Series 100

(Copies are available from the Director, Livestock and Seed Division, Agricultural Marketing Service, U.S. Department of Agriculture, Room 2603, South Building, P.O. Box 96456, Washington, DC 20090-6456.)

U.S. Standards for Grades of Tomato Paste (7 CFR Part 52.5041)

(Copies are available from the Director, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Room 2077, South Building, P.O. Box 96456, Washington, DC 20090-6456.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T02:07Z
Check the source to verify that this is the current version before use.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES (HHS)

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199)

(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

2.2 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of documents cited in the solicitation (see 6.1).

AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists

(Application for copies should be addressed to the American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

AMERICAN DEHYDRATED ONION AND GARLIC ASSOCIATION (ADOGA)

Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to the American Dehydrated Onion and Garlic Association, One Maritime Plaza, 23rd Floor, San Francisco, CA 94111.)

AOAC INTERNATIONAL

Official Methods of Analysis of the AOAC International

(Application for copies should be addressed to the AOAC International, 2200 Wilson Boulevard, Suite 400-CD, Arlington, VA 22201-3301.)

NATIONAL ACADEMY OF SCIENCES

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, N.W., Washington, DC 20418.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First Article. When specified (see 6.1), a sample shall be subjected to first article inspection (see 6.2) in accordance with 4.4.

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Beef. Beef shall be from steers, heifers, or cows and shall be derived from any one or any combination of the following USDA Certified Institutional Meat Purchase Specification (IMPS) Cuts: Item No. 114 (shoulder clod), 115 (chuck, square cut, boneless), 128 (chuck, crosscut, boneless), 133 (triangle, boneless), 161 (round, shank off, boneless), 163 (round, shank off, 3-way, boneless), 165 (round, rump and shank off, boneless), 167A (round, knuckle, peeled), 169 (top round), 170A (bottom round, heel out), and 171B (outside round. All beef shall be certified by a USDA, Agricultural Marketing Service (AMS) agent for condition of the product and compliance with the IMPS Quality Assurance Provisions.

NOTE: Certified IMPS Cuts may be further trimmed (see 3.3.1) and broken down into smaller cuts after certification, as requested by the purchaser. Boxes used for shipment of the further trimmed and broken down cuts shall be labeled as "Beef for further processing as specified in MIL-C-44469". The certificate shall be noted as such and shall accompany the shipment.

3.2.1.1 Handling and storage. Handling and storage of the boned and trimmed beef, prior to processing into the finished product, shall be in accordance with the following requirements:

a. Beef processed on the day of initial certification shall be maintained in the temperature range of 28° to 50°F, inclusive.

b. Holding in the fresh-chilled state for not more than 4 days after initial certification is permitted, provided that the beef is maintained in the temperature range of 28° to 40°F, inclusive.

c. Holding in the frozen state for not more than 180 days after initial certification is permitted, provided that the beef is:

- frozen to 0°F or lower within 72 hours after initial certification
- stored at 0°F or lower
- protected from freezer deterioration and damage

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

- stored in containers that are adequate to maintain product excellence

d. Tempering/thawing of the frozen beef shall comply with the following:

- microwave tempering/thawing of frozen beef is permitted provided excellent condition of the beef, as determined by USDA, is maintained
- the microwave tempering/thawing process shall not exceed 48 hours from time of removal of the beef from the freezer to further preparation
- regardless of the process used, frozen beef shall be tempered/thawed to a temperature not to exceed 40°F
- when a tempering/thawing process other than microwave is used, the time from the start of the tempering/thawing process (removal from freezer) to further preparation shall not exceed 96 hours
- beef which has been tempered/thawed shall not be refrozen.

3.2.2 Macaroni, elbow. Elbow macaroni shall conform to the FDA Standard of Identity for enriched macaroni products, except that semolina flour shall be the only flour used and the diameter of the macaroni shall range from 0.172 to 0.192 inches. The outer curvature length of the macaroni shall range from 0.687 to 1.063 inches and the wall thickness shall range from 0.048 to 0.058 inch. The macaroni shall contain not less than 1.5 percent or more than 2.0 percent, by weight, of egg albumen, and shall comply with the requirements of MIL-STD-900. The macaroni may contain not more than 2.0 percent, by weight, of glycerol monostearate.

3.2.3 Water. Water used for formulation, blanching, ice making, and washing shall conform to the National Primary Drinking Water Regulations.

3.2.4 Tomatoes, crushed, canned. Tomatoes shall be peeled, cored, mature crushed tomatoes packed in tomato puree. The use of safe and suitable firming and acidification ingredients and salt is permitted. The canned, crushed tomatoes shall have not less than 8.0 percent tomato soluble solids, and shall possess a red tomato flesh color, normal character, and a good distinct acid sweet tomato flavor and odor. The canned, crushed tomatoes shall be free of extraneous vegetable matter and objectionable core material and skins (peel). The canned, crushed tomatoes shall be of the latest date of pack.

3.2.5 Tomato paste. Tomato paste shall be U.S. Grade A of the U.S. Standards for Grades of Tomato Paste.

3.2.6 Chili Powder. Chili powder shall be a blend of 77 to 82 percent chili pepper; not less than 8.0 percent cumin; not less than 4.0 percent oregano; not less than 1.0 percent garlic; and not more than 8.0 percent salt. Anticaking agents may be included at a level not to exceed 2.0 percent. The chili powder shall have a Scoville Pungency Value of not less

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

than 900 units and the moisture content shall not exceed 13.0 percent. Not less than 95 percent, by weight, of the chili powder shall pass through a U.S. Standard No. 20 Sieve.

3.2.7 Starch, waxy maize, modified. Starch shall be white, odorless, finely pulverized, modified waxy maize starch for use in thermostabilized foods. The modified starch shall demonstrate initial viscosity development in the temperature range of 140°F to 170°F and be fully hydrated at common retort temperatures. The starch shall resist breakdown at low pH, under shear stress and conditions of cold storage. The starch shall be bland with essentially no cereal or starch taste.

3.2.8 Onions, dehydrated, chopped. Dehydrated chopped onions shall be Fancy Grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products.

3.2.9 Salt. Salt shall be noniodized, white, refined, sodium chloride with or without anticaking agents and shall comply with the purity standards for sodium chloride of the Food Chemicals Codex.

3.2.10 Sugar, brown, light. Brown sugar shall be partially refined cane or beet sugar. The sugar shall be light brown in color and shall possess a sweet, molasses-like flavor.

3.2.11 Lecithin. Lecithin shall comply with the Food Chemicals Codex.

3.2.12 Pepper, black, ground. Ground black pepper shall have been ground from the deep brown to black, deep-set, wrinkled, immature berries of Piper nigrum L. The ground pepper shall have a characteristic, penetrating odor, a hot, biting, pungent flavor, and a light gray to speckled black-gray color. The ground pepper shall contain not less than 2.0 mL of volatile oil per 100 grams of ground black pepper and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 16 sieve.

3.2.13 Preblended spice and seasoning mixture. Preblended spices and seasonings may be used. The spices and seasonings in the mixture shall comply with the requirements of this document. The containers used for the spice and seasoning blend shall be labeled with each ingredient and the percentage of each ingredient in the blend. The ingredients shall be in the same proportions as specified in the ingredient formulation.

3.3 Preparation and processing. Processing shall be on a continuous basis.

3.3.1 Beef preparation. Boned and trimmed beef which meets the requirements of 3.2.1 shall be further trimmed, if necessary, to ensure compliance with finished product requirements. The beef shall be ground through a plate having holes of 3/8 inch (±1/16 inch) in diameter. After grinding, the beef shall be held for not more than 24 hours at an internal temperature of 28° to 40°F prior to the browning process (see 3.3.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

3.3.2 Macaroni preparation. The macaroni shall be blanched in boiling water until it has doubled in weight. The macaroni shall be immediately rinsed with cold water to stop the cooking process and to prevent lumping. The cooled macaroni shall be maintained at a temperature of 45°F or less and held for not longer than 4 hours prior to combining with the meat sauce.

3.3.3 Meat sauce formulation and preparation. The meat sauce shall be formulated and prepared as follows:

Ingredients	Percent by Weight
Beef	47.87
Water	32.45
Tomatoes, crushed	7.50
Tomato paste (26% solids) 1/	5.50
Chili powder	2.20
Starch, waxy maize, modified	1.50
Onions, dehydrated, chopped	1.00
Salt 2/	0.95
Sugar, brown, light	0.75
Lecithin	0.25
Pepper, black, ground	0.03

1/ The tomato paste shall be adjusted, as necessary, to produce a 26 percent tomato soluble solids level.

2/ The total amount of salt in the sauce formula shall be adjusted, as necessary, to produce a product that complies with the finished product salt requirements (see 3.6).

NOTE: The following sauce preparation procedures were used in the development of this product. Alternate procedures may be used provided finished product requirements are met. (When alternate procedures are used, the time and temperature requirements specified for the prepared sauce are still applicable.)

The sauce shall be prepared as follows:

a. The starch and a part of the water shall be mixed to form a slurry.

b. The ground beef shall be heated in a small portion of the formula water in a steam-jacketed kettle unit with continuous stirring until the meat is fully cooked (browned with no pink color visible).

c. The remaining water and the balance of the ingredients (other than the starch slurry) shall be added and uniformly blended with the cooked ground beef, and the mixture heated to 180°F to 190°F.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

d. The starch slurry shall be added and the sauce shall be heated with constant stirring until the sauce temperature reaches 180°F to 190°F and held for approximately 5 minutes in this temperature range.

e. The volume of the sauce shall be adjusted with water prior to filling to compensate for evaporation loss during heating and holding.

f. The sauce shall be filled within 4 hours after cooking. If a hot-filled method is used, the prepared sauce shall be held in the temperature range of 150°F to 180°F at all times prior to filling into the pouches. If a cold-filled method is used, the prepared sauce shall be cooled immediately to 28°F to 40°F and held in this temperature range at all times prior to filling into the pouches.

3.3.4 Product preparation. The cooked macaroni and the meat sauce shall be combined in the following proportions. The percent by weight of the macaroni and meat sauce may be adjusted, if necessary, to ensure compliance with drained weight requirements.

Ingredients	Percent by Weight
Meat sauce	85.0
Macaroni	15.0

3.4 Pouch filling and sealing. Each pouch (see 5.1) shall be filled with product to conform to the finished product requirements and to the following requirements:

a. Each pouch shall be filled and sealed in accordance with the pouch filling and sealing requirements specified for class 1 of MIL-P-44073.

b. A hot-fill system is permitted if it is compatible with the single-stage or multi-stage filling and sealing method used.

c. The temperature of the macaroni and meat sauce at time of filling shall be as specified (see 3.3.2 and 3.3.3) for the applicable filling process used.

d. The product may be filled into the pouch using either a single-stage or multi-stage filling operation.

e. Each filled and sealed pouch shall be in the retort process within 2 hours after sealing.

3.5 Pouch thermoprocessing. The filled and sealed pouches shall be thermostabilized by retorting until a sterilization value (F_o) of not less than 6 has been achieved. The thermoprocessing operation shall be in compliance with the thermoprocessing requirements for class 1 of MIL-P-44073.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

3.6 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign material such as, but not limited to, dirt, insect parts, hair, wood, glass, or metal.

b. There shall be no foreign odor or flavor such as, but not limited to, burnt, scorched, stale, sour, rancid, or moldy.

c. There shall be no color foreign to the product.

d. Total weight of cartilage, coarse connective tissue, section of tendons or ligaments, and glandular material, collectively, in any individual pouch shall be not more than 0.35 ounces.

e. No individual pouch shall contain a bone piece measuring 0.3 inch or more in any dimension.

f. The average net weight shall be not less than 8.0 ounces.

g. No individual pouch shall contain less than 7.5 ounces of product.

h. The average drained weight of meat shall be not less than 2.0 ounces.

i. No individual pouch shall contain less than 1.8 ounces drained weight of meat.

j. No individual pouch shall contain less than 3.0 ounces or more than 4.0 ounces drained weight of macaroni.

k. Texture of beef shall not be dry, tough, rubbery, or mushy.

l. Texture of macaroni shall not be dry, rubbery, or mushy.

m. Sauce consistency shall be smooth, without lumps, and shall not be excessively thick or thin.

n. The average fat content of the finished product shall be not greater than 9.0 percent and no individual pouch shall have a fat content greater than 11.0 percent.

o. The salt content of the product in any individual pouch shall be not less than 0.5 percent nor greater than 1.2 percent.

p. The product shall show no evidence of excessive heating (materially darkened or scorched).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

3.6.1 Palatability. The finished product shall be equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance.

3.7 Plant qualification. The beef component and the finished product shall originate and be produced, processed, and stored in plants regularly operating under the Meat and Poultry Inspection Regulations of the U.S. Department of Agriculture.

3.8 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall ensure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by the USDA. The USDA will determine the degree of inspection and supervision necessary to ensure compliance with the requirements of this specification.

4.3 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this specification and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this specification or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material examination. In accordance with 4.1, components and materials shall be examined in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.5.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

and compliance shall be verified by examination of pertinent labels, markings, U.S. Grade Certificates, certificates of analyses, or other such valid documents acceptable to the inspection agency. If necessary, each ingredient shall be examined organoleptically or inspected according to generally recognized test methods such as the standard methods described in the Official Methods of Analysis of the AOAC International, and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, filling, sealing, and packaging requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation, or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Filled and sealed pouch inspection. Inspection of filled and sealed pouches shall be in accordance with the quality assurance provisions of MIL-P-44073.

4.5.4 Net weight examination. The net weight of the filled and sealed pouches shall be determined by weighing each sample unit on a suitable scale tared with a representative empty pouch. Any individual net weight of less than 7.5 ounces shall be classified as a minor defect. The lot size shall be expressed in pouches. The sample unit shall be one filled and sealed pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5. Results shall be reported to the nearest 0.1 ounce. In addition, the lot shall be rejected if the sample average net weight is less than 8.0 ounces.

4.5.5 Product and drained weight inspection. The filled and sealed sample pouches shall be held for a minimum of 72 hours at room temperature (65°F to 75°F) after completion of the thermoprocessing operation. The pouches shall be heated in 180°F to 190°F water for 10 minutes, opened, and inspected. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The sample size shall be as indicated by the sampling plan specified in table I. The product contents shall be inspected for the defects indicated in table II. The drained weight shall be determined and inspected for the defects indicated in table III.

TABLE I. Double sampling plan for product inspection 1/

Lot size (pouches)	Sample size (pouches)	Cumulative sample	Acceptance number	Rejection number
0 to 500,000	20	--	0	2
	20	40	1	2

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

1/ a. If no defects are found in the first sample, the lot shall be accepted.

b. If the number of defects found in the first sample equals or exceeds the rejection number, the lot shall be rejected.

c. If the number of defects found in the first sample exceeds the acceptance number but is less than the rejection number, the second sample shall be inspected. Defects found in the first and second sample shall be combined and if the number of defects in the cumulative sample equals or exceeds the rejection number, the lot shall be rejected.

TABLE II. Product defects 1/ 2/

Category	Defect
Major	
101	Total weight of cartilage, coarse connective tissue, section of tendons or ligaments, and glandular material, collectively, in any individual pouch is more than 0.35 ounces
102	Presence of a bone piece measuring 0.3 inch or more in any dimension
103	Texture of beef is dry, tough, rubbery, or mushy
104	Texture of macaroni is dry, rubbery, or mushy
105	Sauce consistency is lumpy, not smooth, and is excessively thick or thin
106	Product shows evidence of excessive heating (materially darkened or scorched)

1/ The presence of foreign material (for example, dirt, insect parts, hair, wood, glass, metal), foreign odor or flavor (for example, burnt, scorched, stale, sour, rancid, moldy), or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved preproduction sample in palatability and overall appearance shall be cause for rejection of the lot (see 3.6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

TABLE III. Drained weight defects 1/

Category	Defect
Major	
101	Drained weight of meat in a pouch is less than 1.8 ounces 2/
102	Drained weight of macaroni in a pouch is less than 3.0 ounces or more than 4.0 ounces

1/ To determine drained weight, the pouch contents shall be poured into a flat-bottom container. A minimum of three times the pouch's volume of 180°F to 190°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated so as to liquify rendered fat and remove the sauce. The contents shall then be poured into a U.S. Standard No. 7 sieve in a manner that will distribute the product over the sieve. Sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at approximately a 45° angle and allowed to drain for 2 minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.

2/ If the sample average drained weight of meat is less than 2.0 ounces, the lot shall be rejected.

4.5.6 Fat and salt content testing. Eight filled and sealed pouches shall be selected at random from the lot. The product shall be tested for fat content in accordance with the Official Methods of Analysis of AOAC, method 976.21, 960.39, or 985.15, and for salt content in accordance with the Official Methods of Analysis of AOAC, method 935.47, except that preparation of the samples shall be as follows: The unopened pouches shall be gently warmed in a water bath to melt fat adhering to the inside of the pouches. The pouches shall be opened and the entire contents of each pouch shall be separately blended in a Waring Blendor or equivalent. The test results shall be reported to the nearest 0.1 percent. Any result failing to conform to the fat or salt requirements in 3.6 shall be classified as a major defect and shall be cause for rejection of the lot.

4.5.7 Packaging inspection. Inspection of packaging shall be in accordance with the quality assurance provisions of MIL-P-44073.

5. PACKAGING

5.1 Packaging. Packaging shall be in accordance with the requirements of MIL-P-44073.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory).

6.1 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1 and 2.2).
c. When a first article is required (see 3.1, 4.4, and 6.2).
d. Provisions for approved preproduction samples (see 3.6.1 and 6.2).

6.2 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should also include specific instructions in acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

6.3 Subject term (key word) listing.

Combat field feeding
Food processing
Operational rations
Pouch

Custodians:

Army - GL
Navy - SA
Air Force - 50

Preparing activity:

Army - GL

(Project 8940-0754)

Review activities:

Army - MD, QM
Navy - MC
DLA - SS

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-C-44469	1993 May 28

3. DOCUMENT TITLE
CHILI AND MACARONI, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)	
U.S. Army Natick RD&E Center	(1) Commercial 508-651-4501	(2) AUTOVON/DSN 256-4501
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SATNC-WTP Natick, MA 01760-5018	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:07Z
Check the source to verify that this is the current version before use.