INCH-POUND

MIL-PRF-44474A
9 February 1996
SUPERSEDING
MIL-B-44474
20 September 1993

PERFORMANCE SPECIFICATION

BEEF WITH MUSHROOMS, IN SAUCE,

PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the performance criteria for production of a finished product consisting of shelf stable beef with mushrooms, in sauce, packaged in a flexible pouch, suitable for use by the Department of Defense as a component of operational rations. This component is consumed by combat personnel under worldwide environmental extremes as part of an operational ration, and is a source of nutritional intake. It is essential that this item be produced in accordance with good commercial practice to attain high standards of appearance, odor, flavor, and texture so that high levels of troop acceptance are achieved.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 4 and 5 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, U.S. Army Soldier Systems Command, Natick Research, Development, and Engineering Center, ATTN: SSCNC-WRE, Natick, MA 01760-5018 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements documents cited in sections 4 and 5 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto, cited in the solicitation (see 6.1).

SPECIFICATIONS

DEPARTMENT OF DEFENSE

MIL-PRF-44073 - Packaging of Food in Flexible Pouches

(Unless otherwise indicated, copies of the above specifications, standards, and handbooks are available from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094).

2.3 Non-Government Publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DoDISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DoDISS are the issues of the documents cited in the solicitation (see 6.1).

AOAC INTERNATIONAL

Official Methods of Analysis of the AOAC International

(Application for copies should be addressed to the AOAC International, 481 North Frederick Avenue, Suite 500, Gaithersburg, MD 20877.)

2.4 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article. Unless otherwise specified (see 6.1), a sample shall be subjected to first article inspection in accordance with 4.2.

3.2 Performance characteristics of the packaged food.

3.2.1 Commercial sterility. The packaged food shall be processed until commercially sterile.

3.2.2 Shelf life. The packaged food shall meet the minimum shelf life requirement of 36 months at 80°F or 6 months at 100°F.

3.2.3 Appearance.

3.2.3.1 Beef. The beef shall be dices not greater than 3/4 inch in any dimension and shall be free of cartilage, coarse connective tissue, section of tendons or ligaments, and glandular material. The beef dices shall have a characteristic cooked beef color.

3.2.3.2 Mushroom. The mushrooms shall be an off white to pale tan color.

3.2.3.3 Sauce. The sauce shall be a light tan color. The sauce shall show no evidence of syneresis.

3.2.3.4 General. There shall be no bone or bone fragment in the packaged food.

3.2.4 Odor and flavor.

3.2.4.1 General. The packaged food shall have a flavor and odor characteristic of cooked beef and mushrooms in a well blended stroganoff sauce.

3.2.4.2 Sauce. The sauce shall also have a moderate onion/beef odor and flavor.

3.2.4.3 Foreign. The packaged food shall be free from foreign odors and flavors such as, but not limited to, burnt, scorched, rancid, sour, or stale.

3.2.5 Texture.

3.2.5.1 Beef. The beef dices shall be moist and tender.

3.2.5.2 Sauce. The sauce shall be smooth and moderately thick.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

3.2.6 Weight.

3.2.6.1 Net weight. The net weight of an individual pouch shall be not less than 8.0 ounces.

3.2.6.2 Drained weight.

3.2.6.2.1 Beef. The drained weight of the beef dices in an individual pouch shall be not less than 3.0 ounces.

3.2.6.2.2 Mushroom. The drained weight of the mushrooms in an individual pouch shall be not less than 0.5 ounces.

3.2.7 Palatability. The finished product shall be equal to or better than the approved first article in palatability and overall appearance.

3.2.8 Nutrient content.

3.2.8.1 Water content. The water content of an individual pouch shall be not greater than 63.0 percent.

3.2.8.2 Protein content. The protein content of an individual pouch shall be not less than 18.3 percent.

3.2.8.3 Fat content. The fat content of an individual pouch shall be not greater than 10.0 percent.

3.2.8.4 Ash content. The ash content of an individual pouch shall be not greater than 1.8 percent.

3.2.8.5 Salt content. The salt content of an individual pouch shall be not greater than 1.2 percent.

4. VERIFICATION

4.1 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.2).

b. Conformance inspection (see 4.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

4.2 First article inspection. The first article shall be inspected in accordance with the provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the performance characteristics or any appearance or palatability failure shall be cause for rejection of the first article.

4.3 Conformance inspection. Conformance inspection shall include the examination of 4.4 and the methods of inspection of 4.5.1 through 4.5.8.

4.4 Examination. The finished product shall be examined for compliance with the requirements specified in 3.2.3, 3.2.4, 3.2.5, 3.2.6, and 3.2.7 Defects and defect classifications are listed in table I.

TABLE I. Product defects 1/ 2/

Category		Defect
Major	Minor	
		Appearance
101		Beef dice size not as specified
102		Color not characteristic of cooked beef dices
103		Bone or bone fragment measuring more than 0.3 inch in any dimension
	201	Total weight of cartilage, coarse connective tissue, section of tendons or ligaments, and glandular material is more than 0.35 ounces
	202	Color of mushrooms not off white to pale tan color
	203	Color of sauce not light tan
	204	Sauce shows evidence of syneresis
		Odor and flavor
104		Odor and flavor not characteristic of cooked beef and mushrooms in a well blended stroganoff sauce
105		Odor and flavor of sauce not moderate onion/beef

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

TABLE I. Product defects 1/ 2/ (cont'd)

Category		Defect
Major	Minor	
		Texture
	205	Beef dices not moist and not tender
	206	Sauce not smooth and not moderately thick
		Weight
	207	Net weight not as specified
	208	Drained weight not as specified

1/ Presence of any foreign odors and flavors such as, but not limited to burnt, scorched, rancid, sour, or stale shall be cause for rejection of the lot.

2/ Finished product not equal to or better than the approved first article in palatability and overall appearance shall be cause for rejection of the lot.

4.5 Methods of inspection.

4.5.1 Commercial sterility. Testing for commercial sterility shall be in accordance with MIL-PRF-44073.

4.5.2 Shelf life. Verification of shelf life shall be by contractor's certificate of conformance.

4.5.3 Appearance. Appearance is determine by compliance with 4.4.

4.5.4 Odor and flavor. Odor and flavor is acceptable is determined by compliance with 4.4.

4.5.5 Texture. Texture is determined by compliance with 4.4.

4.5.6 Weight.

4.5.6.1 Net weight. The net weight of the filled and sealed pouches shall be determined by weighing each sample unit on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 ounce.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

4.5.6.2 Drained weight. The pouch contents shall be poured into a flat-bottom container. A minimum of three times the pouch's volume of 180°F to 190°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated so as to liquify rendered fat without breaking the beef dices. The contents shall then be poured into a U.S. Standard No. 7 sieve in a manner that will distribute the product over the sieve without breaking the beef dices. The sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at approximately a 45° angle and allowed to drain for 2 minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.

4.5.7 Palatability. Palatability is determined by compliance with 4.4.

4.5.8 Nutrient content. The samples shall be prepared and analyzed for water content, protein content, fat content, ash content, and salt content in accordance with the methods of the Official Methods of Analysis of the AOAC. Test results shall be reported to the nearest 0.1 percent. Any result not conforming to water, protein, fat, ash, and salt requirements shall be cause for rejection of the lot.

5. PACKAGING

5.1 Packaging. Packaging shall be as specified in MIL-PRF-44073.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of the specification.

b. Issue of DoDISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.2.1 and 2.3).

c. When a first article is not required (see 3.1).

6.2 Ingredients. Ingredients may be as follows: Beef, mushrooms, dry cream, onions, modified food starch, salt, mustard flour, lecithin, beef flavoring, pepper, allspice, garlic powder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

6.3 Subject term (key word) listing.

Operational ration
Food processing
Pouched food

6.4 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:

Army - GL
Navy - SA
Air Force - 35

Review activities:

Army - MD, QM
Navy - MC
DLA - SS

Preparing activity:

Army - GL

(Project 8940-0839)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of this form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-PRF-44474A	2. DOCUMENT DATE (*YYMMDD*) 1996 February 9

3. DOCUMENT TITLE BEEF WITH MUSHROOMS, IN SAUCE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(If applicable)*	7. DATE SUBMITTED *(YYMMDD)*

8. PREPARING ACTIVITY

a. NAME U.S. Army Soldier Systems Command, Natick Research, Development, and Engineering Center	b. TELEPHONE *(Include Area Code)* (1) Commercial 508-233-5907 (2) AUTOVON/DSN 256-5907
c. ADDRESS *(Include Zip Code)* Commander, U.S. Army Soldier Systems Command, Natick Research, Development, and Engineering Center ATTN: SSCNC-WRE, Natick, MA 01760-5018	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: **Standardization Program Division** **5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466** **Telephone (703) 681-9340 AUTOVON 761-9340**

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:08Z
Check the source to verify that this is the current version before use.