INCH-POUND

MIL-C-25548C (USAF)
AMENDMENT 2
7 SEPTEMBER 1994
SUPERSEDING
AMENDMENT 1
26 MAR 84

MILITARY SPECIFICATION
CONTROL, PUBLIC ADDRESS SET C-1614/AIC-13

This amendment forms a part of Military Specification MIL-C-25548C (USAF) dated 18 June 1970 and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 1.1: Add after the first sentence: "This specification may be used for Control, Public Address Set C-3944(P)/AIC-13. When C-1614/AIC-13 is stated in this document, C-3944(P)/AIC-13 may be substituted and applied accordingly. The only difference between these controls is that the latter uses 6 volts for its panel lighting. This difference will be addressed in paragraphs 3.2.5.1 and 4.5.2."

2.1 Delete: "MIL-E-5272" and its title.

Add: "MIL-STD-810, Environmental Test Methods."

* Add: The headings "HANDBOOK" and "MILITARY" and list "MIL-HDBK-781" - "Reliability Test Methods, Plans, and Environments for Engineering Development, Qualification, and Production."

PAGE 3

* Add: 3.2.5.1: Control, Public Address Set C-3944(P)/AIC-13 uses a lamp voltage of 6 volts instead of that specified for C-1614/AIC-13. The appropriate nomenclature shall be used on the circuit label."

PAGE 6 and PAGE 7

* 4.3.2 Table IV, DELETE: "Salt Spray, Temperature Shock, Sand and Dust, and Fungus." SUBSTITUTE: "Salt Fog and Explosive Atmosphere."

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T06:41Z
Check the source to verify that this is the current version before use.

* 4.3.2 Table IV: ADD UNDER THE FOLLOWING HEADINGS:

Inspection or Test	Paragraph	Preproduction	Individual	Sampling
"Environmental Stress Screening	4.5.6	all	all	all"

PAGE 8

* 4.5.2: Add to the end of the paragraph: "Public Address Set Control C-3944(P)/AIC-13 uses a lamp voltage of 6 volts. Make certain that the test circuit does not put 27 volts into the lamp circuit."

4.5.4: Delete and substitute:

"4.5.4 Environmental Tests. The applicable environmental tests shall be performed in accordance with MIL-STD-810. Tests not listed do not waive the requirements in designing the component for airborne use or storage under extreme conditions. The following tests shall be conducted on the components of an intercommunication set:

a.	Temperature-Altitude	Method 504	Procedure I
b.	Humidity	Method 507	Procedure I
c.	Salt Fog	Method 509	Procedure I
d.	Explosive Atmosphere	Method 511	Procedure I
e.	Vibration	Method 514	Procedure I, Curve M, Parts 1, 2, and 3
f.	Shock	Method 516	Procedures I and II "

PAGE 9

* 4.5.5.1: Delete and substitute:

"4.5.5.1 Reliability Test. The preproduction samples of the equipment shall be tested by the contractor for reliability in accordance with MIL-STD-781 and MIL-HDBK-781 using test plan V-D and the parameters θ_0 = 6000 and θ_1 = 2000. The accept-reject criteria shall be in accordance with test plan V-D of MIL-HDBK-781. The performance parameters to be monitored during the reliability testing shall be as specified in the individual tests of Table IV of this document. These parameters shall be included in the detailed reliability test procedure prepared by the supplier."

* Delete 4.5.5.2, 4.5.5.3, 4.5.5.4, 4.5.5.5, and 4.5.5.6

Source: https://assist.dla.mil -- Downloaded: 20261O-20T06:41Z
Check the source to verify that this is the current version before use.

* ADD: "4.5.6 Environmental Stress Screening (ESS). Each control shall be non-energized and subjected to 25 temperature cycles from -54°C to +71°C chamber temperature at a temperature rate change of 15°C per minute minimum. Temperature dwell at temperature extremes shall be that time required for the item to stabilize in temperature. Stabilization occurs when the temperature of the part of the control having the longest thermal lag has met or exceeded the maximum or minimum temperature for 5 minutes."

NOTE: The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Air Force - 99

Preparing Activity:
Air Force - 84

Project Number:
5831-F094

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T06:41Z
Check the source to verify that this is the current version before use.