MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

SEALS, GASKETS , AND PACKING

TO ALL HOLDERS OF DOD-STD-35-36B(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-36B(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED .

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
1	26 SEPTEMBER 1986	(Reprinted without change)	
2	30 JUNE 1992	2	26 SEPTEMBER 1986
3	30 JUNE 1992	3	26 SEPTEMBER 1986
4	26 SEPTEMBER 1986	(Reprinted without change)	
5	26 SEPTEMBER 1986	(Reprinted without change)	
6	30 JUNE 1992	6	26 SEPTEMBER 1986
7	30 JUNE 1992	7	26 SEPTEMBER 1986
8	30 JUNE 1992	8	26 SEPTEMBER 1986
9	30 JUNE 1992	9	26 SEPTEMBER 1986
10	30 JUNE 1992	10	26 SEPTEMBER 1986
11	30 JUNE 1992	11	26 SEPTEMBER 1986
12	26 SEPTEMBER 1986	(Reprinted without change)	
15	26 SEPTEMBER 1986	(Reprinted without change)	
16	30 JUNE 1992	16	26 SEPTEMBER 1986
133	20 FEBRUARY 1979	(Reprinted without change)	
134	30 JUNE 1992	134	20 FEBRUARY 1979
135	30 JUNE 1992	135	20 FEBRUARY 1979
136	20 FEBRUARY 1979	(Reprinted without change)	

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

3. Holders of DOD-STD-35-36B(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Winy-AT
Army-AV
Army-ER
Army-ME
Arrny-MR
Army-SC
Army-CR

User activity:
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A414)

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Seals, Gaskets, and Packing.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-nunbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specifications (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSE°s for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for the assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index entered on a SRS, specifies that the title of the MSE will be the title shown in the Title In&x.

Each MSE title listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user°s reference. When more than one document is listed for an MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET	216009	HH-G-76	CLOTH, ASB-MILC
		HH-G-101	ASB, OR CORK MILC
		ASTMF104	PAPER, FBR SHEET
		MIL-G-432	RBR, SYNTH, NM
		MIL-G-13210	RBR, GAS MASK CANISTER
		MIL-G-14243	MET AND ASB
		MIL-G-15342	MET AND ASB, SPIRAL WOUND
		MIL-G-16265	MET ASB, SPIRAL WOUND
		MIL-G-16959	MTLC, BLR ECON AND SUPHTR HH
		MIL-G-17553	MTLC O-RING
		MIL-G-17927	MTLC ASB COVER, RBR CORE
		MIL-G-19769	RBR, SYNTH OIL RESISTANT
		MIL-G-20078	RBR, MET INSR, ARMD HATCH
		MIL-G-21032	MTLC ASB, SPRL WOUND
		MIL-G-21569	RBR, SYNTH, CYL LINER SEAL
		MIL-G-21610	RBR, SYNTH, HE, VARIOUS CROSS SEC
		MIL-G-29170	SYNTH RBR, REINFORCED
		MIL-G-47197	SHLD, ELEK 0RIENTED WIRES EMBEDDED

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET (CONT)	216009 (CONT)	MIL-G-50960	IND HUM, PLUG CNDCT, ELEC CONN, JAM NUT MOUNT
		MS3322	
		MS9134	TYPE X OR XV
		MS9135	TYPE XI
		MS9136	TYPE XII, XIV-A, XIV-B, XIV-E , XVII-A, XVI I-B
		MS9137	TYPE XIII
		MS9138	TYPE XIV-C AND XIV-B
		MS9139	TYPE XVI , XVII-C,-D,-E AND -F
		MS9141	MTL, O-RING, .035 TUBE X .006 WALL, CRES
		MS9142	MTL, o-RING, .062 TUBE X l 006 WALL, CRES
		MS9144	TYPE XX
		MS9202	MTL , O-RING , .062 TUBE X .010 WALL, CRES
		MS9203	MTL , O-RING, l 094 TUBE X .006 WALL, CRES
		MS9204	MTL , O-RING, .094 TUBE X .010 WALL, CRES
		MS9205	MTL , O-RING , .094 TUBE X .010 WALL, CRES
		MS9371	MTL, O-RING, .035 TUBE X .006 WALL, SIL PLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET (CON'T)	216009 (CONT)	MS9372	MTL, O-RING, .062 TUBE X .006 WALL, SIL PLD
		MS9373	MTL, O-RING, .062 TUBE X .010 WALL, SIL PLD
		MS9374	Mm, O-RING, .094 TUBE X .006 WALL, SIL PLD
		MS9375	MTL, O-RING, .094 TUBE X .010 WALL, SIL. PLD
		MS9376	MTL. , 0-RIWG , .125 TUBE X .010 WALL, SIL PLD
		MS9377	ASB, ENG ACCESS
		MS17840	COP , SPARK PLUG
		MS26577	RBR, APRT MKR LIGHT BASE
		MS27030	RBR , CPLG HALF, QUICK DISC
		MS27196	RBR, FLUID RES, SYNTH OILS AND FUELS
		MS29524	CLOTH, ADPTR LKG FLANGE
		MS29537	CMPSN, CAP, OUTLET FTG
		MS35347	NONMTLC , FLTR, FL, PRESS
		MS35643	SYNTH RUBR, CAP FUEL TANK
		MS35769	COP AND ASB , MTLC ENCASED
		MS35910	STL , SPARK PLUG
		M351007	RBR, SYNTH , BLK

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET (CONT)	216009 (CONT)	MS51091	SYNTH RBR , FLTR ELEMENT, FL
		MS51092	COP, FLTR, FL, PRESS, AUTO
		MS52000	RBR, SYNTH, CONN, ELEC
		MS90065	RECTANGULAR, WAVEGUIDE FLG
		MS9O484	FLG MT, CONN, ELEC
		MS91607	RBR, SERIES LC CONN
		AN763	CMPSN, SWIVEL FIG FLGD
		AN887	CMPSN, CIRC FORM LT COVER
		AN899	HIDE, FUSLG LT COVER SCREW
		AN901	AL OR COP, MET TUBE CONN SEAL
		AN904	CORK AND RBR, UPWD RCNDT LT COVER
		AN3119	CMPSN, COM TAIL POSITION LIGHT
		AN6230	RBR, O-RING HYD
		AN6238	CMPSN, HYD FILTER ELEMENT
		AN123020 THRU AN123119	ASG, ANNULAR
		ASTMC542	LOCK STRIP
		ASTMC564	RBR, PIPE AND FITTINGS
GASKET MATERIAL	216008	A-A-1187	ASBESTOS
		A-A-1188	CORK SHEET
		A-A-1189	CAULKING LEAD
		HH-C-576	CORK , SHEET AND STRIP
		HH-G-156	RBR, GENL PRP , SHEET , STRIPS, SHAPES

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET MATERIAL (CONT)	216008 (CONT)	ZZ-R-710	RBR, 35 DUROMETER HDNS
		MIL-R-900	RBR, 45 DUROMETER HDNS
		MIL-G-1149	SYNTH RBR, 50 AND 65 DUROMETER HDNS
		MIL-R-2765	SYNTH RBR, OIL RES, SH, STRIP, EXTR AND MOLDED SHP
		MIL-R-2778	RBR SH, SOLID VULC, GPH
		MIL-R-3533	SYNTH RBR, SH, STRIP AND MILIED
		MIL-C-6183	CORK AND RBR, AROM FUEL AND OIL RES
		MIL-C-6855	SYNTH RBR, OIL AND FUEL RES
		MIL-A-7021	ASB, SH, CPRS, HIGH TEMP RES
		MIL-R-7362	SYNTH RBR, DIESTER SYNTH OIL RES, SH, STRIP, SOLID AND FAB
		MIL-G-12803	NONMETALLIC
		MIL-R-14328	RBR SH, SYNTH MED GP
		MIL-R-15624	RBR, 50 DUROMETER HDNS
		MIL-G-20092	FOAMED LATEX, CELLULAR
		MIL-I-24391	WOOL FELT, IMPGRG, ADH PRESS SENS
		MIL-R-21252	RBR SH, SOLID SYNTH SHIPBOARD WATER NAP

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET' MATERIAL (CONT)	216008 (CONT)	MIL-G-22050	RBR , POLAR FLUIDS STEAM AND AIR
		MIL-G-23983	SYNTH RBR, OIL RES ACCESS HULL
		MIL-A-24058	ASB PKG IMPGRG
		MIL-R-25988	FLUOFOSILICONE RBR ELAS , OIL AND FUEL RES
		MIL-G-46898	GASKETING , RF AND PRESS
		MIL-R-83248	SYNTH RBR FLUOROCARBON ELAS , HI TEMP
		ASTM-F-477	EMS, PLAS PIPE
PACKING ASSEMBLY	216002	MIL-P-2911	HYDR, CONICAL AND v TYPES
		MIL-P-21099	HYDR, CONICAL AND v TYPES FIRE RES
		NAS1523	PKG, WITH RTNR
PACKING , HYDRAULIC	216003	MIL-G-5514	GLAND DESIGN , GEN REQT FOR
		MS28772	D-RING, SHOCK STRUT
		AN6226	U CUP, HYDR
PACKING MATERIAL	216004	A-A- 1184	ASB , PLSTC , TFE
		A-A-1186	OAKUM, JUTE, TWISTED
		HH-P-31	ASB , MTLC CLOTH AND TAPE
		HH-P-41	ASB, ROPE AND WICK
		HH-P-46	ASB, SH, COMPRESSED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE 1. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET MATERIAL (CONT)	216004 (CONT)	HH-P-151	RBR SH , CLOTH INSERT
		MIL-L-13188	LTHR, CATTLEHD , CHTOME TANNED, HYDR, RECL MECH
		MIL-P-14574	SYNTH RBR , CLOTH IMPGRG ASB
		MIL-P-16404	ASBESTOS
		MIL-P-17303	MTLC AND NONMETALLIC PLSTC
		MIL-P-17416	MTLC, FLEXIBLE
		MIL-P-17578	PLSTC , WTRIGHT CLOSURES
		MIL-P-19152	HYDR HIGH PRESS
		MIL-P-19918	v-RING
		MIL-P-24293	LEATHER, CATTLE HIDE , MINERAL TANNED, HYDR
		MIL-P-24503	GRAPHITIC , CRRG RIBBON , TXTRD TAPE , PRFM RING
		DOD-P-24583	GRAPHITIC , BRDD YARN
		MIL-A-81264	ASB FELT, RESIN IMPGRG
		MIL-F-81265	FIBER, ASB
		MS28932	FELT STRP, GLND
PACKING, PREFORMED	216001	MIL-P-2863	CONDENSER TUBE
		MIL-P-5315	HYDFOCARBON FUEL RESISITANT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TABLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	COVERAGE
PACKING, PREFORMED (CONT)-	216001 (CONT)	MS29512	HYDROCARBON FUEL RES,TUBE FTG , O-RING
		MS29513	HYDROCARBON FUEL RES, O-RING
		MIL-P-5510	STR THD TUBE FTG BOSS
		MS29778	STR AND TUBE FTG BOSS
		AN6238	CMPSN , HYDR FILTER ELEMENT
		MIL-P-11719	D-RING SHOCK STRUT
		MIL-P-16685	ROUNDED AND BULK
		MIL-P-17553	PACKING, PREFMD O-RING SYNTH RBR
		MIL-P-18493	CARBON AND CARBON STOCK
		MIL-P-25732	PETRO, HYD, FL RES 275 DEG F
		MS23772	D-RING SHOCK STRUT
		MS28775	HYD +275 DEG F , O-RING
		MIL-P-48005	M500 CONTAINER
		MIL-P-48011	XM454 AND XM455 PROJECTILES
		MIL-P-81716	HYDR, +275 DEG F, O-RING
		MIL-P-82744	OTTO FUEL COMPATIBLE
		MIL-P-83461	PETRO, HYDR FLUID RES , IMPROVED PRFMD AT +275 DEG F (135 DEG C)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	COVERAGE
PACKING, PREFORMED (CONT)	216001 (CONT)	MS3393	STR THD TUBE FIG BOSS , HYDR -65 DEF F TO +275 DEG F
		MIL-P-87175	PETROL HYDR FL RES , PHOSPHTRLC FLUOROELASTOMER
		MS9020	O-RING, AMS7271
		MS9021	O-RING, AMS7271
		MS9068	O-RING, AMS3304
		MS9241	O-RING, AMS7272
		MS9355	O-RING, AMS7272
		MS9385	O-RING, AMS7267
		MS9386	O-RING, AMS7267
		MS9387	O-RING, AMS7278
		MS9388	O-RING, AMS7278
		MS9770	O-RING, AMS3650
		MS9771	SEAL, AMS3650
		MS9772	O-RING, AMS3617
		MS9773	SEAL, AMS3617
		MS9955	O-RING, AMS3668
		MS9956	SEAL, AMS3668
		MS9966	SEAL, AMS7273
		MS9967	O-RING, AMS7273
		MS9970	O-RING, AMS7279
		MS28900	FOR Electrical USE
		MS29561	O-RING, SYNTH LUBRICANT RES
		AS568	AERONAUT , ELAS , RANGE OF SIZES
		AS568	EMS, TUBE FTG, RANGE OF SIZES
		MS35748	AIR BRAKE CPLG
		MS90064	ROUND (WAVE GUIDE FLANGES AND DUMMY LOAD)
		MS28775 AN123851 THRU AN123950	O-RING, HYDR
			O-RING, AMS7274

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
PACKING, PREFORMED (CONT)	216001 (CONT)	AN123951 THRU AN124050	SEAL, O-RING, AMS7270
		NAS-617	STR THD lUBE FTG BOSS, SYNTH RES
		AS3208	SEAL, AMS7276
		AS3209	O-RING, AMS7276
PAD, SILICON RUBBER	216027	22-R-765	SILICON RUBBER
RETAINER, PACKING	216022	MIL-R-8791	HYDR, AND PNEU, TFE RESIN
SEAL	216026	HH-G-156	RBR, GEN PURPOSE, SH, STRIPS, SHAPES
		MIL-R-2765	SYNTH RBR, OIL RES, SH, STRIPS EXTRUDED OR MOLDED SHAPES
		MIL-S-21558	PLAIN RADIAL, OIL
		MIL-M-24130	METALLIC RINGS, NON- INTEGRAL , GEN SPEC FOR
		MIL-S-45005	PLAIN, RADIAL, FLUID, SGL OR MULT SEG MEMBER
		MIL-S-45351	ENGINE SHROUD
		MIL-S-46874	RF AND PRESSURE
		MIL-51346	RING, SILICON
		MS27194	PLAIN, RUBBER, (FUEL RES -65 TP +160 DEG F) MOLD- IN-GROVE
		MS27195	PLAIN, RUBBER, (SYNTH OIL RES, -65 TO +275 DEG F) MOLD-IN-GKOOVE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TALBE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SEAL (CONT)	216026 (CONT)	MS27 197	PLAIN , RBR , (HOT_ AIR RES, 400 DEG F)
		MS27198	MOLD- IN-GROOVE PLAIN , RBR, (FUEL RES -65 TO +350 DEG F)
		MS27860	METAL FLUID CONN FTG LOW PRESS
		MS51001	PLAIN , SINGLE SEALING MEMBER, NONSPR LOADED
SEAL ASSEMBLY	216005	MIL-S-52506	SHAFT, MECH, LOW PRESS SELF-TUBR
		AN3067	0.375 INCH CONDUIT BOSS
SEALING MATERIAL, METAL		216012	METAL CONTAINER SEAMS
SEAL , PLAIN ENCASED	216016	MIL-S-21553	RADIAL, OIL
		MIL-S--45005	RADIAL, FLUID
		MS51000	SGL SEG MBR, SPR LOADED
		MS51001	SGL SEG MBR, NONSPR LOADED
		MS51906	DUAL. SEG MBRS, SPR LOADED
		MS51907	DUAL SEG MBRS, OPPOSED, SPRING; LOADED
		MS51908	SGL SEG MBR, FLANGED TYPE
		MS51909	SGL SEG MBR, SHOULDERED CASE
		MS51910	SGL SEG MBR, EXTERNAL TYPE
		MS51911	DUAL SEG MBRS, INT SEAL SPR LOADED

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation Systems
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-810	Environmental Test Methods and Engineering Guidelines
MIL-STD-1523	Age Controls Of Age-Sensitive Elastomeric Materiel (For Aerospace Applications)

(Copies of specifications, standards, drawing, and publications required by contractors, in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ANSIB46.1	Surface Texture, Surface Roughness, Waviness and Lay
ASTMB117	Standard Method of Salt Spray (Fog) Testing
ASTMD380	Standard Methods of Testing Rubber Hose
ASTMD395	Compression Set of Vulcanized Rubber
ASTMD412	Tension Testing of Vulcanized Rubber
ASTMD413	Standard Methods of Test for Adhesion of Vulcanized Rubber (Friction Test)

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

ASTMD572	Standard Method of Test for Accelerated Aging of Vulcanized Rubber by the Oxygen-Pressure Method
ASTMD573	Accelerated Aging of Vulcanized Rubber by the Oven Method
ASTMD750	Recommended Practice for Operating Light- and Weather-Exposure Apparatus (Carbon - Arc Type) for Artificial Weather Testing of Rubber Compounds
ASTMD792	Standard Methods of Test for Specific Gravity and Density of Plastics by Displacement
ASTMD1149	Standard Method of Test for Accelerated Ozone Cracking of Vulcanized Rubber
ASTME380	Metric Pratice Guide

(Application for copies of ANSI Standards should be addressed to the American National Standards Institute, 1430 Broadway, New York, NY 10018.)

(Application for copies of ASTMS should be addressed to the American Society for Testing and Materials,, 1916 Race St., Philadelphia, Pa. 19103.)

(Nongovernment standards are generally available for reference from libraries. They ace also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6356	SALT SPRAY/FOG l THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 6356
6357	SALT SPRAY/FOG . THERE SHALL BE NO EVIDENCE OF CORROSION, PHYSICAL DAMAGE OR DEGRADATION OF PERFORMANCE.
6353	SALT SPRAY/FOG. TESTING SHALL BE PERFORMED IN accordance WITH THE BASE DOCUMENT , EXCEPT 6353.
6354	SALT SPRAY/FOG. TESTING SHALL BE PEFORMED IN ACCORDANCE WITH ASTMB117 .
4783	DURATION OF TEST SHALL BE 4783 HOUR (S) .

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
SEALING PRESSURE	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	2132
AS FOLLOWS :	2131
SEALING PRESSURE BEFORE AGING (SELECT ONE)	
(POUNDS PER SQUARE INCH)	2134
TOLERANCE (POUNDS PER SQUARE INCH)	2136
(KILOPASCALS)	2138
TOLERANCE (KILOPAXALS)	2140
SEALING PRESSURE AFTER AGING (SELECT ONE)	
(POUNDS PER SQUARE INCH)	2142
TOLERANCE (POUNDS PER SQUARE INCH)	2144
(KILOPASCALS)	2146
TOLERANCE (KILOPASCALS)	2148
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	3102
PER (DOC DES)	3104

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHAR
CODE STANDARD PARAGRAPH

2132 SEALING PRESSURE. THE REQUIREMENT (3) SHALL BE IN ACCORDANCE WITH THE BSE DOCUMENT, EXCEPT 2132.

2131 SEALING PRESSURE . THE REQUIREMENT (S) SHALL BE AS FOLLOWS:

2134 SEALING PRESSURE BEFORE AGING SHALL BE 2134 POUNDS PER SQUARE INCH.

2136 PRESSURE TOLERANCE SHALL BE 2136 POUNDS PER SQUARE INCH.

2138 SEALING PRESSURE BEFORE AGING SHALL BE 2138 KILOPASCALS.

2140 PRESSURE TOLERANCE SHALL BE 2140 KILOPASCALS.

2142 SEALING PRESSURE AFTER AGING SHALL BE 2142 POUNDS PER SQUARE INCH.

2144 PRESSURE TOLERANCE SHALL BE 2144 POUNDS PER SQUARE INCH.

2146 SEALING PRESSURE AFTER AGING SHALL BE 2146 KILOPASCALS.

2148 PRESSURE TOLERANCE SHALL BE 2148 KILOPASCALS.

3102 SEALING PRESSURE. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 31020

3104 SEALING PRESSURE. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH 3104.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
SPECIFIC GRAVITY	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	2432
AS FOLLOWS:	2431
MINIMUM SPECIFIC GRAVITY (NUMBER)	2434
MAXIMUM SPECIFIC GRAVITY (NUMBER)	2436
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	3362
PER ASTMD792.	3362
TEST TEMPERATURE (DEGREES CELSIUS)	3367
TOLERANCE (DEGREES CELSIUJS)	3378
SURFACE TEXTURE	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	1778
AS FOLLOWS:	1775
MAXIMUM SURFACE ROUGHNESS ARITHMETICAL AVERAGE (SELECT ONE)	
(MICRO INCHES)	1782
(MICROMETERS)	1784

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.