INCH-POUND
MIL-F-70613 (AR)
AMENDMENT 3
16 FEBRUARY 1990
SUPERSEDING
AMENDMENT 2
23 July 1989

MILITARY SPECIFICATION

FUZE, PD, M936
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-F-70613 (AR), dated 8 December 1986, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.2: Add the following:

"PACKAGING DRAWING

"9381686 - Packing and Marking of Container, M548 for Fuze, M935 or M936"

PAGE 4

4.3.1: Change Quantity from "191" to "161."

PAGE 5

Table 1: Under Performance Test, change "164" to "134."

PAGE 12

* 4.4.2.6, Major 103: Delete examination callout in its entirety and substitute as follows:

"Tape missing or improperly assembled (3 places - tape covering lead assembly and tape covering front and back of booster sub-assumbly)."

PAGE 13

4.4.2.7:

Critical 2: Change quantity from "108" to "70."

AMSC N/A FSC 1390

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:48Z
Check the source to verify that this is the current version before use.

Major 101: Change number of sample units from "88" to "60."

Note (a): Delete in its entirety and substitute the following:

"Two (2) or more duds shall cause the lot to be rejected. After three (3) consecutive lots have been accepted, according to this criteria, a special double sampling plan shall be used, see para 4.5.4.1.3."

Major 102: Delete in its entirety.

Note (b): Delete in its entirety.

PAGE 15

4.5.4.1.2: Delete paragraph in its entirety.

4.5.4.1.3: Delete in its entirety and substitute the following:

"4.5.4.1.3 Double Sample SQ. After three (3) consecutive lots have met the ballistic requirements of 4.4.2.7, a special double sample for the ballistic, sq phase shall be employed. Thirty (30) sample fuzes shall be fired in accordance with paragraph 4.5.4.1.1. If no (0)duds result, the lot shall be accepted. If two (2) or more duds are found, the lot shall be rejected. If one (1) dud results, another sample of thirty (30) fuzes shall be fired. If one (1) additional dud results the lot shall be rejected and testing shall revert to paragraph 4.4.2.7 again until three (3) consecutive lots have been accepted. If only the first sample is required, the premature burst sample size shall be reduced to fifty (50)."

4.5.5, line 2: Change "M302" to "M720."

PAGE 16

5.1: Delete paragraph in its entirety and substitute the following:

"5.1 Packaging, packing and marking. Packaging, packing and marking shall be in accordance with the requirements and quality assurance provisions specified in dwg. 9381686 and MIL-P-60412."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:48Z
Check the source to verify that this is the current version before use.

6.4.1:

Functioning: Delete "Charge 0" and "Charge 4" test firings with Fuze Setting at Delay.

PAGE 16

Delete Note (b) in its entirety.

Delete line for "ARMING DELAY" in its entirety and substitute "ARMING SAFETY."

PAGE 17

6.4.2:

Functioning: Delete "Charge 0" and "Charge 4" test firing with Fuze Setting at Delay.

Delete Note (a) in its entirety.

Delete line for "ARMING DELAY" in its entirety and substitute "ARMING SAFETY."

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 1390-A680)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:48Z
Check the source to verify that this is the current version before use.