QUALIFICATIONS CERTIFIED
EVERY 2 YEARS

QPL-81044-14
31 July 1996
SUPERSEDING
QPL-81044-13
31 March 1996

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-W-81044

WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice: revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The Activity responsible for this qualified products list is the Naval Air Systems Command. Questions concernign this QPL may be directed to the Naval Air Warfare Center, Aircraft Division, Indianapolis, Code 4.5.6.2, Kathy Strange (317) 306-4763, 6000 E. 21st Street, Indianapolis, IN 46219-2189.

Manufacturer's full name cage #, office address and manufacturing plant address are listed at the end of this QPL.

For the sake of brevity, part number designations are displayed and interpreted as shown:

M81044/7-	26	-*		XXXXX-	26	
	thru				thru	
	20				20	

Matrices generate the following fictitious part numbers: (intervals of two)

M81044/7-26-*	XXXXX-26
-24-	-24
-22-	-22
-20-	-20

AMSC N/A

Distribution Statement A. Approved for public release; distribution is unlimited

FSC 6145

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.

* The asterisk in the part number will be replaced by with the color code designations specified in the applicable MIL-W-81044 specification sheet.

M81044/5	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Normal Weight, 600-VOlt, 150 degrees C			
M81044/5-	24 thru 0	-*	44A0712- 24 thru 0	Raychem Corporation NAC 118.07/2-28-96
M81044/6	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Normal Weight, 600-Volt, 150 degrees C			
M81044/6-	24 thru 0	-*	44A0711- 24 thru 0	Raychern Corporation NAC 118.07/2-28-96
M81044/7	Wire, Electric, Crosslinked Polyalkene Insulated, Silver Coated High Strength Copper Alloy, Normal Weight, 600-Volt, 150 degrees C			
M81044/7-	26 thru 20	-*	44A0714- 26 thru 20	Raychem Corporation NAC 118.07/2-28-96
M81044/8	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Medium Weight, 600-Volt, 150 degrees C			
M81044/8-	24 thru 0	-*	BR81044/8 24 thru 0	BICC Brand-Rex NAC N18.09/2-28-96
M81044/8-24-*			ARR1936A	Surprenant Cable Corp. NAC S18.06/2-28-96
-22-			ARR1934A	
-20-			ARR1932A	
-18-			ARR1930A	
-16-			ARR1929A	
-14-			ARR1927A	
-12-			ARR3728A	
-10-			ARR3726A	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M81044/8-24-*	513576	Huber and Suhner AG
-22	577	
-20	578	NAC F18.10/2-28-96
-18	579	
-16	580	
-14	570	
-12	571	
-l0	572	
- 8	566	
M81044/8- | 24 | thru | 16 |-*	H3008 | 24 | thru | 16 | 4	Judd Wire NAC G18.11/2-28-96
M81044/8- | 24 | thru | 0 |-*	44A0812- | 24 | thru | 0 |	Raychem Corporation NAC 118.07/2-28-96
M81044/9	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Medium Weight, 600-Volt, 150 degrees C	
M81044/9- | 24 | thru | 0 |-*	BR81044/9 | 24 | thru | 0 |	BICC Brand-Rex NAC N18.09/2-28-96
M81044/9-24-*	ARR1936U	Surprenant Cable Corp.
-22-	ARR1934	
-20-	ARR1932	
-18-	ARR1930	NAC S18.06/2-28-96
-16-	ARR1929	
-14-	ARR1927	
-12-	ARR3728	
-10-	ARR3726	
-8	ARR13329U	
-6	ARR13327U	
-4	ARR13325U	
-2	ARR66530U	
-0	ARR10453OU	
M81044/9-24-*	513-581-*	Huber & Suhner AG
-22	-582	
-20	-583	NAC F18.10/2-28-96
-18	-584	
-16	-585	
-14	-573	
-12	-574	
-lo	-575	
- 8	-568	

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T13:23Z
Check the source to verify that this is the currentversion before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M81044/9- 6	-569	Huber & Suhner AG (cont'd)
- 4	-563	
- 2	-564	
- 0	-565	
M81044/9- | 24 | thru | 16 |-*	H3009 | 24 | thru | 16 | 4	Judd Wire NAC G18.11/2-28-96
M81044/9- | 24 | thru | 0 |-*	44A0811- | 24 | thru | 0 |	Raychem Corporation NAC 118.07/2-28-96
M81044/10	Wire, Electric, Crosslinked Polyalkene Insulated, Silver Coated High Strength Copper Alloy, Medium Weight, 600-Volt, 150 degrees C	
M81044/10- | 26 | thru | 20 |-*	BR81044/10 | 26 | thru | 20 |	BICC Brand-Rex NAC N18.09/2-28-96
M81044/10- | 24 | thru | 20 |-*	ARR19 | 36 | thru | 20 | AAY73	Surprenant Cable Corp. NAC S18.06/2-28-96
M81044/10-26-*	513-568-*	Huber and Suhner AG
-24	-586	
-22	-587	NAC F18.10/2-28-96
-20	-588	
M81044/10- | 26 | thru | 20 |-*	H3010 | 26 | thru | 20 | 4	Judd Wire NAC G18.11/2-28-96
M81044/10- | 26 | thru | 20 |-*	44A0814- | 26 | thru | 20 |	Raychem Corporation NAC 118.07/2-28-96
M81044/11	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Light Weight, 600-Volt, 150 degrees C	
M81044/11- | 30 | thru | 12 |-*	BR81044/11 | 30 | thru | 12 |	BICC Brand-Rex NAC N18.09/2-28-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M81044/11-30-*	AR738A	Surprenant Cable Corp.
-28	AR736A	
-26	AR1938A	
-24	AR1936A	NAC S18.06/2-28-96
-22	AR1934A	
-20	AR1932A	
-18	AR1930A	
-16	AR1929A	
-14	AR1927A	
-12	AR3728A	
M81044/11-30-*	513-589-*	Huber and Suhner AG
-28	590	
-26	591	NAC F18.10/2-28-96
-24	598	
-22	599	
-20	600	
-18	601	
-16	602	
-14	614	
-12	615	
M81044/11-30-*	H3011302	Judd Wire
-28	282	
-26	264	NAC G18.11/2-28-96
-24	244	
-22	224	
-20	204	
-18	184	
-16	164	
-14	144	
-12	126	
M81044/11- | 30 thru 12 |-*	44A0112- | 30 thru 12 |	Raychem Corporation
		NAC 118.07/2-28-96
M81044/12	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Light Weight, 600-Volt, 150 degrees C	
M81044/12- | 30 thru 12 |-*	BR81044/12 | 30 thru 12 |	BICC Brand-Rex
		NAC K18.09/2-28-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M81044/12-30-*	AR738U	Surprenant Cable Corp.
-28	AR736U	
-26	AR1938U	
-24	AR1936U	NAC S18.06/2-28-96
-22	AR1934U	
-20-	AR1932U	
-18-	AR1930U	
-16-	AR1929U	
-14-	AR1927U	
-12-	AR3728U	
M81044/12-30-*	513-592-*	Huber and Suhner AG
-28	593	
-26	594	NAC F18.10/2-28-96
-24	603	
-22	607	
-20	608	
-18	609	
-16	610	
-14	616	
-12	617	
M81044/12-30-*	H3012302	Judd Wire
-28	282	
-26	264	NAC G18.11/2-28-96
-24	244	
-22	224	
-20	204	
-18	184	
-16	164	
-14	144	
-12	126	
M81044/12- | 30 |-* thru | 12 |	44A0111- | 30 | thru | 12 |	Raychem Corp. NAC 118.07/2-28-96
M81044/13	Wire, Electric, Crosslinked Polyalkene Insulated, Silvercoated High Strength Copper Alloy, Light Weight, 600-Volt, 150 degrees C	
M81044/13- | 30 |-* thru | 20 |	BR81044/13 | 30 | thru | 20 |	Brand-Rex NAC K18.09/2-28-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M81044/13-30-*	AR738AAY73	Surprenant Cable Corp.
-28-	AR736AAY73	
-26-	AR1938AAY73	
-24-	AR1936AAY73	NAC S18.06/2-28-96
-22-	AR1934AAY73	
-20-	AR1932AAY73	
M81044/13-30-*	513-595-*	Huber and Suhner AG
-28	596	
-26	597	NAC F18.10/2-28-96
-24	611	
-22	612	
-20	613	
M81044/13-30-*	H3013302	Judd Wire
-28	282	
-26	264	NAC G18.11/2-28-96
-24	244	
-22	224	
-20	204	
M81044/13- | 30 thru 20 |-*	44AO114- | 30 thru 20 |	Raychem Corporation
		NAC 118.07/2-28-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

		CAGE #
Office:	BICC Brand-Rex Company P.O. Box 498, Route 32 Willimantic, CT 06226-1128	71124
Plant:	Same as above	
Office:	Surprenant Cable Corporation 172 Sterling St. Clinton, MA 01510	90484
Plant:	Same as above	
Office:	Huber and Suhner AG Tumbelenstrasse 20 CH-8330 Pfaffikon Switzerland	7W263
Plant:	Same as above	
Office:	Judd Wire Incorporated 55 Turnpike Road Turners Falls, MA 01376	12703
Plant:	Same as above	
Office:	Raychem Corporation 300 Constitution Drive Menlo Park, CA 94025	06090
Plant:	Raychem Corporation Wire and Cable Plant Oakside at Northside Redwood City, CA 94063	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.