QUALIFICATIONS CERTIFIED
JUNE 2002

QPL-81044-16
14 June 2002
SUPERSEDING
QPL-81044-15
18 October 2000

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-W-81044

WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release or otherwise affect the obligation of the manufacturer to comply with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND (COMMANDER, NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION, HIGHWAY 547, CODE 414100B120-3, LAKEHURST, NJ 08733-5100

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

For the sake of brevity, part number designations are displayed and interpreted as shown:

M81044/7-	26 thru 20	-*	XXXXX-	26 thru 20	

Matrices generate the following fictitious part numbers: (intervals of two)

M81044/7-26-*	XXXXX-26
-24-*	-24
-22-*	-22
-20-*	-20

* The asterisk in the part number will be replaced by the color code designations specified in the applicable MIL-W-81044 specification sheet.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-81044/5, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 °C. Inactive for new design		
M81044/5- 24 thru 0 -*	44A0712- 24 thru 0	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99
MIL-W-81044/6, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 °C.		
M81044/6- 24 thru 0 -*	44A0711- 24 thru 0	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-81044/7, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600-VOLT, 150 °C.						
M81044/7-	26 thru 20	-*	44A0714-	26 thru 20		Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99
MIL-W-81044/8, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 °C. Inactive for new design						
M81044/8-	24 thru 0	-*	BR81044/8-	24 thru 0		General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/8-24-*			513-576			Huber and Suhner AG
-22-*			513-577			
-20-*			513-578			01812101.AB/2-28-98
-18-*			513-579			
-16-*			513-580			
-14-*			513-570			
-12-*			513-571			
-10-*			513-572			
- 8-*			513-566			
M81044/8-	24 thru 0	-*	44A0812-	24 thru 0		Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/8-24-*	ARR1936A	Rockbestos-Surprenant
-22-*	ARR1934A	Cable Corp.
-20-*	ARR1932A	
-18-*	ARR1930A	01807401.AA/3-1-99
-16-*	ARR1929A	
-14-*	ARR1927A	
-12-*	ARR3728A	
-10-*	ARR3726A	
MIL-W-81044/9, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 °C.		
M81044/9- 24 thru 0 -*	BR81044/9- 24 thru 0	General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/9-24-*	513-581	Huber and Suhner AG
-22-*	513-582	
-20-*	513-583	01812101.AB/2-28-98
-18-*	513-584	
-16-*	513-585	
-14-*	513-573	
-12-*	513-574	
-10-*	513-575	
- 8-*	513-568	
- 6-*	513-569	
- 4-*	513-563	
- 2-*	513-564	
- 0-*	513-565	
M81044/9- 24 thru 0 -*	44A0811- 24 thru 0	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/9-24-*	ARR1936U	Rockbestos-Surprenant Cable Corp.
-22-*	ARR1934U	
-20-*	ARR1932U	
-18-*	ARR1930U	01807401.AA/3-1-99
-16-*	ARR1929U	
-14-*	ARR1927U	
-12-*	ARR3728U	
-10-*	ARR3726U	
- 8-*	ARR13329U	
- 6-*	ARR13327U	
- 4-*	ARR13325U	
- 2-*	ARR66530U	
- 0-*	ARR104530U	
MIL-W-81044/10, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600-VOLT, 150 °C		
M81044/10- 26 thru 20 -*	BR81044/10- 26 thru 20	General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/10-26-*	513-568	Huber and Suhner AG
-24-*	513-586	
-22-*	513-587	01812101.AB/2-28-98
-20-*	513-588	
M81044/10- 26 thru 20 -*	44A0814- 26 thru 20	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99
M81044/10-24-*	ARR1936AAY73	Rockbestos-Surprenant Cable Corp.
-22-*	ARR1934AAY73	
-20-*	ARR1932AAY73	01807401.AA/3-1-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-81044/11, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 °C.		
M81044/11-30-12	84411	Berk-Tek Electronics Cable 01823601.ML/2-1-02
M81044/11- 30 thru 12 -*	BR81044/11- 30 thru 12	General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/11-30-* -28-* -26-* -24-* -22-* -20-* -18-* -16-* -14-* -12-*	513-589-* 513-590-* 513-591-* 513-598-* 513-599-* 513-600-* 513-601-* 513-602-* 513-614-* 513-615-*	Huber and Suhner AG 01812101.AB/2-28-98
M81044/11- 30 thru 12 -*	44A0112- 30 thru 12	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99
M81044/11-30-* -28-* -26-* -24-*	AR738A AR736A AR1938A AR1936A	Rockbestos-Surprenant Cable Corp. 01807401.AA/3-1-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/11-22-*	AR1934A	Rockbestos-Surprenant
-20-*	AR1932A	Cable Corp.
-18-*	AR1930A	(Continued)
-16-*	AR1929A	
-14-*	AR1927A	01807401.AA/3-1-99
-12-*	AR3728A	
MIL-W-81044/12, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 °C.		
M81044/12-30-12	84412	Berk-Tek Electronics Cable
		01823601.ML/2-1-02
M81044/12- 30 thru 12 -*	BR81044/12- 30 thru 12	General Cable Brand Rex Brand
		01803301.AA/2-28-98
M81044/12-30-*	513-592-*	Huber and Suhner AG
-28-*	513-593-*	
-26-*	513-594-*	01812101.AB/2-28-98
-24-*	513-603-*	
-22-*	513-607-*	
-20-*	513-608-*	
-18-*	513-609-*	
-16-*	513-610-*	
-14-*	513-616-*	
-12-*	513-617-*	
M81044/12- 30 thru 12 -*	44A0111- 30 thru 12	Raychem Wire and Cable Products Group Tyco Electronics
		01820201.AC/4-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/12-30-*	AR738U	Rockbestos-Surprenant Cable Corp.
-28-*	AR736U	
-26-*	AR1938U	
-24-*	AR1936U	01807401.AA/3-1-99
-22-*	AR1934U	
-20-*	AR1932U	
-18-*	AR1930U	
-16-*	AR1929U	
-14-*	AR1927U	
-12-*	AR3728U	
MIL-W-81044/13, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600-VOLT, 150 °C.		
M81044/13-30-20	84413	Berk-Tek Electronics Cable 01823601.ML/2-1-02
M81044/13- 30 thru 20 -*	BR81044/13- 30 thru 20	General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/13-30-*	513-595-*	Huber and Suhner AG
-28-*	513-596-*	
-26-*	513-597-*	01812101.AB/2-28-98
-24-*	513-611-*	
-22-*	513-612-*	
-20-*	513-613-*	
M81044/13- 30 thru 20 -*	44A0114- 30 thru 20	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AC/4-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/13-30-*	AR738AAY73	Rockbestos-Surprenant Cable Corp. 01807401.AA/3-1-99
-28-*	AR736AAY73	
-26-*	AR1938AAY73	
-24-*	AR1936AAY73	
-22-*	AR1934AAY73	
-20-*	AR1932AAY73	

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Berk-Tek Electronics Cable 600 South Parker Street P.O. Box 909 Elm City, NC 27822-0909 Plant: Same address	12515	Raychem Wire and Cable Products Group Tyco Electronics 300 Constitution Drive Menlo Park, CA 94025 Plant: Raychem Wire and Cable Products Group Tyco Electronics Oakside at Northside Redwood City, CA 94063	06090
General Cable Brand Rex Brand P.O. Box 498 1600 West Main Street Willimantic, CT 06226-1128 Plant: Same address	71124		
Huber and Suhner AG Tumbelenstrasse 20 Ch-8330 Pfaffikon Switzerland Plant: Same address	7W263	Rockbestos-Surprenant Cable Corp 172 Sterling Street Clinton, MA 01510 Plant: Same address	90484

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.