MIL-R-55452(EL)
20 December 1965

MILITARY SPECIFICATION

RELAY, SOLENOID
PACKAGING AND PACKING OF

1. SCOPE

1.1 This specification covers the requirements for packaging, packing, and marking of Relay, Solenoid, for shipment and storage.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

UU-T-106	Tape, Pressure-Sensitive Adhesive Masking Paper
PPP-B-636	Box, Fiberboard
PPP-F-320	Fiberboard: Sheet Stock (Container Grade) and Cut Shapes
PPP-T-76	Tape; Pressure-Sensitive Adhesive, Paper, Water-Resistant

MILITARY

MIL-P-116	Preservation, Methods of
MIL-B-131	Barrier Material; Water Vaporproof, Flexible, Heat-Sealable
MIL-C-7769	Cushioning Material, Bound Fiber

FSC 5945

For FIC

Source: https://assist.dla.mil -- Downloaded: 202610-22T23:22Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-129 Marking for Shipment and Storage

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material. Material shall be as specified herein.

3.2 Dimensional data. Dimensions of packaging materials in the Bill of Material Tables are based on the dimensions of the equipment cited in the tables. When the dimensions of the equipment vary from those cited, the dimensions of packaging materials shall be adjusted accordingly.

3.3 Packaging. Packaging shall be level A or C as specified in the contract or order (see 6.1).

3.3.1 Level A.

3.3.1.1 Cleaning. Each relay shall be cleaned in accordance with process C-1 of MIL-P-116.

3.3.1.2 Drying. Each relay shall be dried in accordance with MIL-P-116.

3.3.1.3 Unit packaging. Unit protection shall be in accordance with MIL-P-116 as specified herein.

3.3.1.4 Each relay shall be packaged method IA-15 in accordance with referenced items 1 through 10 of figure 1 and table I.

3.3.2 Level C. Each relay shall be packaged method III in accordance with referenced items 1 through 9 of figure 1 and table I.

3.4 Packing. Packing shall be level A, B, or C as specified in the contract or order (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 202610-22T23:22Z
Check the source to verify that this is the currentversion before use.

3.4.1 Level A. A quantity of relays, packaged as specified in 3.3, shall be packed in a close-fitting box conforming to PPP-B-636, Style RSC, V3c. Closure and reinforcement shall be with tape as specified in the appendix to the box specification.

3.4.2 Level B. Same as 3.4.1.

3.4.3 Level C. Each relay, packaged as specified in 3.3, shall be packed in a manner to insure carrier acceptance and safe delivery to destination at the lowest transportation rate for such supplies. Containers shall be in accordance with the rules and regulations of carriers applicable to the mode of transportation.

3.5 Marking. In addition to any special marking required by the contract or order, interior packages and exterior shipping containers shall be marked in accordance with MIL-STD-129 (see 6.1).

3.6 Package performance. Package testing shall be performed in accordance with MIL-P-116 (see 6.1).

3.7 Workmanship. The quality of workmanship shall be such as to permit acceptance of the completed packaging, packing, and marking requirements in accordance with the testing specified in section 4.

4. QUALITY ASSURANCE PROVISIONS. The quality assurance provisions shall be in accordance with MIL-P-116.

5. PREPARATION FOR DELIVERY. Not applicable to this specification.

6. NOTES.

6.1 Ordering data. Procurement documents should specify:

(a) Title, number, and date of this specification and any amendments thereto.

(b) Level of packaging and packing.

(c) Marking shall be the same as level A when level B packing is specified.

(d) When the rough-handling test is required.

Source: https://assist.dla.mil -- Downloaded: 202640-22T23:22Z
Check the source to verify that this is the currentversion before use.

6.2 Deviations. Requests for deviations shall be supported by test data proving the ability of the equipment, which has been packaged and packed in accordance with the proposed design change, to withstand the rough-handling test requirements of MIL-P-116. Standardization of techniques, availability of packaging and packing materials, and economy shall be considered in granting approval for deviations.

Custodian:
Army - EL

Review Activity:
Army - SM

User Activity:
Army -

Preparing Activity:
Army - EL

Project No.
5945-A009

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:22Z
Check the source to verify that this is the current version before use.




FIGURE 1. RELAY SOLENOID, FSN 5945-259-5877

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:22Z
Check the source to verify that this is the current version before use.

BILL OF MATERIAL
TABLE I

REF No.	ITEM Nomenclature	No. Reqd.	Method MIL-P-116	SIZE - INCHES L	W	D	REQUIREMENT Spec No.	T	C	V	G	F	S
1	Relay, Solenoid FSN 5945-259-5877	1	IA-15	4-5/8	2	4-1/2	Bare weight - 7.8 oz.						
2	Bearing, Pad, Fiberboard	1		6-1/2	2	1/8	PPP-F-320	CF	DOM	SW	275	C	
	See illustration for exact location of cutouts.												
3	Tape, Masking	1		7	3/4		UU-T-106	I					
4	Cushioning Material, Bound Fiber	1		10-1/4	5	2	MIL-C-7769	II					
	A 2-inch slit shall be cut beginning at the center of the cushion and positioned as indicated in illustration.												
5	Cushioning Material, Bound Fiber	1		6-1/4	5	2	MIL-C-7769	II					
6	Cell, Fiberboard	1		22-1/8	4-3/8	1/8	PPP-F-320	CF	DOM	SW	275	C	
	Form cell per illustration in dimensions indicated.												
7	Tape, Pressure-Sensitive			12	2		PPP-T-76						
8	Box, Fiberboard	1		6-3/4	4-3/8	6	PPP-B-636	CF	DOM	SW	275	C	RSC
9	Tape, Pressure-Sensitive	2		13	2		PPP-T-76						
10	Barrier Material	1		26	14		MIL-B-131		I				
	Unit Package Weight		1.06 lbs.										
	Unit Package Cube		0.18 cu. ft.										

Lev. A - PACKED WEIGHT
Lev. A - PACKED VOLUME

T - Type
C - Class
V - Variety
G - Grade
F - Flute
S - Style

Source: https://assist.dla.mil -- Downloaded: 202610-22T23:22Z
Check the source to verify that this is the current version before use.

FOLD

HEADQUARTERS
U. S. ARMY ELECTRONICS COMMAND
FORT MONMOUTH, NEW JERSEY 07703

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

Commanding General
U. S. Army Electronics Command
ATTN: AMSEL-PP-
Fort Monmouth, New Jersey 07703

FOLD

To detach this form, cut along this line

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:22Z
Check the source to verify that this is the current version before use.

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET

Form Approved Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES" IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1426
1 APR 63

Source: https://assist.dla.mil -- Downloaded: 202610-22T23:22Z
Check the source to verify that this is the current version before use.