MIL-T-82322(ONR/NTDC)
5 February 1965
SUPERSEDING
NAVTRADEVCEN 3412-102A
20 June 1960

MILITARY SPECIFICATION

TRAINER, HAND SEMAPHORE

This specification has been approved by the Office of Naval Research (U. S. Naval Training Device Center), Department of the Navy.

1. SCOPE

1.1 This specification covers one type of trainer to provide self-instruction in semaphore signaling.

1.1.1 This item has been designated by the Office of Naval Research (U. S. Naval Training Device Center) as Device 12WW2 for Navy procurement (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on the date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

Federal

PPP-B-636	Box , Fiberboard

Military

MIL-P-116	Preservation; Methods of
MIL-L-10547	Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible

STANDARDS

Federal

MIL-STD-129	Marking for Shipment and Storage

FSC 6910

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:02Z
Check the source to verify that this is the current version before use.

(Copies of specifications,standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials.- Materials not specified herein shall be selected on the basis of compatibility with the established design and suitability to the specific application in satisfying the performance requirements specified herein.

3.1.1 Metal.- Noncorrosive metal shall be used for all grommets.

3.2 Design.-This training device is a cardboard and plastic, pocket-size device which dynamically demonstrates sending and receiving the semaphore alphabet.

3.3 Construction.- Construction shall be in accordance with the requirements of this specification and the Government-furnished sample device.

3.3.1 Art work.- The contractor shall furnish all of the artwork and mechanicals that are necessary for construction of the device.

3.3.2 Printing.- All printing shall be sharp, clear and distortion free.

3.4 Performance.- The assembly of the device shall be precise to insure accurate alignment and registration.

3.4.1 The assembled device shall operate freely and accurately, without binding or sticking.

3.5 Details of components.- The trainer shall consist of the following major components:

(a) Cover
(b) Inside disk.

3.5.1 Cover.- The cover shall conform to the Government-furnished Device 12WW2. The cover shall be fabricated of cardboard, 250-pound white tag stock, 4 by $8\frac{1}{4}$ inches. The cover shall be single-folded and depict front and back views of a sailor without arms. The front view of the sailor shall be shown on the receiving or front view of the cover, while the back view of the sailor shall be shown on the sending, or back view of the cover.

3.5.1.1 The front and back of the cover shall be perforated to show the arm and flag positions for the various letters through the die-cut openings.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:02Z
Check the source to verify that this is the current version before use.

3.5.2 Inside disk.- The inside disk shall be four and one-eighth inches in diameter, printed in three colors on both sides on 0.015 white opaque vinylite with acetate laminations on both sides. The disk shall be fastened to the inside of the cover by a grommet.

3.5.2.1 Letters.- Letters of the alphabet shall be printed on the teeth of the sawtooth edge of the disk. As the disk is rotated, one letter at a time shall appear in an opening at the bottom of the device, and the corresponding arm and flag positions appear above.

3.6 Dimensions.- Dimensions shall be as shown on the Government-furnished sample.

3.7 Finish and color.- Finish and color shall be as shown on the Government-furnished sample.

3.8 Nameplate data.- The following Government-furnished nameplate data shall appear on the trainer as shown on the Government-furnished sample.

U. S. NAVAL TRAINING DEVICE CENTER
TRAINER, HAND SEMAPHORE

Device No. 12WW2 Contract No. _____

Stock No. 20-6910-523-1507 Year _____

Contractor

3.9 Government-furnished property.- The following property will be furnished by the Government:

(a) Trainer, Hand Semaphore, Device 12WW
(b) Envelopes

3.10 Workmanship.- The trainer shall be constructed and finished with particular attention given to neatness and thoroughness of marking of parts and assemblage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:02Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspection.- Inspections to be performed are classified as follows:

(a) In-process inspection
(b) Quality conformance inspection.

4.3 In-process inspection.- In-process inspection shall include such visual, and mechanical examinations and testing of materials, subassemblies and parts, (including purchased standard items) during the manufacturing process as may be necessary to assure conformance to all the requirements specified herein.

4.4 Quality conformance inspection.-

4.4.1 Preproduction inspection.- Preproduction inspection shall be conducted on the preproduction sample and shall consist of all the examinations and tests specified herein.

4.4.2 Production inspection.- Production units shall be inspected to the extent necessary to maintain quality control and conformance to the Government-accepted preproduction sample.

4.5 Examinations.- Examinations shall be performed to verify conformance to the following requirements:

(a) Materials
(b) Construction
(c) Dimensions
(d) Finish and color
(e) Nameplate data
(f) Workmanship
(g) Preparation for delivery.

4.6 Tests.- The following tests shall be performed:

(a) A random sampling of about one unit for each fifty units constructed shall be tested to conform to the examinations listed in 4.5.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging.- Preservation and packaging shall be level A or C (see 6.2).

5.1.1 Level A.- For level A, each trainer shall be preserved and packaged for mechanical and physical protection in accordance with MIL-P-116, Method III.

5.1.1.1 Unit packaging.- Twenty units of the device shall be packaged in Government-furnished envelopes and heatsealed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:02Z
Check the source to verify that this is the current version before use.

5.1.2 Level C.- For level C, preservation and packaging shall conform to manufacturer's commercial practice.

5.2 Packing.- Packing shall be level A or C (see 6.2).

5.2.1 Level A.- Units packaged in accordance with 5.1.1 shall be packed in exterior containers conforming to PPP-B-636. Unless otherwise specified by the procuring activity (see 6.2), the gross weight shall not exceed the weight limitations of the shipping container. Each exterior shipping container shall be lined with a waterproof moisture barrier sealed with adhesive or tape to effect water resistance in accordance with MIL-L-10547. A case liner shall not be required where the package(s) and package dunnage have been treated to resist water. Unit fiber boxes, conforming to PPP-B-636, class 2, closed, reinforced and waterproofed as specified in the appendix thereto, and used as shipping containers, shall not be overpacked.

5.2.2 Level C.- Units packaged in accordance with 5.1.2 shall be packed in containers which will insure acceptance by common carrier and safe delivery at destination. Shipping containers shall comply with common carrier rules and regulations as applicable to the mode of transportation and may be the supplier's commercial practice when such meets the requirements of this level.

5.3 Physical protection.- All material shall be packaged and packed in containers constructed to provide a compact and nonshifting load. Adequate cushioning, blocking and bracing shall be provided within shipping containers in a manner designed to prevent damage due to shock, vibration or impact during shipment, handling and storage.

5.4 Marking.- Interior packages and exterior shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use.- The trainer will be used by military personnel for the simulated self-training for one man, or practice for two men located a few feet from each other.

6.2 Ordering data.- Procurement documents should specify the following:

(a) Title, number, and date of this specification
(b) Procuring activity designation (device number or other)(see 1.1.1)
(c) Selection of applicable levels of preservation, packaging and packing (see 5.1 and 5.2)
(d) Gross weight of shipping container (see (5.2.1).

6.3 Definitions.- Except as specified herein, definitions will be furnished upon written request to the procuring activity.

6.3.1 Preproduction sample.- A production item furnished under production contracts for the purpose of determining compliance with requirements of the detail training device specification already established and

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:02Z
Check the source to verify that this is the current version before use.

accepted. It shall be electrically and mechanically representative of production sets though not necessarily made with production line jigs, fixtures and methods.

6.3.2 Production unit.- A unit in its final mechanical and electrical form of final production design made by production tools, jigs, fixtures and methods.

6.3.3 Training device.- An item designed exclusively for training purposes and which falls into one of the following categories:

(a) Trainer -- A training device designed to provide a synthetic situation in which human skills or techniques are developed or improved by direct participation of trainee.

(b) Training aid -- A training device designed to demonstrate or illustrate a concept.

Specifically excluded are training-type operational equipment such as training aircraft and all other ordnance, electronics and transportation equipment designed for operating use as distinguished from training purposes and which are or may be used in a training situation.

Custodian:
Navy-TD

Preparing Activity
Navy-TD

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:02Z
Check the source to verify that this is the current version before use.