MIL-F-51369B(EA)
AMENDMENT 2
2 November 1989
SUPERSEDING
AMENDMENT 1
27 April 1987

MILITARY SPECIFICATION

FILTERS, GAS: RECIRCULATION (550 CPM AND 1200 CFM)

This amendment forms a part of MIL-F-51369B(EA), dated 17 July 1979, and is approved for use within the Chemical Research, Development and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Preamble, lines 1 and 2: delete "US Army Armament Research and Development Command" and substitute l 'U.S. Army Chemical Research, Development and Engineering Center".

PAGE 1
(and DD Form 1426 following PAGE 14)

Beneficial comments block lines 3 and 4, and DD Form 1426 address block: delete "Commander, US Army Armament Research and Development Command, ATTN: DRDAR-TSC-S, Aberdeen Proving Ground, MD 21010" and substitute "commander, U.S. Army Chemical Research, Development and Engineering Center, ATTN: SMCCR-SPT-S, Aberdeen Proving Ground, MD 21010-5423".

PAGE 2

Military specifications:

Line 2: delete "Barrier Material, Water Vaporproof, Flexible" and substi tute "Barrier Materials, Watervaporproof, Greaseproof, Flexible".

Line 4: delete "Mildew Resistant Treatment (for Fabrics)" and substitute "Fungus-Resistant Treatment for Sandbags;*'.

AMSC N/A FSC 4240

DISTRIBUTION STATEMENT A, Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.

Federal standards, lines 2 and 3: delete l *Fed. Std. No. 123" and its title-

Military standards:

Delete 'M1L-STD-81O' and its title.

Add the following reference:

'MIL-STD-282 - Filter Units, Protective Clothing, Gas-Mask Components and Related Products: Performance Test Methods".

Drawings:

line 2: delete "US Army Armamnent Research and Development Command" and substitute "U.S. Army Chemical Research, Development and Engineering Center"'.

line 3: delete "CHEMICAL SYSTEMS LABORATORY".

line 4: delete "A26-18-67 - Machine, vibrating, Filter Unit, Q110."

line 5: delete "E5-19-521I-10 - Filter, Gas." and substitute '"5-19-5211-10 - Filter, Gas: Recirculation, 1200 CFM."

line 6: delete 'E5-19-5211-20 - Filter, Gas.*' and substitute "5-l9-5211-20 - Filter, Gas: Recirculation, 550 CFM."

2.1, at the end of the DRAWINGS list: add as follows:

*'SPECIAL PACKAGING INSTRUCTIONS (SPI)

P5-19-5211-10 - Filter, Gas.
P5-19-5211-20 - Filter, Gas."

3.1.1, lines 4 and 5; 3.1.2, lines 4 and 5; 3.2, lines 3 and 4: delete "E5" and substitute "5".

3.1.1.1, line 3: delete "MIL-M-46032" and substitute "MIL-F-46032".

3.2.1:

Lines 1 and 2: delete "charcoal" and substitute "carbon".

Line 2: delete "4,()" and substitute "2.0".

3.3.1.1, line 2: delete "0.60°' and substitute "0.95".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.

PAGE 4

3.3.1.2, line 2: delete “1.30” and substitute “2.00”.

3.3.4: delete in its entirety.

PAGE 5

3.6, line 3: delete “charcoal”’ and substitute “carbon sorbent”.

PAGE 6

4.3.2.2, lines 2 and 3; 4.3.3.2 lines 2 and 3: delete “charcoal*’ and substitute “carbon” .

4.3.2.2 (c): delete in its entirety.

PAGE 7

4.3.3.2(d) and 4.3.4 (including 4.3.4.1): delete each in its entirety

PAGE 8

4.4.1, line 4; 4.4.2.2, lines 2 and 8: delete “’charcoal” and substitute “carbon”.

PAGE 9

4.4.3.2, line 2; 4.4.3.4, line ’12: delete “charcoal” and substitute ’“carbons’.

4.4.3.4, line 2: delete “E5” and substitute ‘*5”.

PAGE 10

4.4.3.4(b), line 1: delete “Preparation for delivery*’ and substitute “Packaging”.

4.4.4.1, lines 1 and 2: delete “charcoal*’ and substitute “carbon*’.

4,4,4.3, line 2: add a period between “1” and “Regulate*’*

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.

PAGE 12

Line 8: delete “charcoal” and substitute “carbon”.

4.4.4.5, lines 1 through 3: delete “as specified for the required period of time with the Q110 vibrating machine (Dwg A26-19-67)" and substitute in accordance with method T105.10 of MIL-STD-282.”

Section 5: delete in its entirety and substitute the following:

“5. PACKAGING

5.1 Packaging. Packaging requirements shall be as specified on the Special Packaging Instruction (SPI), which is identified by the part number preceeded by “P*’ and the National Stock Number.*’

6.1, line 2: delete l ’purchase description” and substitute “’specification”,

PAGE 13

6.2(c) and 6.2(d): delete in their entirety.

6.3, line 3: delete “with approximately a 25 gram sample at 150 (±5)°C for 15 minutes”.

6.3, lines 4 and 5; 6.4(b), line 2: delete “charcoal” and substitute “carbon”.

6.4(b), line 1: delete “the Q11O” and substitute “a”.

PAGE 14

6.5: Delete in its entirety.

Preparing activity:

Army - EA

(Project No. 4240-A982)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.