MIL-T-51252A(EA)
AMENDMENT 2
28 July 1987
SUPERSEDING
AMENDMENT 1
4 June 1969

MILITARY SPECIFICATION

TESTING KIT, IMPREGNITE IN CLOTHING, ABC-M2

This amendment forms a part of MIL-T-51252A(MU), dated 18 December 1967, and is approved for use within the Chemical Research, Development and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1:

Under "SPECIFICATIONS" "FEDERAL" insert the following immediately beneath "FEDERAL":

"L-P-378 - Plastic Sheet and Strip Thin Gauge, Polyolefin
NN-P-71 - Pallets, Material Handling, Wood, Stringer Construction; 2-Way and 4-Way (Partial)
PPP-B-585 - Boxes, Wood, Wirebound
PPP-B-601 - Boxes, Wood, Cleated-Plywood"

Under "SPECIFICATIONS" "FEDERAL" delete "PPP-C-843" and its title and substitute "PPP-F-320 - Fiberboard, Corrugated and Solid, Sheet Stock (Container Grade) and Cut Shapes".

Under "SPECIFICATIONS" "MILITARY" delete "MIL-P-3938" and its title and substitute "MIL-P-116 - Preservation-Packaging, Methods Of".

Under "STANDARDS" insert the following between "STANDARDS" and "MILITARY":

"FEDERAL

FED-STD-356 - Commercial Packaging of Supplies and Equipment."

AMSC N/A FSC 6630

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:54Z
Check the source to verify that this is the current version before use.

PAGE 6

5. Delete this section in its entirety and substitute the following:

"5. PACKAGING

5.1 Packaging. Testing kits shall be packed level A or commercial as specified (see 6.2).

5.1.1 Level A. Each testing kit and each technical manual (TM) shall be individually packaged method I C-3 of MIL-P-116 in a bag formed from material conforming to type I or II class 1, grade C, finish 2 of L-P-278. The inside dimensions of the bag shall be 9 by 5 inches for the kit, and 5 by 6-1/2 inches for the TM."

5.1.2 Commercial packaging. Testing kits shall be packed in accordance with requirements of FED-STD-356.

5.2 Packing. Testing kits and TMs shall be packed level A, B, or commercial, as specified (see 6.2).

5.2.1 Level A. Sixty testing kits and sixty TMs packaged as specified in 5.1 shall be packed together in a box. The testing kits shall be arranged in two layers of three rows of 10 testing kits; and the TMs shall be placed flat and evenly distributed on top of the kits. The box shall conform to grade A, class 2, style 4 of PPP-B-621; class 3, style optional of PPP-B-585 or overseas type style A, B or I grade A of PPP-B-601 at the option of the supplier. The wood parts of the box of PPP-B-585 shall be preserved and dried as specified for the wood of the PPP-B-621 box. Each box shall be designed for a type 2 average load, and shall have inside dimensions of 17-1/2 by 13-1/3 by 8 inches. All inside faces of each box shall be completely lined with fiberboard pads conforming to grade W5c or V3c of PPP-F-320; and additional pads of the same material shall be added where needed to assure a tight pack. Each box shall be closed and reinforced as specified in the applicable box specification.

5.2.2 Level B. The testing kits and TMs shall be packed as specified in 5.2.1 except that the box shall conform to fiberboard grade V3c of PPP-B-636.

5.2.3 Commercial packing. Testing kits and an identical number of TMs shall be packed together in a container as specified in FED-STD-356."

PAGE 7

"5.3 Marking. In addition to any marking specified in the contract or order (see 6.2) level A packages and level A and B packs shall be marked in accordance with MIL-STD-129. Commercial packs shall be marked in accordance with FED-STD-356. Each pack shall be marked to show the lot numbers and earliest date of manufacture of any chemical component."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:54Z
Check the source to verify that this is the current version before use.

"5.4 Palletization. When specified in the contract or order (see 6.2) shipping containers of 5.2 shall be palletized. Level A and B packs shall be palletized on a type IV, size 2 pallet of NN-P-71 in accordance with load type I, pattern No. 4 for level A and pattern No. 7 for level B packs, of MIL-STD-147. Commercial packs shall be palletized in accordance with the packing requirements of FED-STD-356."

6.2:

Delete "(b) Level of packing required" and substitute "(b) Level of packaging and packing required".

Add "(e) Any special marking required."

Custodian:

Army - EA

Preparing activity:

Army - MU(EA)

(Project No. 6630-A454)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:54Z
Check the source to verify that this is the current version before use.