INCH-POUND

MIL-T-63278 (AR)
AMENDMENT 1
04 November 1993

MILITARY SPECIFICATION

TEST SET, ELECTRONIC SYSTEMS: M91;
REPAIR PARTS FOR

This amendment forms a part of Military Specification MIL-T-63278 (AR), dated 12 March 1979, and is approved for use by the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 SPECIFICATIONS, MILITARY: Delete reference to MIL-A-48078 and MIL-T-63263 in their entirety and substitute:

"MIL-W-63150 - Weapons and Support Materiel Standard Quality Assurance Provisions For".

STANDARDS, MILITARY: Delete reference to MIL-STD-1460 in its entirety and substitute:

"MIL-STD-2000 Standard Requirements for Soldered Electrical and Electronics Assemblies."

PAGE 2

3.3 Wiring and Soldering. Delete "MIL-STD-1460" and substitute "MIL-STD-2000".

PAGE 3

4.1: Delete "MIL-A-48078" and substitute "MIL-W-63150".

4.4.1 Inspection lot formation: Delete in its entirety and substitute "Not applicable".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

4.4.2 Examination: Delete "MIL-A-48078".

PAGE 16

4.4.4 Inspection equipment: Delete "Section 6 of MIL-A-48078 and substitute "Section 3.6.6 of MIL-W-63150".

5.0: Delete in its entirety and substitute the following:

"5.0 PREPARATION FOR DELIVERY

5.1 Packaging.

5.1.1 Level A. Packaging for the following items shall be in accordance with indicated packaging drawings.

NOMENCLATURE	PART #	PKG DWG
Test Set, Electronic Assembly	9326182	11828982
Case, Carrying	9326766	11828988
Screwdriver, Ball, Hex Key	9326701	11828993
Cable Assembly, Power Cable No. 1	9325989	11828996
Printed Wiring Board No. 1,2,3 or 4		11829000
Stud Nut	9325999	11829003
Voltage Regulator	9326733	11829005
Knob Assembly	9326214	11829010
Switch, Rotary	9326864	11829011

Components that are not packaged in accordance with packaging drawings shall be packaged in accordance with the applicable special packaging instruction (SPI).

5.1.2 Level B. Packaging shall be the same as stated in para. 5.1.1

5.1.3 Commercial. Packaging shall be as indicated in ASTM-D-3951 except the unit pack quantity shall be one (1).

5.2 Marking.

5.2.1 Level A. Marking shall be in accordance with applicable packaging drawing or special packaging instructions.

5.2.2 Level B. Marking shall be as specified in para. 5.2.1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

5.2.3 Commercial. Mark in accordance with ASTM-D-3951."

6.1 Ordering data: Delete "MIL-A-48078" and substitute "MIL-W-63150".

6.2 Submission of inspection equipment designs for approval:

Delete "MIL-A-48078" and substitute "MIL-W-63150".

Delete "U.S. Army Armament Research and Development Command" and substitute "U.S. Army ARDEC, ATTN: SMCAR-QAT-I, Picatinny Arsenal, NJ 07806-5000".

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 4925-A053)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.