CCC-C-417a
1 APRIL 1953
SUPERSEDING
Int. Fed. Spec. CCC-C-417 (GSA-FSS)
8 July 1952 and
Fed. Spec. CCC-O-351
2 February 1932

FEDERAL SPECIFICATION

CLOTH; COATED (TABLE AND SHELF)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal Agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope.—The coated cloth covered by this specification is a cotton base cloth coated on one side with oil or a synthetic resin, and is primarily intended for table and shelf covers.

1.2 Classification.

1.2.1 *Type.*—Cloth covered by this specification shall be of one type.

1.2.2 *Colors.*—The cloth shall be of the following colors, as specified: (See 6.3.)

White	Red
Green	Yellow
Orchid	Black

1.2.3 *Grade.*—The cloth shall be of a grade known commercially as firsts.

2. APPLICABLE SPECIFICATIONS

2.1 The following Federal Specification, of the issue in effect on date of invitation for bids, forms a part of this specification:

CCC-T-191—Textile Test Methods.

(Copies of Federal specifications and the Federal Specifications Index may be obtained upon application, accompanied by check, money order, cash, or Government Printing Office coupons, to the General Services Administration, Business Service Center, Region 3, Seventh and D Streets, S. W., Washington 25, D. C. This office will also honor deposit account numbers issued by the Government Printing Office. Single copies of product specifications required for bidding purposes are available without charge at the GSA Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C. Prices of additional copies may be obtained from the GSA Regional Offices.)

2.2 Specifications and other publications applicable only to individual departments are listed in section 7.

3. REQUIREMENTS

3.1 Material.

3.1.1 *Basic cloth.*—The basic cloth shall be made of evenly spun clean cotton yarns (see 3.2 and 6.2).

3.1.2 *Coating.*—The coating shall be a glazed surface, shall be elastic and smooth, and shall be of either oil or synthetic resin.

3.2 Coated cloth.—The cloth shall be coated on one side.

3.2.1 *Strength.*—The breaking strength (grab method) of the coated fabric shall be not less than 35 pounds in the warp and not less than 25 pounds in the filling.

✓3.2.2 *Weight.*—The weight per square yard of the coated fabric shall be not less than 9.4 ounces. In case of dispute the weight of the roll shall be taken and this shall be not less than 10.6 pounds per 12 yards of 54-inch material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.

3.2.3 *Blocking.* — When tested in accordance with 4.3 there shall be no evidence of blocking. The surfaces shall be free of adhesion.

3.2.4 *Cracking.* — The glazed coated surface shall not crack with creased surface side out.

3.2.5 *Width.* — The width of the coated cloth shall be 54 ± ½ inches.

3.2.6 *Length of roll.*—The length of roll shall be 12 to 12½ yards.

3.2.7 *Workmanship.* — The coated cloth shall be free from avoidable imperfections in manufacture and from defects or blemishes affecting the appearance or which may impair the serviceability.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Sampling. — Not less than one piece shall be taken at random from each 1,000 yards or fraction thereof, except when the shipment is over 10,000 yards, in which case one piece shall be taken at random from each one-tenth of the shipment. Each piece shall be at least 1 yard long by the full width of the material.

4.2 Inspection.—Inspection shall be made at the point of delivery or at the factory at the discretion of the purchasing agent.

4.3 Tests. — Tests shall be conducted in accordance with the following applicable methods described in Federal Specification CCC–T–191:

Tests	Method No.
Standard condition	Section 4
Identification of cotton	1200
Breaking strength (grab method)	5100
Weight of cloth	5041 and 5040
Blocking	5872
Length of cloth	5010
Width of cloth	5020

5. PREPARATION FOR DELIVERY

5.1 Packaging. — Commercial packaging will be acceptable under this specification.

5.2 Packing. — The coated cloth shall be prepared for shipment to permit acceptance by carrier for transportation at the lowest applicable rate, and to afford maximum protection from normal hazards of transportation.

5.3 Marking. — Shipping containers shall be marked with the name and color of the material, as defined by the contract or order under which the shipment is made, the quantity contained therein, the name of the contractor, the number of the contract or order, the name and address of the consignee, and the gross weight.

6. NOTES

6.1 Ordering data. — Purchasers should specify the color required (see 1.2.2) and should exercise any desired options offered herein (see 4.2).

6.2 Basic cloth. — The basic cloth which has proved satisfactory for use in the manufacture of the finished cloth covered by this specification, is made of clean cotton yarns, the cloth weighing not less than 1 pound per 5.29 yards in the greige, using 55-inch material. This cotton cloth is known commercially as 55-inch 5.29 sheeting, count 40 x 38.

6.3 The colors listed in paragraph 1.2.2 are General Services Administration stock colors.

6.4 Transportation description.

6.4.1 *The transportation description applicable to these items is:*

Oil cloth.
Carload weight 30,000 pounds.
Truckload weight 30,000 pounds.

Patent notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.

States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

7. DEPARTMENTAL REQUIREMENTS

7.1 The following departmental specification of the issue in effect on date of invitation for bids, and special requirements, form a part of this specification for purchases made under this specification by the respective departments.

7.2 Army, Navy, and Air Force.

7.2.1 *Applicable specification.*
Military Specification:
MIL–P–6065—Packaging, Packing and Marking of Cloth, Fabric and Webbing.

(Copies of specifications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

7.2.2 *Packaging and Packing (Air Force only).* — The cloth shall be packaged and packed in accordance with the requirements of Military Specification MIL–P–6065, except that the unit packaging shall be as follows:

7.2.2.1 *Unit packing.*—Each roll shall be considered a unit. Each roll shall be secured in such manner as to prevent unwinding, loosening, or slippage during handling, shipping, and storage. Each roll shall be suitably and durably wrapped in paper which shall be secured in place. The requirements of MIL–P–6065 of overwrapping in waterproof barrier material is not required for the cloth covered by this specification.

7.2.3 *Marking of shipments (Air Force only).*—Interior packages and exterior shipping containers shall be marked with the following additional information:

Cloth, Coated, Cotton sheeting.
Oil "or" Synthetic Resin Coated 1 Side
Color (* _____)
Width (* _____)
Fed. Spec. CCC–C–417a

* Applicable data to be entered by the contractor.

This specification is a part of Section IV, Part 5, of the Federal Standard Stock Catalog.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.