
MILITARY SPECIFICATION SHEET


CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS - CRIMP, DIP SOLDER TAIL, SOLDER TURRET, AND WIREWRAP

This specification sheet is approved for use by Rome Air Development Center, Department of the Air Force, and is available for use by all Departments and Agencies of the Department of Defense.


The complete requirements for procuring the connector contacts described herein shall consist of this document and the latest issue of Specification MIL-C-55302.




FEMALE CONTACT, CRIMP
M55302/84-01
M55302/84-02



FEMALE CONTACT, DIP SOLDER TAIL
M55302/84-03



SOLDER TURRET
M55302/84-04




WIRE-WRAP
M55302/84-05

Ⓐ DENOTES CHANGE

FIGURE 1. Contact termination.

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:49Z
Check the source to verify that this is the current version before use.



WIRE-WRAP
M55302/84-06

Ⓐ INCHES	MM	INCHES	MM	INCHES	MM
.001	.03	.071	1.80	.382	9.70
.002	.05	.074	1.88	.420	10.67
.003	.08	.080	2.03	.624	15.85
.020	.51	.100	2.54	.638	16.21
.021	.53	.156	3.96	.690	17.53
.025	.64	.158	4.01	.855	21.72
.036	.91	.170	4.32	.880	22.35
.052	1.32	.250	6.35	.895	22.73
.058	1.47	.262	6.65	1.135	28.83
.062	1.57	.350	8.79		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. These contacts used with connectors specified in MIL-C-55302/82.
Ⓐ 5. This dimension shall be in accordance with MIL-STD-1130.
Ⓐ 6. .210 (5.33 mm) minimum point at which a gage having the minimum diameter of the mating pin and a square face encase socket contact spring.
Ⓐ 7. .304 (7.72 mm) minimum point at which a gage having the minimum diameter of the mating pin and a square face encase socket contact spring.

FIGURE 1. Contact termination - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:49Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Material:

	Crimp, removable:	01 - Phosphor bronze per QQ-W-321. 02 - Beryllium copper per QQ-C-530.
	Dip solder tail:	03
	Solder eyelet:	04 Phosphor bronze per QQ-W-321.
	Wrappost:	05 06
A	Contact sleeve:	Stainless steel per QQ-S-766. All contact sleeves are passivated except -01 which has gold flash.
	Plating:	Contact finish gold per MIL-G-45204, type II, grade C, class 1, over copper plate.
A	Wrappost:	The wrappost for contact M55302/84-05 and -06 shall be in accordance with MIL-STD-1130.

Qualification and quality conformance requirements are not applicable. All contacts are tested in accordance with the applicable specification sheet. All contacts are supplied with MIL-C-55302/82 and cannot be procured separately.

Part number: M55302/84- (dash number from applicable figure).

Custodian:
Air Force - 17

Review activities:
Air Force - 11, 17, 99
DLA - ES

User activity:
Air Force - 19

Preparing activity:
Air Force - 17

Agent:
DLA - ES

(Project 5935-F094-17)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. *Fold on lines on reverse side, staple in corner, and send to preparing activity.* Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-C-55302/84A (USAF)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:49Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

RADC
Griffis AFB, NY 13441

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:49Z
Check the source to verify that this is the current version before use.