MILITARY SPECIFICATION

SNOWPLOWS, VEHICLE MOUNTING; STRAIGHT

BLADE, REVERSIBLE, AND V-BLADE

This amendment forms a part of Military Specification MIL-S-52520A, dated 23 September 1971, and is approved for use by all Departments and Agencies of the Department of Defense.

Page 4

3.2, at the end of paragraph add:

"When specified (see 6.2), the Government will conduct any or all of the preproduction examination and tests, as specified."

Page 7

3.16.1, delete and substitute:

"3.16.1 Reversing mechanism. The reversing mechanism shall be hydraulically powered. The hydraulic power shall be provided by the same pump and control system which furnishes power to the snowplow hitch hydraulic cylinder. A positive lock, separate from the hydraulic system, shall be provided to enable the operator to maintain the moldboard at various angles including, but not necessarily limited to angles of 0 degrees, 28 degrees, 35 degrees, and 42 degrees to the right and to the left when measured from the bulldozing position of the plow. When specified (see 6.2), the moldboard shall be manually reversible to the right and left. Positioning of the snowplow to the right and to the left shall be accomplished by one man without the use of tools."

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:21Z
Check the source to verify that this is the current version before use.

3.16.1.1, delete and substitute:

"3.16.1.1 Controls. All controls required for the hydraulic operation of the snowplows shall be furnished. Controls shall be suitable for mounting in the operator's compartment of the snowplow carrier, within reach of the operator in his driving position, and shall be so mounted for test purposes."

After paragraph 3.16.1.1, insert:

"3.16.1.2 Hydraulic system. The hydraulic system for reversing the snowplow shall conform to the hydraulic system and component requirements of MIL-H-14435."

3.16.4, line 1, after "white iron" insert:

"or cast alloy steel".

Page 9

3.17.3.2, line 2, after "white iron" insert:

"or cast alloy steel".

3.18, third line, under "Table III-Government-loaned Property" add:

"Note-Hitch, item 1, 2, or 3, may be furnished as a part of the procurement contract."

Table III, item No. 3, after "MIL-H-14435, type II" add:

"; or commercial hitch".

Table III, item No. 4, after "M39 Series" add:

"(Preferred, M51 Dump without Winch)".

Page 12

4.4, line 6, after "specification" insert:

"In addition to any test specified as part of the initial production test (IPT), the Government reserves the right to conduct any other tests contained in this specification as part of the IPT,

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:21Z
Check the source to verify that this is the current version before use.

and failure of such additional tests shall have the same effect as failure of those tests specified as IPT."

Page 16

4.7, lines 1 and 2, delete "When initial ..... the Government" and substitute "The Government".

4.7, line 5, after "established during" insert:

"preproduction or".

4.7.1, at the end of the paragraph add:

"Correction of such deficiencies shall be accomplished by the supplier at no cost to the Government on snowplows previously accepted under the contract. Deficiencies found as a result of the inspection comparison will be considered prima facie evidence that all snowplows accepted prior to completion of the inspection comparison are similarly deficient unless evidence to the contrary is furnished by the supplier and such evidence is acceptable to the contracting officer."

Page 19

6.2, item (h), delete and substitute:

"(h) When a manually reversing snowplow is required (see 3.16.1)."

6.2, at the end of the paragraph add:

"(m) When the Government will conduct any or all of the preproduction model examination and tests. When the Government will conduct some but not all of the preproduction examination and tests, the Contracting Officer should specify which examination and tests will be conducted by the Government and which examination and tests shall be conducted by the supplier (see 3.2)."

Page 20

Add:

"6.7 Companion items. Snowplows conforming to this specification and snowplow hitches conforming to MIL-H-14435 are companion items.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:21Z
Check the source to verify that this is the current version before use.

Plows and hitches should be procured together as sets, and mounted on the make and model truck (GFE) intended as the carrier as a part of the contract, to assure compatibility."

Custodians:

Army - ME
Air Force - 84

User activity:

Army - CE

Preparing activity:

Army - ME

Project No. 3830-0149

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:21Z
Check the source to verify that this is the current version before use.