| DATA ITEM DESCRIPTION | Form Approved OBM No. 0704-0188 |
|---|---|

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

| 1. TITLE | 2. IDENTIFICATION NUMBER |
|---|---|
| Commercial Travel Office (CTO) Backup Billing Report | DI-ADMN-81330 |

3. DESCRIPTION/PURPOSE

3.1 The CTO Backup Billing Report is used by transportation managers and accounting and finance personnel to track and account for expenditures for ticket purchases and refunds.

| 4. APPROVAL DATE (YYMMDD) | 5. OFFICE OF PRIMARY RESPONSIBILITY (OPR) | 6a DTIC APPLICABLE | 6b GIDEP ALLPLCABLE |
|---|---|---|---|
| 930322 | S/DFAS-DE-PFT | | |

7. APPLICATION/INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instructions for the data product generated by the specific and discrete task requirements as delineated in the contract.

7.2 This report is required for verification (1) of ticket authorization and issuance, (2) that ticket refunds and discount fees reflect correct prices, and (3) or certification of the vendor payment.

(Continued on page 2)

| 8. APPROVAL LIMITATION | 9a APPLICABLE FORMS | 9b AMSC NUMBER |
|---|---|---|
| | | S6910 |

10. PREPARATION INSTRUCTIONS

10.1 Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

10.2 Format. The report shall on 8 1/2 X 11 inch paper with left and right margins of 0.75 inch. Top and bottom margins shall be 0.75 inch. Page numbering will be printed on each page at top right above line 1 of report header as "PAGE: xxxx". Page breaks and headers are described under content instructions. Examples of the report's three part formats are provided in Figure 1, Ticket Data; Figure 2, Accounting Data; and Figure 3, Remarks/Summary.

10.2.1 Format for part I. Lines shall be 198 characters wide. Sorting sequence is in ascending order by (1) document type code, (2) Government Transportation Request (GTR)/Government Travel System (GTS) number, and (3) ticket number.

(Continued on page 2)

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

Block 7, Application/Interrelationship (Continued)

7.3 This DID should be used in conjunction with DI-ADMN-81331, CTO Backup Billing Input File.

Block 10, Preparation Instructions (Continued)

10.2.2 Format for part II. Lines shall be 198 characters wide, using 17 pitch, with 6 lines per inch. Sorting sequence shall be in ascending order by (1) accountable station number, (2) document type code, (3) accounting information, and (4) ticket number.

10.2.3 Format for part III. Lines shall be 198 characters wide, using 17 pitch, with 6 lines per inch. The Remarks section sort sequence shall be in ascending by reconciliation code.

10.3 Content. Data element fields, print formats, validation criteria, and the standard report layout for each section of the report are described in Tables II through IV. An explanation of symbols is provided in Table I.

TABLE I. Explanation of symbols

| SYMBOL | EXPLANATION AS USED IN THIS DID |
|---|---|
| B | BLANK/SPACE - AN EMPTY OR BLANK SPACE |
| 9 | NUMERIC - AN ARABIC NUMERAL "0" THROUGH "9" |
| A | ALPHA - AN ALPHABETICAL CHARACTER "A" THROUGH "Z" AND A BLANK OR EMPTY SPACE |
| & | ALPHANUMERIC - ANY CHARACTER LISTED UNDER NUMERIC OR ALPHA ABOVE |
| C | CHARACTER - ANY OF THE 128 CHARACTERS DEFINED IN THE ASCII CHARACTER SET |
| S | SIGNED - A POSITIVE OR NEGATIVE VALUE ASSIGNED TO A DATA ELEMENT FIELD |
| V | IMPLIED DECIMAL POINT - AN IMAGINARY DECIMAL POINT IN A NUMERIC FIELD INSTEAD OF THE ACTUAL PHYSICAL DECIMAL POINT THAT OTHERWISE WOULD BE IN A NUMERIC FIELD |
| Z | ZERO SUPPRESSION - THE PROCESS OF REMOVING LEADING, TRAILING OR NON-SIGNIFICANT ZEROES IN A DATA ELEMENT FILED AND REPLACING THEM WITH BLANKS OR OTHER SPECIFIED CHARACTERS |
| | NATURAL NUMBER - A POSITIVE INTEGER, EXCLUDING THE ZERO |

10.3.1 CTO backup billing report, part I - ticket data. Content is obtained from obligation input file records and displayed as described in Table II.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part I - ticket and discount data

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 1 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "PREPARED :" |
| 1 | 2 | DATE REPORT ISSUED | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 37-42 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 1 | 3 | REPORT TITLE | 87 | 111 | C(25) | CHARACTER - USE "CTO BACKUP BILLING REPORT" |
| 1 | 4 | REPORT NUMBER | 184 | 195 | C(12) | CHARACTER - USE "C-BIL(*)-R1 "<br>WHERE * IS INSERT D(AILY), W(EEKLY), M(ONTHLY), O(THER) |
| 2 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "INVOICE #:" |
| 2 | 2 | INVOICE NUMBER | 12 | 21 | C(10) | CHARACTER - LEFT JUSTIFY - INVOICE (BILL NUMBER OR DATE)<br>ALPHA CHARACTERS MUST BE UPPER CASE |
| 2 | 3 | REPORT SUBTITLE | 83 | 115 | C(33) | CHARACTER - USE "PART I - TICKET AND DISCOUNT DATA" |
| 2 | 4 | HEADING NAME | 184 | 189 | C(6) | CHARACTER - USE "CYCLE:" |
| 2 | 5 | CYCLE ID NUMBER | 191 | 195 | C(5) | CHARACTER - INPUT FILE LINE 1 POSITION 31-35 PIC C(5) |
| 3 | 1 | BLANK LINE | 1 | 195 | B(195) | BLANK - USE TO SEPARATE DATA |
| 4 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "BEGINNING:" |
| 4 | 2 | BEGINNING DATE OF REPORTING PERIOD | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 57-62 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 4 | 3 | HEADING NAME | 50 | 62 | C(13) | CHARACTER - USE "CTO ID NBR :" |
| 4 | 4 | CTO ID NUMBER | 78 | 83 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 127-132 PIC &(6) |
| 4 | 5 | HEADING NAME | 114 | 124 | C(11) | CHARACTER - USE "TMO ID NBR:" |
| 4 | 6 | TMO ID NUMBER | 126 | 131 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 139-144 PIC &(6) |
| 4 | 7 | HEADING NAME | 161 | 180 | C(20) | CHARACTER - USE "TOTAL DOLLAR AMOUNT:" |
| 4 | 8 | TOTAL DOLLAR AMOUNT | 182 | 195 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY -INPUT FILE LINE 1 POSITION 111-120 PIC C(10) RCDS WITH "M ","MA", "AR", OR " "(BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1126734265 = 11,267,342.65) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part 1 - ticket and discount data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 5 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "ENDING :" |
| 5 | 2 | ENDING DATE | 12 | 20 | &(9)<br>FORMAT<br>99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 69-74 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 5 | 3 | HEADING NAME | 50 | 62 | C(13) | CHARACTER - USE "CONTRACT NBR:" |
| 5 | 4 | CONTRACT NUMBER | 64 | 83 | C(20) | CHARACTER - INPUT FILE LINE 1 POSITION 168-187 PIC C(20) |
| 5 | 5 | HEADING NAME | 114 | 124 | C(11) | CHARACTER - USE "AFO ID NBR:" |
| 5 | 6 | AFO ID NUMBER | 126 | 131 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 151-156 PIC &(6) |
| 5 | 7 | HEADING NAME | 161 | 180 | C(20) | CHARACTER - USE "TOTAL TRANSACTIONS :" |
| 5 | 8 | TOTAL TRANSACTIONS | 190 | 194 | C(5)<br>FORMAT<br>2,299 | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 1 POSITION 91-94<br>PIC C(4) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK)<br>POSITION 350-351 (e.g. 1056 = 1,056) |
| 6 | 1 | DIVIDING LINE | 1 | 195 | C(195) | CHARACTER - USE THE HYPHEN (-) |
| 7 | 1 | HEADING NAME | 1 | 13 | C(13) | CHARACTER - USE "TRAVELER NAME" |
| 7 | 2 | HEADING NAME | 29 | 39 | C(11) | CHARACTER - USE "GTR/GTS NBR" |
| 7 | 3 | HEADING NAME | 45 | 54 | C(10) | CHARACTER - USE "TICKET NBR" |
| 7 | 4 | HEADING NAME | 60 | 68 | C(9) | CHARACTER - USE "DT ISSUED" |
| 7 | 5 | HEADING NAME | 71 | 77 | C(7) | CHARACTER - USE "PNR/TII" |
| 7 | 6 | HEADING NAME | 83 | 89 | C(7) | CHARACTER - USE "TVL ORD" |
| 7 | 7 | HEADING NAME | 93 | 108 | C(16) | CHARACTER - USE "TRAVELER ROUTING" |
| 7 | 8 | HEADING NAME | 126 | 134 | C(9) | CHARACTER - USE "BASE FARE" |
| 7 | 9 | HEADING NAME | 142 | 146 | C(5) | CHARACTER - USE "TAXES" |
| 7 | 10 | HEADING NAME | 151 | 163 | C(13) | CHARACTER - USE "TICKETED FARE" |
| 7 | 11 | HEADING NAME | 166 | 173 | C(8) | CHARACTER - USE "DISCOUNT" |
| 7 | 12 | HEADING NAME | 179 | 188 | C(10) | CHARACTER - USE "NET AMOUNT" |



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part I - ticket and discount data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 7 | 13 | HEADING NAME | 192 | 195 | C(4) | CHARACTER - USE "RECD" |
| 8 | 1 | HEADING NAME | 122 | 135 | C(14) | CHARACTER - USE THE HYPHEN (-) CHARACTER FOR EACH |
| | | | 137 | 147 | C(11) | |
| | | | 149 | 162 | C(14) | |
| | | | 164 | 174 | C(11) | |
| | | | 176 | 189 | C(14) | |
| | | | 191 | 195 | C(4) | |
| 9 | 1 | BLANK LINE | 1 | 195 | C(195) | BLANK - USE TO SEPARATE DATA |
| 10 | 1 | TRAVELER NAME | 1 | 27 | C(27) | CHARACTER - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 1-27 PIC C(27) RECORDS WITH "M ", "MA", "AR", OR " "(BLANK) POSITION 350-351 - BLANK THE "/" - COMMA (,) AFTER LAST NAME (e.g. BURKHART/GLYNDON/I TO BURKHART, GLYNDON I) |
| 10 | 2 | GTR/GTR NUMBER | 29 | 42 | &(14) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 114-127 PIC &(14) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN POSITION 350-351 (GOVERNMENT TRANSPORTATION REQUEST/GOVERNMENT TRAVEL SYSTEM) |
| 10 | 3 | TICKET NUMBER | 45 | 57 | &(13) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 95-107 PIC &(13) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN POSITION 350-351 - SUPPRESS BLANK CHARACTERS |
| 10 | 4 | DOCUMENT ISSUE DATE | 60 | 68 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 2/3 POSITION 108-113 PIC 9(6) RECORDS WITH "M ","MA","AR",OR " "(BLANK) POSITION 350-351 TO: DD - DAY OF MONTH (01 THROUGH 31) MMM - ALPHA ABBREVIATION FOR THE MONTH YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 10 | 5 | PNR/TII NUMBER | 71 | 80 | &(10) | ALPHANUMERIC - INPUT FILE LINE 2/3 POSITION 48-54 PIC &(7) RECORDS WITH "M ","MA",AR", OR " " (BLANK) POSITION 350-351 (PASSENGER NAME RECORD OR TRAVEL ITINERARY INVOICE) |
| 10 | 6 | TRAVEL ORDER NUMBER | 83 | 90 | &(8) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 37-44 PIC &(8) RECORDS WITH "M ","MA","AR", OR " " (BLANK) POSITION 350-351 - SUPPRESS BLANK CHARACTERS |
| 10 | 7 | TRAVELER ROUTING CODES (SECOND LINE) | 93 | 120 | &(28) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 55-94 PIC &(40) RECORDS WITH "M ", "MA","AR", OR " "(BLANK) POSITION 350-351 - USE SECOND LINE IF NEEDED |
| | | | 93 | 99 | &(12) | |
| 10 | 8 | BASE FARE OF TICKET OR TICKET REFUND | 122 | 135 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 128-137 PIC S9(8)V9(2) RECORDS WITH "M ", "MA","AR", OR " " (BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part 1 - ticket and discount data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 10 | 9 | TAX AMOUNT OF TICKET OR TICKET REFUND | 137 | 147 | C(11) FORMAT ZZ,Z99,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 138-147 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " "(BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 10 | 10 | TICKETED FARE | 149 | 162 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " "(BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 10 | 11 | CTO DISCOUNT FEE FOR TICKETED FARE OR TICKETED REFUND | 164 | 174 | C(11) FORMAT Z99,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " "(BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 10 | 12 | NET COST OR REFUND TO GOVERNMENT | 176 | 189 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " "(BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 10 | 13 | RECORD NUMBER | 191 | 195 | 9(4) FORMAT ZZ99 | NUMERIC - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) RECORDS WITH "M ", 'MA", "AR", OR " " (BLANK) IN POSITION 350-351 - ZERO SUPPRESS BEFORE NATURAL NUMBERS |
| 11 | 1 | BLANK LINE | 1 | 195 | B(195) | BLANK - USE TO SEPARATE DATA |
| 12 | 1 | HEADING NAME | 122 | 135 | C(14) | CHARACTER - USE THE HYPHEN (-) CHARACTER FOR EACH |
| | | | 137 | 147 | C(11) | |
| | | | 149 | 162 | C(14) | |
| | | | 164 | 174 | C(11) | |
| | | | 176 | 189 | C(14) | |
| | | | 191 | 195 | C(4) | |
| 13 | 1 | HEADING NAME | 101 | 120 | C(20) | CHARACTER - USE "TOTAL TICKETS/REFUNDS: R" (REFUNDS) |
| 13 | 2 | TOTAL BASE FARE AMOUNTS FOR TICKET REFUNDS | 120 | 135 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 128-137 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 13 | 3 | TOTAL TAX AMOUNT OF TICKET REFUND | 137 | 147 | C(11) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 138-147 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part I - ticket and discount data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 13 | 4 | TOTAL TICKETED AMOUNTS FOR TICKET REFUNDS | 149 | 162 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 148-157 PIC S9(8)V9(2) RECORDS WITH "H ", "HA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 13 | 5 | TOTAL DISCOUNT AMOUNTS FOR TICKET REFUNDS | 164 | 174 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 158-167 PIC S9(8)V9(2) RECORDS WITH "H ", "HA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 13 | 6 | NET DOLLAR AMOUNTS FOR TICKET REFUNDS | 176 | 189 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 168-177 PIC S9(8)V9(2) RECORDS WITH "H ", "HA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 13 | 6 | TOTAL RECORD COUNT FOR TICKET REFUNDS | 192 | 195 | 9(4) FORMAT Z299 | NUMERIC - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 RECORD COUNT RECORDS WITH "H ", "HA", "AR", OR " " (BLANK) IN POSITION 350-351 AND TYPE "R" POSITION 178 |
| 23 | 1 | HEADING NAME | 122 | 135 | C(14) | CHARACTER - USE THE HYPHEN (-) CHARACTER FOR EACH |
| | | | 137 | 147 | C(11) | |
| | | | 149 | 162 | C(14) | |
| | | | 164 | 174 | C(11) | |
| | | | 176 | 189 | C(14) | |
| | | | 191 | 195 | C(4) | |
| 24 | 1 | HEADING NAME | 108 | 120 | C(24) | CHARACTER - USE "TOTAL TICKETS/REFUNDS: T" (TICKETS) |
| 24 | 2 | TOTAL BASE FARE AMOUNT FOR TICKETS ISSUED | 122 | 135 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 128-137 PIC S9(8)V9(2) RECORDS WITH "H ", "HA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1232354344 = 12,323,543.44) |
| 24 | 3 | TOTAL TAX AMOUNTS FOR TICKET ISSUED | 137 | 147 | C(11) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 138-147 PIC S9(8)V9(2) RECORDS WITH "H ", "HA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1232354344 = 12,323,543.44) |



Source: https://assist.dla.mil -- Downloaded: 202640-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part I - ticket and discount data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 24 | 4 | TOTAL TICKETED AMOUNT FOR TICKETS ISSUED | 149 | 162 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 148-157 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1232354344 = 12,323,543.44) |
| 24 | 5 | TOTAL DISCOUNT AMOUNT FOR TICKETS ISSUED | 164 | 174 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 158-167 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1232354344 = 12,323,543.44) |
| 24 | 6 | NET DOLLAR AMOUNT FOR TICKETS ISSUED | 176 | 189 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 168-177 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1232354344 = 12,323,543.44) |
| 24 | 7 | TOTAL RECORD COUNT FOR TICKETS ISSUED | 192 | 195 | 9(4) FORMAT ZZ99 | NUMERIC -RIGHT JUSTIFY -INPUT FILE LINE 2/3 POSITION 346-349 RECORD COUNT RECORDS WITH "M ","MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 |
| 24 | 8 | BLANK LINE | 1 | 195 | B(198) | BLANK - USE TO SEPARATE DATA |
| 31 | 1 | HEADING NAME | 122<br>137<br>149<br>164<br>176<br>191 | 135<br>147<br>162<br>174<br>189<br>195 | C(14)<br>C(11)<br>C(14)<br>C(11)<br>C(14)<br>C(4) | CHARACTER - USE THE HYPHEN (-) CHARACTER FOR EACH |
| 32 | 1 | HEADING NAME | 110 | 120 | C(11) | CHARACTER - USE "GRAND TOTAL" |
| 32 | 2 | GRAND TOTAL BASE FARE AMOUNTS | 122 | 135 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNTT POSITION 128-137 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R/T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 32 | 3 | GRAND TOTAL TAX AMOUNTS | 137 | 147 | C(11) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 138-147 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R/T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |



Source: https://assist.dla.mil -- Downloaded: 202640-26T10:46Z
Check the source to verify that this is the currentversion before use.

## Block 10, Preparation Instructions (Continued)

TABLE II. CTO backup billing report, part I - ticket and discount data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 32 | 4 | GRAND TOTAL TICKETED AMOUNTS | 149 | 162 | C(14) FORMAT Z2,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 148-157 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R/T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 32 | 5 | GRAND TOTAL DISCOUNT AMOUNTS | 164 | 174 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 158-167 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R/T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 32 | 6 | GRAND TOTAL NET AMOUNTS | 176 | 189 | C(14) FORMAT Z2,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 SUM DOLLAR AMOUNT POSITION 168-177 PIC S9(8)V9(2) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R/T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 32 | 7 | GRAND TOTAL RECORD COUNT | 192 | 195 | 9(4) FORMAT ZZ99 | NUMERIC -RIGHT JUSTIFY -INPUT FILE LINE 2/3 POSITION 346-349 RECORD COUNT RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 - ZERO SUPPRESS BEFORE NATURAL NUMBER |
| | | END OF PART I | | | | BEGIN NEW PAGE FOR PART II |

10.3.2 CTO backup billing report, part II - accounting data. Content shall be only those billing input file records with the following data in positions 350-351: "M ", "MA", "AR", OR " " (blank) and as further described in Table III:



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)




FIGURE 1. Ticket and discount data



Source: https://assist.dla.mil -- Downloaded: 20260410-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE III. CTO backup billing report, part II - accounting data

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 1 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "PREPARED :" |
| 1 | 2 | DATE REPORT ISSUED | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 37-42 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g 900615 = 15 JUN 90) |
| 1 | 3 | REPORT TITLE | 85 | 109 | C(25) | CHARACTER - USE "CTO BACKUP BILLING REPORT" |
| 1 | 4 | REPORT NUMBER | 182 | 193 | C(12) | CHARACTER - USE "C-BIL(*)-R1 "<br>WHERE * IS A D(AILY), W(EEKLY), M(ONTHLY), O(THER) |
| 2 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "INVOICE #:" |
| 2 | 2 | INVOICE NUMBER | 12 | 21 | C(10) | CHARACTER - LEFT JUSTIFY - INVOICE (BILL NUMBER OR DATE)<br>ALPHA CHARACTERS MUST BE UPPER CASE |
| 2 | 3 | REPORT SUBTITLE | 85 | 109 | C(25) | CHARACTER - USE "PART II - ACCOUNTING DATA" |
| 2 | 4 | HEADING NAME | 182 | 187 | C(6) | CHARACTER - USE "CYCLE:" |
| 2 | 5 | CYCLE ID NUMBER | 189 | 193 | C(5) | CHARACTER - INPUT FILE LINE 1 POSITION 31-35 PIC C(5) |
| 3 | 1 | BLANK LINE | 1 | 193 | B(193) | BLANK - USE TO SEPARATE DATA |
| 4 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "BEGINNING:" |
| 4 | 2 | BEGINNING DATE OF REPORTING PERIOD | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 57-62 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 4 | 3 | HEADING NAME | 49 | 61 | C(13) | CHARACTER - USE "CTO ID NBR :" |
| 4 | 4 | CTO ID NUMBER | 77 | 82 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 127-132 PIC &(6) |
| 4 | 5 | HEADING NAME | 111 | 121 | C(11) | CHARACTER - USE "TMO ID NBR:" |
| 4 | 6 | TMO ID NUMBER | 123 | 128 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 139-144 PIC &(6) |
| 4 | 7 | HEADING NAME | 157 | 176 | C(20) | CHARACTER - USE "TOTAL DOLLAR AMOUNT:" |
| 4 | 8 | TOTAL DOLLAR AMOUNT | 180 | 193 | C(14) FORMAT ZZ,299,999.99S | CHARACTER -RIGHT JUSTIFY -INPUT FILE LINE 1 POSITION 111-120 PIC C(10) RCDS WITH "M ", "MA","AR", OR " "(BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1126734265 = 11,267,342.65) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE III. CTO backup billing report, part II - accounting data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 5 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "ENDING :" |
| 5 | 2 | ENDING DATE OF REPORTING PERIOD | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 69-74 PIC 9(6) TO: DD - DAY OF MONTH (01 THROUGH 31) MMM - ALPHA ABBREVIATION FOR THE MONTH YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 5 | 3 | HEADING NAME | 49 | 61 | C(13) | CHARACTER - USE: "CONTRACT NBR:" |
| 5 | 4 | CONTRACT NUMBER | 63 | 82 | C(20) | CHARACTER - INPUT FILE LINE 1 POSITION 168-187 PIC C(20) |
| 5 | 5 | HEADING NAME | 111 | 121 | C(11) | CHARACTER - USE "AFO ID NBR:" |
| 5 | 6 | AFO ID NUMBER | 123 | 128 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 151-156 PIC &(6) |
| 5 | 7 | HEADING NAME | 157 | 176 | C(20) | CHARACTER - USE "TOTAL TRANSACTIONS :" |
| 5 | 8 | TOTAL TRANSACTIONS BILLED | 188 | 192 | C(5) FORMAT 2,299 | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 1 POSITION 91-94 PIC C(4) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN 350-351 - COMMA AND ZERO SUPPRESS (e.g. 1056 = 1,056) |
| 6 | 1 | DIVIDING LINE | 1 | 198 | C(198) | CHARACTER - USE THE HYPHEN (-) |
| 7 | 1 | HEADING NAME | 1 | 22 | C(22) | CHARACTER - USE "ACCOUNTING INFORMATION" |
| 7 | 2 | HEADING NAME | 110 | 113 | C(4) | CHARACTER - USE "FSRA" |
| 7 | 3 | HEADING NAME | 119 | 122 | C(4) | CHARACTER - USE "PSRA" |
| 7 | 4 | HEADING NAME | 131 | 141 | C(13) | CHARACTER - USE "TICKETED FARE" |
| 7 | 5 | HEADING NAME | 147 | 154 | C(8) | CHARACTER - USE "DISCOUNT" |
| 7 | 6 | HEADING NAME | 161 | 170 | C(10) | CHARACTER - USE "NET REFUND" |
| 7 | 7 | HEADING NAME | 177 | 186 | C(10) | CHARACTER - USE "NET TICKET" |
| 7 | 8 | HEADING NAME | 190 | 193 | C(4) | CHARACTER - USE "RECD" |
| 8 | 1 | HEADING NAME | 1 | 13 | C(13) | CHARACTER - USE "TRAVELER NAME" |
| 8 | 2 | HEADING NAME | 31 | 34 | C(4) | CHARACTER - USE "SSAN" |
| 8 | 3 | HEADING NAME | 45 | 51 | C(7) | CHARACTER - USE "TVL ORD" |
| 8 | 4 | HEADING NAME | 56 | 68 | C(13) | CHARACTER - USE "TICKET NUMBER" |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE III. CTO backup billing report, part II - accounting data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 8 | 5 | HEADING NAME | 72 | 80 | C(9) | CHARACTER - USE "DT ISSUED" |
| 8 | 6 | HEADING NAME | 84 | 97 | C(14) | CHARACTER - USE "GTR/GTS NUMBER" |
| 9 | 1 | HEADING NAME | 1 | 27 | C(27) | CHARACTER - USE THE HYPHEN (-) |
| | | | 31 | 41 | C(11) | |
| | | | 45 | 52 | C(8) | |
| | | | 56 | 68 | C(13) | |
| | | | 72 | 80 | C(9) | |
| | | | 84 | 97 | C(14) | |
| | | | 110 | 116 | C(7) | |
| | | | 119 | 125 | C(7) | |
| | | | 129 | 141 | C(13) | |
| | | | 145 | 154 | C(10) | |
| | | | 158 | 170 | C(13) | |
| | | | 174 | 186 | C(13) | |
| | | | 190 | 193 | C(4) | |
| 10 | 1 | BLANK LINE | 1 | 193 | C(193) | BLANK - USE TO SEPARATE DATA |
| 11 | 1 | HEADING NAME | 1 | 15 | C(15) | CHARACTER - USE "STATION NUMBER:" (LINE FOR EACH ADSN) |
| 11 | 2 | ACCOUNTABLE STATION NUMBER | 17 | 22 | &(6) | ALPHANUMERIC -INPUT FILE LINE 2/3 POSITION 326-331 PIC &9(6) RECORDS WITH "M ", "MA", "AR", " " (BLANK) POSITION 350-351 |
| 12 | 1 | HEADING NAME | 1 | 193 | B(193) | BLANK - USE TO SEPARATE DATA |
| 13 | 1 | ACCOUNTING DATA | 1 | 106 | C(106) | CHARACTER -LEFT JUSTIFY -INPUT FILE LINE 2/3 POSITION 220-325 PIC C(106) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN 350-351 POSISTION - INCLUDES ACCOUNTING CLASSIFICATION AND OTHER ASSOCIATED ACCOUNTING AND BUDGET INFORMATION |
| 13 | 2 | FUND SUMMARY RECORD AMOUNT | 110 | 116 | &(7) FORMAT A(1)9(6) | ALPHANUMERIC - INPUT FILE LINE 2/3 POSITION 332-338 PIC A(1)9(6) RECORD WITH "M ", "MA", "AR", OR " " (BLANK) IN POSITION 350-351 |
| 13 | 3 | PROGRAM SUMMARY RECORD ACCOUNT | 119 | 125 | &(7) FORMAT A(1)9(6) | ALPHANUMERIC - INPUT FILE LINE 2/3 POSITION 339-345 PIC A(1)9(6) RECORD WITH "M ", "MA", "AR", OR " " (BLANK) IN POSITION 350-351 |
| 13 | 4 | TICKETED FARE | 129 | 142 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) RECORD WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE III. CTO backup billing report, part II - accounting data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 13 | 5 | CTO DISCOUNT FEE | 145 | 155 | C(11) FORMAT 299,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) RECORD WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351-COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 13 | 6 | NET REFUND AMOUNT TO GOVERNMENT | 158 | 171 | C(14) FORMAT 22,299,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) RECORD WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 13 | 7 | NET TICKET COST TO GOVERNMENT | 174 | 187 | C(14) FORMAT 22,299,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) RECORD WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 13 | 8 | RECORD NUMBER | 190 | 193 | 9(4) FORMAT ZZ99 | NUMERIC -RIGHT JUSTIFY -INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN POSITION 350-351 - ZERO SUPPRESS |
| 14 | 1 | TRAVELER NAME | 1 | 27 | C(27) | CHARACTER - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 1-27 PIC C(27) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN "AR", OR " " (2 SPACES) IN POSITION 350-351 POSITION 350-351 - BLANK THE "/" AND USE A COMMA (,) AFTER LAST NAME (e.g. BURKHART/GLYNDON/I TO BURKHART, GLYNDON I) |
| 14 | 2 | SOCIAL SECURITY ACCOUNT NUMBER | 31 | 41 | C(11) 999-99-9999 | CHARACTER - INPUT FILE LINE 2/3 POSITION 28-36 PIC 9(9) RCDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 ADD FOURTH AND SEVENTH CHARACTER (ALWAYS A DASH (-)) (e.g. 123456789 = 123-45-6789) |
| 14 | 3 | TRAVEL ORDER NUMBER | 45 | 52 | &(8) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 37-44 PIC &(8) RECORD WITH "M ", "MA", "AR," OR " " (BLANK) POSITION 350-351 - SUPPRESS BLANK CHARACTERS |
| 14 | 4 | TICKET NUMBER | 56 | 68 | &(13) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 95-107 PIC &(13) RECORD WITH "M ", "MA","AR", OR " "(BLANK) POSITION 350-351 - SUPPRESS BLANK CHARACTERS |
| 14 | 5 | DOCUMENT ISSUE DATE | 72 | 80 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 2/3 POSITION 108-113 PIC 9(6) RCD WITH "M ","MA","AR", OR " "(BLANK) POSITION 350-351 TO: DD - DAY OF MONTH (01 THROUGH 31) MMM - ALPHA ABBREVIATION FOR THE MONTH YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE III. CTO backup billing report, part II - accounting date - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 14 | 6 | GTR/GTS | 84 | 97 | &(14) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 114-127 PIC &(14) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) IN POSITION 350-351 (GOVERNMENT TRANSPORTATION REQUEST/GOVERNMENT TRAVEL SYSTEM) |
| 15 | 1 | BLANK LINE | 1 | 193 | B(193) | BLANK - DATA SEPARATER (REPEAT LINE 11 THRU 15 AS NEEDED) |
| 18 and 33 | 1 | HEADING NAME | 129<br>145<br>159<br>174<br>190 | 141<br>154<br>170<br>186<br>193 | C(13)<br>C(10)<br>C(12)<br>C(13)<br>C(4) | CHARACTER - USE THE HYPHEN (-) |
| 19 and 34 | 1 | HEADING NAME | 121 | 125 | C(5) | CHARACTER - USE "TOTAL:" - LINE FOR EACH ADSN INPUT FILE LINE 2/3 POSITION 326-331 PIC &9(6) RECORDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 |
| 19 and 34 | 2 | TOTAL DOLLAR AMOUNT TICKETED FARE | 129 | 142 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM DOLLAR AMT BY ADSN RCDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99 OR -002354344 = 23,543.44-) |
| 19 and 34 | 3 | TOTAL DOLLAR AMOUNT CTO DISCOUNT | 145 | 155 | C(11) FORMAT ZZZ,ZZ9.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) SUM DOLLAR AMT BY ADSN RCDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99 OR -002354344 = 23,543.44-) |
| 19 and 34 | 4 | TOTAL DOLLAR AMOUNT NET REFUNDS | 158 | 171 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) SUM DOLLAR AMT BY ADSN RCDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 19 and 34 | 5 | TOTAL DOLLAR AMOUNT NET TICKETED COSTS | 174 | 187 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) SUM DOLLAR AMT BY ADSN RCDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 19 and 34 | 6 | TOTAL RECORDS FOR ADSN | 190 | 193 | 9(4) FORMAT Z299 | NUMERIC -RIGHT JUSTIFY -INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) RECORD COUNT BY ASN POSITION 326-331 RCDS WITH "M ", "MA", "AR", OR " " (BLANK) POSITION 350-351 - ZERO SUPPRESS (e.g. 0123 = 123) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE III. CTO backup billing report, part II - accounting data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 38 | 1 | HEADING NAME | 129 | 141 | C(13) | CHARACTER - USE THE EQUAL (=) |
| | | | 145 | 154 | C(10) | |
| | | | 159 | 170 | C(12) | |
| | | | 174 | 186 | C(13) | |
| | | | 190 | 193 | C(4) | |
| 39 | 1 | HEADING NAME | 121 | 125 | C(12) | CHARACTER - USE "GRAND TOTAL:" |
| 39 | 2 | GRAND TOTAL AMOUNT TICKETED FARE | 129 | 142 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM DOLLAR AMT FOR ADSNS WITH "M ","MA","AR", OR " " (BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 39 | 3 | GRAND TOTAL AMOUNT CTO DISCOUNT | 145 | 155 | C(11) FORMAT ZZZ,ZZ9.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) SUM DOLLAR AMT FOR ADSNS WITH "M ","MA","AR", OR " " (BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 39 | 4 | GRAND TOTAL AMOUNT NET REFUNDS | 158 | 171 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) SUM DOLLAR AMT FOR ADSNS WITH "M ","MA","AR", OR " " (BLANK) POSITION 350-351 AND TYPE "R" POSITION 178 COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 39 | 5 | GRAND TOTAL AMOUNT NET TICKETED COSTS | 174 | 187 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY-INPUT FILE LINE 2/3 POSITION 168-177 PIC S9(8)V9(2) SUM DOLLAR AMT FOR ADSNS WITH "M ","MA","AR", OR " " (BLANK) POSITION 350-351 AND TYPE "T" POSITION 178 COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND (e.g. 0012344499 = 123,444.99) |
| 39 | 6 | GRAND TOTAL FOR ALL RECORDS THIS REPORT | 190 | 193 | 9(4) FORMAT ZZ99 | NUMERIC -RIGHT JUSTIFY -INPUT FILE POSITION 346-349 PIC 9(4) RECORD COUNT RCD WITH "M ", "MA", "AR", OR " " (BLANK) position 350-351 - ZERO SUPPRESS (e.g. 0123 = 123) " " (2 SPACES) IN POSITION 350-351 |
| END OF PART II | | | | | | BEGIN NEW PAGE FOR PART III |

10.3.3 CTO backup billing report, part III - remarks and summary. Contents shall be shown as described in Table IV:



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)




FIGURE 2. Discount data



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the currentversion before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 1 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "PREPARED :" |
| 1 | 2 | DATE REPORT ISSUED | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 37-42 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 1 | 3 | REPORT TITLE | 58 | 82 | C(25) | CHARACTER - USE "CTO BACKUP BILLING REPORT" |
| 1 | 4 | REPORT NUMBER | 121 | 132 | C(12) | CHARACTER - USE "C-BBIL(*)-R3"<br>WHERE * IS D(AILY), W(EEKLY), M(ONTHLY), O(THER) |
| 2 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "INVOICE #:" |
| 2 | 2 | INVOICE NUMBER | 12 | 21 | C(10) | CHARACTER - LEFT JUSTIFY - INVOICE (BILL NUMBER OR DATE)<br>ALPHA CHARACTERS MUST BE UPPER CASE |
| 2 | 3 | REPORT SUBTITLE | 54 | 87 | C(34) | CHARACTER - USE "PART III - SUMMARY OF BILLING DATA" |
| 2 | 4 | HEADING NAME | 121 | 126 | C(6 ) | CHARACTER - USE "CYCLE:" |
| 2 | 5 | CYCLE ID NUMBER | 128 | 132 | C(5) | CHARACTER - INPUT FILE LINE 1 POSITION 31-35 PIC C(5) |
| 3 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK - USE TO SEPARATE DATA |
| 4 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "BEGINNING:" |
| 4 | 2 | BEGINNING DATE OR REPORTING PERIOD | 12 | 20 | &(9) FORMAT 99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 57-62 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 4 | 3 | HEADING NAME | 29 | 41 | C(13) | CHARACTER - USE "CTO ID NBR :" |
| 4 | 4 | CTO ID NUMBER | 57 | 62 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 127-132 PIC &(6) |
| 4 | 5 | HEADING NAME | 72 | 82 | C(11) | CHARACTER - USE "TMO ID NBR:" |
| 4 | 6 | TMO ID NUMBER | 84 | 89 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 139-144 PIC &(6) |
| 4 | 7 | HEADING NAME | 98 | 117 | C(20) | CHARACTER - USE "TOTAL DOLLAR AMOUNT:" |
| 4 | 8 | TOTAL DOLLAR AMOUNT | 119 | 132 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 1 POSITION 111-120 PIC C(10) RECORDS WITH "N ", "NA", "AR", OR " " (BLANK) POSITION 350-351 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS POSITION - ZERO SUPPRESS (e.g. 1126734265 = 11,267,342.65) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 5 | 1 | HEADING NAME | 1 | 10 | C(10) | CHARACTER - USE "ENDING :" |
| 5 | 2 | ENDING DATE | 12 | 20 | &(9)<br>FORMAT<br>99 AAA 99 | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 69-74 PIC 9(6) TO:<br>DD - DAY OF MONTH (01 THROUGH 31)<br>MMM - ALPHA ABBREVIATION FOR THE MONTH<br>YY - TWO DIGIT CALENDAR YEAR (e.g. 900615 = 15 JUN 90) |
| 5 | 3 | HEADING NAME | 29 | 41 | C(13) | CHARACTER - USE "CONTRACT NBR:" |
| 5 | 4 | CONTRACT NUMBER | 43 | 62 | C(20) | CHARACTER - INPUT FILE LINE 1 POSITION 168-187 PIC C(20) |
| 5 | 5 | HEADING NAME | 72 | 82 | C(11) | CHARACTER - USE "AFO ID NBR:" |
| 5 | 6 | AFO ID NUMBER | 84 | 89 | &(6) | ALPHANUMERIC - INPUT FILE LINE 1 POSITION 151-156 PIC &(6) |
| 5 | 7 | HEADING NAME | 98 | 117 | C(20) | CHARACTER - USE "TOTAL TRANSACTIONS :" |
| 5 | 8 | TOTAL TRANSACTIONS | 127 | 131 | C(5)<br>FORMAT<br>Z,ZZ9 | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 1 POSITION 91-94 PIC C(4) RECORDS WITH "M ", "MA", "AR", OR " "(BLANK) IN POSITION 350-351 - COMMA - ZERO SUPPRESS (e.g. 1056 = 1,056) |
| 6 | 1 | DIVIDING LINE | 1 | 132 | C(132) | CHARACTER - USE THE HYPHEN (-) |
| 7 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK - USE TO SEPARATE THE DATA |
| 8 | 1 | HEADING NAME | 1 | 28 | C(28) | CHARACTER - USE "SECTION I - BILLING REMARKS:" |
| 9 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 10 | 1 | HEADING NAME | 1 | 4 | C(4) | CHARACTER - USE "RECN" |
| 10 | 3 | HEADING NAME | 7 | 9 | C(3) | CHARACTER - USE "RCD" |
| 10 | 3 | HEADING NAME | 71 | 76 | C(6) | CHARACTER - USE "BILLED" |
| 10 | 4 | HEADING NAME | 81 | 90 | C(10) | CHARACTER - USE "CTO RECORD" |
| 10 | 5 | HEADING NAME | 94 | 102 | C(9) | CHARACTER - USE "AMOUNT OF" |
| 10 | 6 | HEADING NAME | 105 | 114 | C(10) | CHARACTER - USE "RECOMMENDED" |
| 10 | 7 | HEADING NAME | 117 | 132 | C(16) | CHARACTER - USE "PREVIOUS INVOICE" |
| 11 | 1 | HEADING NAME | 1 | 4 | C(4) | CHARACTER - USE "CODE" |
| 11 | 2 | HEADING NAME | 7 | 9 | C(3) | CHARACTER - USE "NBR" |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 11 | 3 | HEADING NAME | 12 | 24 | C(13) | CHARACTER - USE "TICKET NUMBER" |
| 11 | 4 | HEADING NAME | 27 | 33 | C(7) | CHARACTER - USE "REMARKS" |
| 11 | 5 | HEADING NAME | 71 | 76 | C(6) | CHARACTER - USE "AMOUNT" |
| 11 | 5 | HEADING NAME | 83 | 88 | C(6) | CHARACTER - USE "AMOUNT" |
| 11 | 6 | HEADING NAME | 94 | 101 | C(8) | CHARACTER - USE "VARIANCE" |
| 11 | 7 | HEADING NAME | 105 | 114 | C(10) | CHARACTER - USE "PAY AMOUNT" |
| 11 | 8 | HEADING NAME | 118 | 131 | C(14) | CHARACTER - USE "NUMBER OR DATE" |
| 12 | 1 | DIVIDING LINE | 1 | 4 | C(4) | CHARACTER - USE THE HYPHEN (-) |
| | | | 7 | 9 | C(3) | |
| | | | 12 | 24 | C(13) | |
| | | | 27 | 66 | C(40) | |
| | | | 69 | 78 | C(10) | |
| | | | 81 | 90 | C(10) | |
| | | | 93 | 102 | C(10) | |
| | | | 105 | 114 | C(10) | |
| | | | 117 | 132 | C(16) | |
| 13 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 14 | 1 | CTO RECON CODE | 2 | 3 | &(2) | ALPHANUMERIC - INPUT FILE LINE 2/3 POSITION 350-351 PIC &(2) |
| 14 | 2 | RECORD NUMBER | 7 | 9 | 9(3) | NUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) |
| 14 | 3 | TICKET NUMBER | 12 | 24 | &(13) | ALPHANUMERIC - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 95-107 PIC &(13) - SUPPRESS BLANK CHARACTERS |
| 14 | 4 | REMARKS | 27 | 66 | C(40) | CHARACTER - LEFT JUSTIFY - INPUT FILE LINE 2/3 POSITION 180-219 PIC C(40) |
| 14 | 5 | BILLED AMOUNT | 69 | 78 | C(10) FORMAT ZZ,ZZ9.99S | CHARACTER - RIGHT JUSTIFY - GTS: BILLING INVOICE RCDS - GTR: OBLIGATION AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION -ZERO SUPPRESS (e.g. 26734265 = 267,342.65) |
| 14 | 6 | CTO RECORD AMOUNT | 81 | 90 | C(10) FORMAT ZZ,ZZ9.99S | CHARACTER -RIGHT JUSTIFY -GTS: CTO RECORDS FILE -GTR: BILLING AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION 350-351 -ZERO SUPPRESS (e.g. -6734265 = 67,342.65-) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 14 | 7 | VARIANCE AMOUNT | 93 | 102 | C(10) FORMAT ZZ,ZZ9.99S | CHARACTER - RIGHT JUSTIFY - GTS: BILLING AMOUNT LESS CTO RECORDS FILE AMOUNT - GTR: DIFFERENCE BETWEEN OBLIGATION AND BILLING AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 26734265 = 267,342.65) |
| 14 | 8 | RECOMMENDED PAY AMOUNT | 105 | 114 | C(10) FORMAT ZZ,ZZ9.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 148-157 PIC C(10) RECORDS WITH "HA", "AR", OR " "(BLANK) IN POSITION 350-351 -ZERO FILL RCDS WITH "S "OR "PR" IN POSITION 350-351 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -0034265 = 67,342.65-) |
| 14 | 9 | PREVIOUS INV NUMBER/DATE | 117 | 132 | C(14) | CHARACTER - RIGHT JUSTIFY - ALPHA CHARACTERS USE UPPER CASE CTO PROVIDED FOR PREVIOUSLY REPORTED TRANSACTION |
| SEC II | | PAGE BREAK | | | | PAGE BREAK BETWEEN SECTIONS - REPEAT SECTION I LINES 1-7 |
| 8 | 1 | HEADING NAME | 1 | 29 | C(29) | CHARACTER - USE "SECTION II - BILLING SUMMARY" |
| 9 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 10 | 1 | HEADING NAME | 1 | 19 | C(19) | CHARACTER - USE "BILLING DESCRIPTION" |
| 10 | 2 | HEADING NAME | 44 | 57 | C(14) | CHARACTER - USE "$ TICKETED FARES" |
| 10 | 3 | HEADING NAME | 69 | 81 | C(13) | CHARACTER - USE "$ CTO DISCOUNTS" |
| 10 | 4 | HEADING NAME | 92 | 108 | C(17) | CHARACTER - USE "$ NET COSTS/REFUNDS" |
| 10 | 5 | HEADING NAME | 120 | 132 | C(13) | CHARACTER - USE "TOTAL RECORDS" |
| 11 | 1 | HEADING LINE | 1 | 32 | C(32) | CHARACTER - USE HYPHEN (-) |
| | | | 42 | 57 | C(16) | |
| | | | 66 | 82 | C(16) | |
| | | | 92 | 110 | C(19) | |
| | | | 120 | 132 | C(13) | |
| 12 | 1 | HEADING NAME | 1 | 20 | C(20) | CHARACTER - USE "BILLED TRANSACTIONS:" |
| 13 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 14 | 1 | HEADING NAME | 4 | 10 | C(7) | CHARACTER - USE "TICKETS" |
| 14 | 2 | TOTAL TICKETED FARES (TICKETS) (TRANSACTIONS) | 44 | 57 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER -RIGHT JUSTIFY -GTS: SUM BILLED TICKETED FARE COSTS GTR: INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM RECORDS WITH "T" POSITION 178 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 14 | 3 | TOTAL DISCOUNTS GTR TRANSACTIONS OR GTS MATCHED TRANSACTIONS | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) RECORDS WITH "M" OR " " (BLANK) IN POSITION 350-351 AND "T" POSITION 178 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 14 | 4 | TOTAL NET AMOUNT FOR TICKET COSTS | 97 | 110 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 14 | 5 | TOTAL RECORD (TICKET) COUNT (TRANSACTIONS) | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - GTS: LEAVE BLANK - GTR: INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) TOTAL COUNT TYPE "T" POSITION 178 - ZERO SUPPRESS (e.g. 0234 = 234) |
| 15 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 16 | 1 | HEADING NAME | 4 | 17 | C(14) | CHARACTER - USE "TICKET REFUNDS" |
| 16 | 2 | TOTAL TICKETED FARES (TRANSACTIONS) | 44 | 57 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - GTS: BILLED TICKETED FARE/REFUND GTR: INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM RECORDS WITH "R" IN POSITION 178 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 16 | 3 | TOTAL DISCOUNTS GTR TRANSACTIONS OR GTS MATCHED TRANSACTIONS | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) RECORDS WITH "M" OR " " (BLANK) IN POSITION 350-351 AND "R" POSITION 178 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 16 | 4 | TOTAL NET AMOUNT FOR TICKET COSTS | 97 | 110 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 16 | 5 | TOTAL RECORD NUMBER COUNT (TRANSACTIONS) | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - GTS: LEAVE BLANK - GTR: INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) TOTAL RECORD COUNT WITH "R" IN POSITION 178 - ZERO SUPPRESS (e.g. 0234 = 234) |
| 17 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 18 | 1 | HEADING LINE | 1 | 32 | C(32) | CHARACTER - USE HYPHEN (-) |
| | | | 42 | 57 | C(16) | |
| | | | 66 | [illegible] | C(16) | |
| | | | 92 | 110 | C(19) | |
| | | | 120 | 132 | C(13) | |
| 19 | 1 | HEADING NAME | 1 | 19 | C(19) | CHARACTER - USE "TOTAL BILLED AMOUNT" |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. VTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 19 | 2 | TOTAL TICKETED FARES - SUM OF TICKETS/REFUNDS (TRANSACTIONS) | 42 | 57 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - GTS: SUM TICKET COST/REFUND FOR BILLED TICKETED FARE - GTR: INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM ALL RECORDS - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 19 | 3 | TOTAL DISCOUNTS GTR TRANSACTIONS OR GTS MATCHED TRANSACTIONS | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 168-167 PIC S9(8)V9(2) SUM RECORDS WITH "M = OR = " (BLANK) POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 19 | 4 | TOTAL NET AMT TICKET COSTS AND REFUNDS | 97 | 110 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,4443.99) |
| 19 | 5 | TOTAL RECORD NUMBER COUNT (TICKETS) | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - GTR: LEAVE BLANK - GTR: INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) TOTAL COUNT - ZERO SUPPRESS (e.g. 0234 = 234) |
| 20 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 21 | 1 | HEADING NAME | 1 | 24 | C(24) | CHARACTER - USE "ADJUSTMENT TRANSACTIONS:" |
| 22 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 23 | 1 | HEADING NAME | 4 | 26 | C(23) | CHARACTER - USE "UNBILLED TICKET REFUNDS" |
| 24 | 1 | HEADING NAME | 4 | 30 | C(27) | CHARACTER - USE "TAKEN IN ADVANCE OF BILLING" |
| 24 | 2 | TOTAL TICKET REFUNDS TAKEN IN ADVANCE OF GTS BILLING | 44 | 57 | C(14) FORMAT 2,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM RECORDS WITH "AR" IN POSITION 350-351 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 24 | 3 | TOTAL DISCOUNTS REFUNDS TAKEN IN ADVANCE | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) SUM RECORDS WITH "AR" IN POSITION 350-351 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) |
| 24 | 4 | TOTAL NET AMOUNT REFUNDS TAKEN IN ADVANCE | 97 | 110 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 24 | 5 | TOTAL RECORD NUMBER COUNT (TICKETS) | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) TOTAL RECORD COUNT FOR RECORDS WITH "AR" POSITION 350-351 - ZERO SUPPRESS (e.g. 0234 = 234) |



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | POSITION THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 25 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 26 | 1 | HEADING NAME | 4 | 24 | C(21) | CHARACTER - USE "BILLED TICKET REFUNDS" |
| 27 | 1 | HEADING NAME | 4 | 30 | C(27) | CHARACTER - USE "PREVIOUSLY TAKEN IN ADVANCE" |
| 27 | 2 | TOTAL TICKET REFUNDS TAKEN IN ADVANCE OF BILLING | 44 | 57 | C(14) FORMAT Z,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) RECORDS WITH "PR" IN POSITION 350-351 COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 27 | 3 | TOTAL DISCOUNTS | 72 | 82 | C(11) FORMAT ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - USE "0" (ZERO) (DISCOUNTS ON TICKET REFUNDS PREVIOUSLY TAKEN IN ADVANCE) |
| 27 | 4 | TOTAL NET AMOUNT | 97 | 110 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) (NET AMOUNT OF TICKET REFUNDS TAKEN IN ADVANCE OF BILLING) |
| 27 | 5 | TOTAL RECORD NUMBER COUNT (TICKETS) | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) TOTAL RECORD COUNT RECORDS WITH "PR" IN POSITION 350-351 - ZERO SUPPRESS (e.g. 0234 = 234) |
| 28 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 29 | 1 | HEADING NAME | 4 | 16 | C(13) | CHARACTER - USE "DISCREPANCIES" |
| 29 | 2 | TOTAL BILLING TICKET FARE DISCREPANCIES | 44 | 57 | C(14) FORMAT 2,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM RECORDS WITH "HA" IN POSITION 350-351 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) (BILLING DISCREPANCIES BETWEEN GTS AND CTO CONTRACTORS) |
| 29 | 3 | TOTAL BILLING DISCOUNT DISCREPANCIES | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 158-167 PIC S9(8)V9(2) SUM RECORDS WITH "HA" IN POSITION 350-351 - COMMAS, DECIMAL, AND MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) (BILLING DISCREPANCIES BETWEEN GTS AND CTO CONTRACTORS) |
| 29 | 4 | TOTAL NET AMOUNT FOR ALL DISCREPANCIES | 97 | 110 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 = 123,444.99) (NET BILLING DISCREPANCIES BETWEEN GTS AND CTO CONTRACTORS) |
| 29 | 5 | TOTAL RECORD NUMBER COUNT ON DISCREPANCIES | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) RECORD COUNT RECORDS WITH "HA" IN POSITION 350-351 - ZERO SUPPRESS (e.g. 0234 = 234) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 30 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 31 | 1 | HEADING NAME | 4 | 18 | C(15) | CHARACTER - USE "SUSPENSED ITEMS" |
| 31 | 2 | TOTAL TICKETED FARES AMOUNT - SUSPENDED ITEMS | 44 | 57 | C(14) FORMAT Z,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 148-157 PIC S9(8)V9(2) SUM RECORDS WITH "S " IN POSITION 350-351 - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. 0012344499 =123,444.99) |
| 31 | 3 | TOTAL DISCOUNTS AMOUNT ON SUSPENDED ITEMS | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - USE "0" (ZERO) |
| 31 | 4 | TOTAL NET AMT - SUSPENDED ITEMS | 97 | 110 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - TICKETED FARE LESS CTO DISCOUNT AMOUNT - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION - ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 31 | 5 | TOTAL RECORD NUMBER COUNT OF SUSPENDED ITEMS | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) RECORD COUNT RECORDS WITH "S " IN POSITION 350-351 - ZERO SUPPRESS (e.g. 0234 = 234) |
| 32 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 11 | 1 | HEADING LINE | 1 | 32 | C(32) | CHARACTER - USE HYPHEN (-) |
| | | | 42 | 57 | C(16) | |
| | | | 66 | 82 | C(16) | |
| | | | 92 | 110 | C(19) | |
| | | | 120 | 132 | C(13) | |
| 34 | 1 | HEADING NAME | 1 | 23 | C(23) | CHARACTER - USE "TOTAL ADJUSTMENT AMOUNT" |
| 34 | 2 | TOTAL ADJUSTED TICKETED FARE - DISCREPANCIES | 44 | 57 | C(14) FORMAT Z,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - SUM TICKETED FARES: REFUNDS TAKEN IN ADVANCE, REFUNDS PREVIOUSLY TAKEN IN ADVANCE, DISCREPANCIES, AND SUSPENDED ITEMS - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 34 | 3 | TOTAL DISCOUNTS - DISCREPANCIES | 72 | 82 | C(11) FORMAT Z99,999.99S | CHARACTER - RIGHT JUSTIFY - SUM DISCOUNTS: REFUNDS (TICKETED FARES) TAKEN IN ADVANCE, REFUNDS PREVIOUSLY TAKEN IN ADVANCE, DISCREPANCIES, AND SUSPENDED ITEMS - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0002354344 = 23,543.44) |
| 34 | 4 | TOTAL NET AMT - DISCREPANCIES | 97 | 110 | C(14) FORMAT ZZ,Z99,999.99S | CHARACTER - RIGHT JUSTIFY - SUM NET AMOUNT: REFUNDS TAKEN IN ADVANCE, REFUNDS PREVIOUSLY TAKEN IN ADVANCE, DISCREPANCIES, AND SUSPENDED ITEMS, AND ZERO SUPPRESS - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

## Block 10, Preparation Instructions (Continued)

TABLE IV. CTO backup billing report, part III - summary of billing data - Continued

| LINE NBR | ITEM | DATA USE IDENTIFIER | POSITION FROM | THRU | PICTURE (PIC) AND FORMAT | FIELD EDIT/VALIDATION CRITERIA |
|---|---|---|---|---|---|---|
| 34 | 5 | TOTAL RCD COUNT - DISCREPANCIES | 125 | 128 | 9(4) | CHARACTER - RIGHT JUSTIFY - INPUT FILE LINE 2/3 POSITION 346-349 PIC 9(4) RECORD COUNT RECORDS WITH "HA", "AR", "PR", OR "S " POSITION 350-351 - ZERO SUPPRESS (e.g. 0234 = 234) |
| 35 | 1 | BLANK LINE | 1 | 132 | B(132) | BLANK LINE - USE TO SEPARATE DATA |
| 36 | 1 | HEADING LINE | 1 | 32 | C(32) | CHARACTER - USE EQUAL (=) |
| | | | 42 | 57 | C(16) | |
| | | | 66 | 82 | C(16) | |
| | | | 92 | 110 | C(19) | |
| | | | 120 | 132 | C(13) | |
| 37 | 1 | HEADING NAME | 1 | 18 | C(18) | CHARACTER - USE "NET BILLING AMOUNT" |
| 37 | 2 | NET BILLING AMT - TICKETED FARE | 44 | 57 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - SUM BILLED TICKETED FARES AMOUNT AND TOTAL ADJUSTMENTS FOR TICKETS - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 1232354344 = 12,323,543.44-) |
| 37 | 3 | NET BILLING AMT - DISCOUNTS | 72 | 82 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - SUM BILLED DISCOUNTS ON TICKETS AND TOTAL ADJUSTMENT FOR DISCOUNTS - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. 0002354344 = 23,543.44) |
| 37 | 4 | NET BILLING AMT - COSTS/REFUNDS | 97 | 110 | C(14) FORMAT ZZ,ZZ9,999.99S | CHARACTER - RIGHT JUSTIFY - SUM BILLED NET COSTS/REFUNDS AND TOTAL ADJUSTMENT FOR COSTS/REFUNDS - COMMAS, DECIMAL, MINUS SIGN OR BLANK IN SIGN POSITION, AND ZERO SUPPRESS (e.g. -002354344 = 23,543.44-) |
| 37 | 5 | RECORD COUNT - TRANSACTIONS | 125 | 128 | 9(4) | CHARACTER - LEAVE BLANK |
| | | END OF PART IV | | | | |



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)





FIGURE 3. Remarks/Summary



Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)



```
                                                
```