N-R-351H
November 23, 1976
SUPERSEDING
Int. Fed. Spec. N-R-00351G(Army-GL)
September 17, 1971 and
Fed. Spec. N-R-351F
January 16, 1970

FEDERAL SPECIFICATION

RICE, MILLED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for milled rice for use by agencies of the Federal Government.

1.2 Classification. Milled rice covered by this specification shall be of the following classes and grades as specified (see 6.1).

1.2.1 Classes. Milled rice covered by this specification shall be of the following classes as specified (see 6.1).

Class I - Long grain rice. This class includes the long grain varieties such as Belle Patna, Bluebelle, Bluebonnet, Vegold, Labelle, Lebonnet, Starbonnet and Dawn and Bonnet 73.

Class II - Medium grain rice. This class includes the medium grain varieties such as Blue Rose and other related varieties, Calrose, Nato, Nova, Saturn, Brazos and Vista.

Class III - Short grain rice. This class includes the short grain varieties such as Caloro and Colusa, and Nortai generally called Pearl.

1.2.2 Grades. Milled rice covered by this specification shall be of the following grades, as specified, corresponding to the respective US grades defined in the United States Standards for Rough Rice, Brown Rice for Processing, Milled Rice (see 6.1):

US No. 1
US No. 2
US No. 3
US No. 4
US No. 5
US No. 6

FSC 8920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

1.2.3 Special grades. Milled rice covered by this specification may be of a of the following special grades, if specified, corresponding to the respective special grades as defined in the United States Standards for Rough Rice, Brown Rice for Processing, Milled Rice (see 6.1):

Parboiled light
Parboiled
Parboiled dark

1.2.4 Enriched milled rice. When specified (see 6.1), milled rice shall be enriched in accordance with 3.2.

1.2.4.1 When procured for Military agencies, the milled rice as specified in 1.2.3, shall be enriched in accordance with 3.2.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

UU-S-48	-	Sacks, Shipping, Paper
PPP-B-15	-	Bags and Envelopes, Cellophane, for Packaging
PPP-B-35	-	Bags, Textile, Shipping, Burlap, Cotton and Waterproo Laminated
PPP-B-566	-	Boxes, Folding, Paperboard
PPP-B-636	-	Boxes, Shipping, Fiberboard

Federal Standard:

FED-STD-123 - Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information the Index of Federal Specifications and Standards and at the prices indicated i the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications require by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:11Z
Check the source to verify that this is the currentversion before use.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-L-10547 - Liners, Case and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible
MIL-L-35078 - Loads, Unit: Preparation of Nonperishable Subsistence
MIL-T-21330 - Treatment: Insect Resistant, for Paper

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-668 - Sanitary Standards for Food Plants

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

US Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.)

United States Department of Agriculture

United States Standard for Rough Rice, Brown Rice for Processing Milled Rice
United States Standard for Condition of Food Containers

(Application for copies should be addressed to the Information Division, Agricultural Marketing Service, US Department of Agriculture, Washington, DC 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, DC 20044.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Technical society and technical association specifications and standards ar generally available for references from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 Material. Milled rice shall be essentially whole kernels of rice (Oryza sativa) from which the hulls and practically all of the germ and bran layers have been removed. Milled rice, except US No. 2 Rice, shall conform in every respect to the requirements of the class and grade, and of any special grade specified, as defined in the US Standards for Rough Rice, Brown Rice for Processing Milled Rice. US No. 2 rice shall conform to the requirements of the class and grade for US No. 2 except, the maximum of red rice and damaged kernels (singly or combined) shall be 0.5 percent rather than 1.5 percent.

3.2 Enriched milled rice. Enriched milled rice shall meet all requirements of 3.1; and in addition, after washing by the method prescribed in 4.4.2.2, shall contain all of the required ingredients listed in table I, within the minimum and maximum amounts specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

TABLE I. Enrichment requirements

	Content per pound	
	Minimum	Maximum
Required:		
Thiamine, mg.	2.0	4.0
Niacin or niacinamide, mg.	16.0	32.0
Iron, mg. 1/	13.0	26.0

1/ Iron may be added only in forms that are harmless and assimilable.

3.2.1 The enriched ingredients may be added in the form of a premix consisting of milled rice kernels to which have been added the necessary enrichment ingredients and which may then have been covered with a thin layer of a harmless, edible material that will be dispersed when the rice is cooked. The concentration of enrichment ingredients in any such premix shall be such that not less than 0.5 percent of the premix in the milled rice will be required to enrich the finished product to the proper level. The milled rice used in the preparation of any such premix shall be of the same class (see 1.2.1) as the milled rice to which the premix is added. When milled rice is enriched in this manner the premix shall be thoroughly and uniformly mixed with the bulk of the milled rice and the kernels of the premix shall be of such size, shape, color, and general appearance that they cannot be readily identified in the finished product by casual observation.

3.2.2 Optionally, the required enriching ingredient(s) listed in table I may be uniformly blended together with rice starch or other suitable, forming an enriched premix. The enriched premix shall be blended and uniformly mixed into the rice to yield a finished product conforming to table I enrichment requirements.

3.3 Parboiled rice. The rice shall be soaked, steamed, dried, and milled, and shall meet all requirements of 3.1. After processing, the parboiled rice shall contain not more than 2 percent of kernels having white ungelatinized areas. The finished product shall contain not more than 14.5 percent moisture. After cooking as specified in 4.4.1.2, the rice shall be soft and fluffy, shall remain as distinct particles, and shall not form a gummy mass. The product shall have no objectionable taste or odor.

3.4 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

3.5 Workmanship. The product shall be prepared in accordance with part 128 of the Code of Federal Regulations, Title 21, Human Foods; Current Good Manufacturing practice (sanitation) in manufacture, processing, packing or holding. For Military Agencies, the product shall be processed in estabishments meeting the requirements of MIL-STD-668.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Preacceptance inspection (plant sanitation inspection).

4.2.1 Civil agencies. When specified (see 6.1), inspection of plants producing the product will be conducted upon request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency.

4.2.2 Military agencies. The product shall be rejected if produced in plants not meeting the requirements of 3.5.

4.3 Acceptance inspection.

4.3.1 Condition inspection of containers. When inspection of the product for quality and condition is performed by the US Department of Agriculture, the United States Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for military agencies (see 4.3.3.3)).

4.3.2 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.3 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase documents.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:11Z
Check the source to verify that this is the current version before use.

4.3.3.1 Paper pockets. Conformance of paper pockets to 5.1.2.1 as concerns basis weight of plies shall be ascertained by examination of pertinent invoices or other valid documents.

4.3.3.2 Process examination. Unless otherwise specified (see 6.1), process examination shall be performed to determine conformance to the requirements of 3.2.1 as concerns enrichment procedures, when applicable. Nonconformance to the above referenced requirements as ascertained by examination, or as may be reflected by processing and formulation records, shall be cause for rejection of the involved quantity of finished product.

4.3.3.3 Examination of end item. Examinations shall be in accordance with tables III and IV, and 4.3.3.3.1 through 4.3.3.3.4. Sampling plans for the aforementioned tables shall be in accordance with table II. The acceptable quality levels (AQLs) shall be expressed as percent defective for table III and defects per hundred units for table IV.

TABLE II. Sampling plans

Table	Inspection level	Sample unit	Lot size expressed in	AQLS Major	AQLS Minor
III	S-3	One filled primary container	Primary containers	--	2.5
IV	S-2	185 gm. of parboiled rice from a primary container	Primary containers	1.5	--

TABLE III. Examination for net weight 1/

Category	Defect
Minor	
201	More than 5 percent under specified net weight (for 14-16 ounce (397-454g) containers)
202	More than 2 percent under specified net weight (for 5-10 pound (2.3-4.5kg) containers)
203	More than 1 percent under specified net weight (for 25-100 pound (11.3-45.4kg) containers)

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:11Z
Check the source to verify that this is the current version before use.

1/ Report results to nearest 1/8 ounce (4g) for 14-16 ounce (397-454g) containers; 1/2 ounce (14g) for 5-10 pound (2.3-4.5kg) containers; whole ounce for 25 pound (11.3kg) containers; 1/4 pound (0.11kg) for 50 pound (22.7kg) containers; and 1/2 pound (0.2kg) for 100 pound (45.4kg) containers. Lot shall be rejected if sample data indicate a lot average net weight less than specified net weight.

TABLE IV. Examination of prepared parboiled rice 1/

Category	Defect
Major	
101	Not soft and fluffy.
102	Rice kernels do not remain as distinct particles (i.e. forms a gummy mass).
103	Objectionable flavor or odor.

1/ See 4.4.1.2 for method of preparation.

4.3.3.3.1 Examination of primary containers. Examination of primary containers (except level B bulk packed sacks) for condition and labeling shall be in accordance with the United States Standards for Condition of Food Containers.

4.3.3.3.2 Examination of waterprooof case liners. Examination of filled and closed waterproof case liners shall be in accordance with the quality assurance provisions in the Appendix of MIL-L-10547.

4.3.3.3.3 Examination of fiberboard shipping containers. Examination of the filled and closed shipping container shall be in accordance with the quality assurance provisions in the Appendix of PPP-B-636. In addition, the following defects shall be included in the examination: Major - Required marking missing, incorrect or illegible; Major - Protective pad(s) and tape, when required, missing, not as specified or not completely covering metal stitches; Major - Case liner as specified in 5.2.3.2 for plastic bag pack, missing or not same material as shipping container. Minor - Net weight as indicated by case marking exceeds maximum specified. For level C pack as detailed in 5.2.3.2.1 only the aforementioned defect applicable to marking shall apply.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:11Z
Check the source to verify that this is the currentversion before use.

4.3.3.3.4 Examination of shipping sacks. Level A and level B filled and closed shipping sacks shall be examined in accordance with the quality assurance provisions in the appendix of UU-S-48. In addition, the following defects shall be included in the examination. Required contractual markings missing, incorrect or illegible; tear, hole, open seam or broken stitches. When IRT sacks are required, the sacks shall not be acceptable if IRT date markings indicate sacks will be more than 60 days old at the time the product is shipped.

4.3.3.4 Examination of unit loads. Unit loads shall be examined in accordance with the quality assurance provisions of MIL-L-35078.

4.3.4 Testing of finished product. The finished product shall be tested for enrichment (when required), moisture (parboiled rice only) and when specified filth (see 6.1). Procedure for tests shall be in accordance with 4.4. The sample for testing shall be a one-pound (0.45 kg) composite derived from the number of primary containers indicated by inspection level S-2. Lot size shall be expressed in terms of the primary container. Each result shall be reported to the same unit or decimal place as specified for the specific requirement except for filth, which shall be reported as pass or fail. A test failure shall be cause for rejection of the lot.

4.4 Examination and test methods. Examination and test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the procedures set forth herein. In case of dispute, as to examination or test results, the procedures specified herein will govern.

4.4.1 Examination procedures.

4.4.1.1 Grading. The class, grade, and any applicable special grade of milled rice shall be determined in accordance with the instructions and procedures issued by the US Department of Agriculture pursuant to the United States Standards for Rough Rice, Brown Rice for Processing, Milled Rice.

4.4.1.2 Cooking examination for parboiled rice (no alternate procedure permitted). The cooking procedure shall be as follows:

Boil 185 g of parboiled rice with 7 g of salt in 1,900 ml of tap water and no longer than, 30 minutes. The cooked rice shall be drained of surplus water in a sieve for 60 seconds. The cooked rice shall then be examined for conformance to the requirements of 3.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

4.4.2 Test procedures.

4.4.2.1 Chemical analysis. Unless otherwise specified, chemical tests, including vitamin assays, shall be made in accordance with Official Methods of Analysis of the Association of Official Analytical Chemists.

4.4.2.2 Vitamin determination. Vitamin analysis shall be accomplished as follows, when no rinsing before or draining after cooking is required.

Transfer 100 grams of the milled rice to a 2 liter Erlenmeyer flask containing one liter of water at 25° C. Stopper the flask and rotate it for exactly 1/2 minute, so that the kernels are kept in motion. Allow the kernels to settle for 1/2 minute. Enrichment ingredients are then determined on the wet rice and water remaining in the flask, and are calculated on the basis of the rice before washing. When rinsing before or draining after cooking is required, proceed as above, except that 850 ml of the water along with any floating or suspended matter shall be poured off.

4.4.2.3 Filth test. All tests required to determine compliance with the provisions of the Federal Food, Drug, and Cosmetic Act, in regard to insects, insect fragments, rodent hairs, rodent excreta, and other filth shall be made in accordance with the methods referred to in 4.4.2.1.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The milled rice shall be packaged in accordance with level A, B, or C, as specified (see 6.1).

5.1.1 Level A.

5.1.1.1 Textile bags. Five, (2.3 kg) ten, (4.5 kg) or fifty pounds (22.7 kg) of milled rice as specified (see 6.1) shall be packaged in a textile bag, constructed and closed in accordance with type IV, style A, of PPP-B-35.

5.1.2 Level B. Size and type of packaging shall be in accordance with 5.1.2.1 through 5.1.2.3.2, as specified (see 6.1).

5.1.2.1 Paper bags. Five pounds (2.3 kg) or ten pounds (4.5 kg) of milled rice shall be packaged in a heavy duty kraft paper bags. The bags shall be either formed (pasted) bottom, open mouth, or sewn bottom, open mouth. Plies shall be arranged and fabricated in tube form, one within the other. The longitudinal seams shall be in accordance with UU-S-48. Bottom (manufacturer's) closure shall be by sewing or gluing. The requirements for paper bags shall be as follows:

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:11Z
Check the source to verify that this is the current version before use.

Net weight of contents (pounds)	(kg)	Basis weight + 5 percent Inner ply	Outer ply
5	2.3	40	40
10	4.5	40	50

When extensible papers are used, a basis weight equal to 90 percent of the specified basis weight shall be acceptable. Alternatively, the paper bags may be a single ply having a basis weight of 80 pounds ± 5 percent. Closure of the paper bags shall be by sewing or gluing.

5.1.2.2 Cartons. Fourteen ounces (397 g) to sixteen ounces (454 g) or two pounds, (0.91 kg) five pounds, (2.3 kg) or ten pounds (4.5 kg), of milled rice shall be packaged in paperboard folding boxes, constructed and closed in accordance with style I, type A, class a or b, of PPP-B-566.

5.1.2.3 Bags (civil agencies). Two pounds (0.91 kg) of milled rice shall be packaged in a plastic bag in accordance with 5.1.2.3.1 or 5.1.2.3.2.

5.1.2.3.1 Ethylene vinyl acetate copolymer bags. The bag shall be a double-wall plastic bag constructed of two sheets of not less than 0.0015-inch thick (.038 mm) ethylene vinyl acetate copolymer. In combining the two sheets, the outer ply shall be reverse printed with required labeling information on the inside surface and overlaid with nitrocellulose or equivalent material. The inner ply shall be plain and shall be joined to the outer ply by heat sealing. All seams and the closure shall be heat-sealed to form a siftproof bag.

5.1.2.3.2 Cellophane bags. The bag shall be constructed of cellophane in accordance with type 2, class B, of PPP-B-15.

5.1.3 Level C. The milled rice shall be packaged to assure protection from loss, damage, or deterioration during shipment from the supply source to the first receiving activity. The supplier may use his standard commercial practice when it meets these requirements.

5.2 Packing. The milled rice shall be packed in accordance with level A, B, or C, as specified (see 6.1).

5.2.1 Level A.

5.2.1.1 Textile bags. Not more than 60 pounds of milled rice packaged in 5-pound (2.3 kg) bags or 10-pound (4.5 kg) bags, or one 60-pound (27. kg) bag of milled rice shall be packed into a multiwall paper shipping sack, fabricated and closed in accordance with type I, style B, or type II, style A, construction 9 or 9X, MB2, level A requirements, of UU-S-48. The outer surface of the sack shall be insect-resistant treated in accordance with MIL-T-21330.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:11Z
Check the source to verify that this is the current version before use.

5.2.2 Level B.

5.2.2.1 Paper bags. Not more than 60 pounds of milled rice packaged in 5-pound (2.3 kg) paper bags or 10-pound (4.5 kg) paper bags shall be packed int a multiwall paper shipping sack, fabricated and closed in accordance with type style B, or type II, style A, construction 5 or 5X, MB1, level B requirements, UU-S-48. The outer surface of the sack shall be insect-resistant treated in accordance with MIL-T-21330.

5.2.2.2 Bulk pack. Fifty (22.7 kg) or one hundred pounds (45.4 kg) of mille rice as specified (see 6.1), shall be packed in a multiwall paper shipping sack as specified in 5.2.2.1, except that for one hundred pounds, (45.4 kg) the construction shall be 15 or 15X.

5.2.2.3 Cartons. Not more than 50 pounds (22.7 kg) of milled rice in cartons shall be placed in a waterproof case liner fabricated and closed in accordance with MIL-L-10547 for subsistence items and shall be packed in a snug-fitting fiberboard box, constructed, closed, and reinforced in accordance with style RSC, V3c, V3s, or V4s of PPP-B-636. If the flaps of the shipping container are closed with stitches, the case liner shall be protected from the stitches by placing a chipboard pad between the flaps and the case liner. The case liner shall be protected from stitches in the manufacturer's joint by placing a chipboard corner pad over the stitches or by covering the stitches with pressure-sensitive adhesive tape.

5.2.2.4 Plastic bags. Not more than 50 pounds (22.7 kg) of milled rice i plastic bags shall be packed in a snug fitting fiberboard box, constructed, closed and reinforced in accordance with style RSC-L, V3c, V3s, or V4s, of PPP-B-636. The plastic bags shall be protected from stitches in the flaps by placing a chipboard pad between the stitched flaps and the plastic bags.

5.2.2.5 When specified (see 6.1 and 6.4), the shipping container specified i 5.2.2.3 or 5.2.2.4 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament-reinforced tape in accordance with the appendix of PPP-B-636.

5.2.3 Level C. The milled rice shall be packed in accordance with 5.2.3.1 or 5.2.3.2, as applicable.

5.2.3.1 Paper bags. Milled rice in paper bags and in bulk shall be packed i accordance with the level C requirements of UU-S-48.

5.2.3.2 Cartons and plastic bags. Not more than 50 pounds (22.7 kg) of the milled rice in cartons or plastic bags shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L, type CF or SF, class domestic, method II closure, of PPP-B-636. The shipping container for plastic bags shall be furnished with a full-height liner of the same material as the container.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:11Z
Check the source to verify that this is the current version before use.

5.2.3.2.1 When specified (see 6.1 and 6.5), the cartons and plastic bags of milled rice shall be packed in shipping containers complying with Uniform Freight Classification or National Motor Freight Classification, as applicable.

5.3 Unit loads (military agencies). When specified, (see 6.1), the milled rice, packed in shipping containers as specified in 5.2, shall be prepared in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

5.4 Labeling and marking.

5.4.1 Unit containers. Labeling complying with the Federal Food, Drug, and Cosmetic Act and regulation promulgated thereunder will be acceptable. When required, labeling shall include the statement, "TO RETAIN VITAMINS, DO NOT RINSE BEFORE OR DRAIN AFTER COOKING".

5.4.2 Shipping containers. Shipping containers shall be marked in accordance with FED-STD-123 or MIL-STD-129 as applicable, and with UU-S-48, as applicable.

5.4.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Class and grade of rice required, special grade (when required), and whether enriched rice is required (see 1.2).
(c) Optional enrichment ingredients (see 3.2).
(d) When in-process examination is not required for civil agencies (see 4.3.3.2).
(e) When inspection of plant producing product is required for civil agencies (see 4.2.1).
(f) When test for filth is required (see 4.3.4).
(g) Level of packaging and packing required (see 5.1 and 5.2).
(h) Size and type of packaging required (see 5.1.1.1 and 5.1.2).
(i) Quantity of rice to be bulk-packed for level B (see 5.2.2.2).
(j) When packing specified in 5.2.2.5 and 5.2.3.2.1 is required (see 6.4 and 6.5).
(k) Type and class of unit load required when unit loading is specified (see 5.3).

6.2 Specification coverage. This specification does not include all classes and grades of milled rice that are commercially available, but it is intended to cover the classes that are normally suitable for Federal Government requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

6.3 Based on conditions known or expected to be encountered during shipment, handling and storage, of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15, NAVSUPINST 4030.28, AFR 71-6, MCO 4030.14D or DSAR 4145.7, as applicable.

6.4 Packing specified in 5.2.2.5 is intended for transfer at sea operations or specific overseas operations.

6.5 Packing specified in 5.2.3.2.1 is intended for direct shipment from the supply source to the first receiving activity for immediate use within CONUS.

6.6 Destination inspection (for civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
HEW - FDA, NIH
VA - DMS
USDA - AMS

Project No. 8920-0344

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 35 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.