MIL-C-1458C

15 June 1972

SUPERSEDING
MIL-C-1458B
3 March 1965

MILITARY SPECIFICATION

COMB, DOG

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type and size of dog comb.

2. APPLICABLE DOCUMENTS

* 2.1 The following documents, of the issue in effect on the date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

QQ-C-320	-	Chromium Plating (Electrodeposited)
UU-P-268	-	Paper, Kraft, Untreated, Wrapping
PPP-B-566	-	Boxes, Folding, Paperboard
PPP-B-636	-	Boxes, Shipping, Fiberboard (Exterior and Interior)
PPP-B-676	-	Boxes, Set-Up

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 3770

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

* 2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza. Chicago, Illinois 60606.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

* 3.1 Materials.-

* 3.1.1 Brass.- The brass for the comb body shall be commercial grade, 1/2 hard brass sheet or strip, 8 gage (.1285 in.) nominal thickness.

* 3.1.2 Wire, steel.- The wire for the teeth shall be high carbon, spring-tempered steel, 0.044 ± 0.005 inch diameter.

* 3.1.3 Steel, sheet or strip.- The steel for the end posts shall be high carbon, spring tempered sheet or strip, 0.044 ± 0.005 inch thickness.

* 3.1.4 Solder.- The solder shall conform to commercial type 50-50 solder.

* 3.2 Design and construction.- The comb shall be of the design as shown on figure 1 and shall conform to the following dimensions:

Length overall	6-1/2 inches ± 1/4 inch.
Length of tooth section	3 inches.
Width of tooth section (body and teeth)	1-1/4 inches.
Width of tooth section (body only)	3/8 inch.
Width of handle section at widest point	3/4 inch.
Diameter of hole	1/4 inch.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

Unless otherwise specified herein, the tolerances shall be ± 1/16 inch. Figure 1 is included for informational purposes and is not intended to preclude combs otherwise conforming to the requirements specified herein.

* 3.2.1 Body.- The comb body shall be formed from the material specified in 3.1.1. The tooth section of the body shall be grooved to contain the two end posts and 36 equally spaced teeth at the depth indicated in 3.2.2.

* 3.2.2 Teeth and end posts.- The teeth and end posts, 1-1/16 inches in length, shall be fabricated from the materials specified in 3.1.2 and 3.1.3, respectively, and shall be tumbled before assembly. After tumbling, the teeth and end posts shall be inserted 3/16 inch into the body groove and soldered in place with the solder specified in 3.1.4. The length of the finished teeth and end posts shall be 7/8 inch.

* 3.3 Finish.- The assembled comb shall be given a chrome nickel plating in accordance with class 1, type 1 of QQ-C-320.

* 3.4 Marking.- The comb shall be permanently and legibly marked with the manufacturer's name or identifiable trademark.

* 3.5 Workmanship.- The comb shall be free from burrs, rough or sharp edges with no teeth or end posts bent out of shape, malformed or misaligned. Tips of teeth and end post shall be rounded.

4. QUALITY ASSURANCE PROVISIONS

* 4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

* 4.2 Inspection.- Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

* 4.2.1 Component and material inspection.- In accordance with 4.1 above, the supplier is responsible for insuring that components and materials used are manufactured, tested, and inspected in accordance with the requirements of referenced subsidiary specifications and standards to the extent specified, or, if none, in accordance with this specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

* 4. 2 Process examination.- Examination shall be made during manufacturing to insure that the cut lengths of the teeth and end posts are as specified (see 3.2.2).

* 4.2.3 End product inspection.- The lot shall consist of all completely fabricated combs offered for inspection at one time and the sample unit shall be one comb.

* 4.2.3.1 Examination for visual characteristics.- Examination shall be made of the comb for the defects in table I. The inspection level shall be II with an acceptable quality level (AQL) of 4.0, expressed in terms of defects per hundred units.

TABLE I.- Examination for visual characteristics

Examine	Defect
Finish	Any burr, rough, or sharp edge
Construction and workmanship (teeth and end posts)	Tips not rounded
	Finished length not uniform
	Not in same plane; not equally spaced; not number specified; bent or malformed
Marking	Missing, illegible, incomplete, or incorrect

4.2.3.2 Examination for dimensional characteristics.- Examination shall be made of the comb for compliance with dimensions specified. Any dimension not within the specified tolerances shall be classified as a defect. The inspection level shall be S-2 with an AQL of 4.0, expressed in terms of defects per hundred units.

4.2.4 Examination of preparation for delivery requirements.- An examination shall be made to determine that packaging, packing, and marking are in compliance with requirements of section 5. Defects shall be scored in accordance with table II. The sample unit shall be one shipping container fully prepared for delivery. The lot shall be the number of shipping containers offered for inspection at one time. The inspection level shall be S-2 and the AQL shall be 4.0, expressed in terms of defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

TABLE II.- Examination of preparation for delivery

Examine	Defect
Marking	Omitted, incorrect, illegible, of improper size, location, sequence or method of application.
Materials	Any component missing. Any component damaged.
Workmanship	Inadequate application of components; such as incomplete closure of containers, loose strapping, insufficient tape banding.
Contents	Number per container is more or less than required.

5. PREPARATION FOR DELIVERY

5.1 Packaging.- Packaging shall be level A or C, as specified (see 6.2).

5.1.1 Level A.-

* 5.1.1.1 Unit packaging.- Each comb shall be packaged in a close-fitting kraft paper envelope having a minimum basis weight of 40 pounds and conforming to grade B of UU-P-268. The flap shall be secured with adhesive or taped with a gummed or pressure sensitive tape. Alternatively, the comb may be inserted in a close-fitting clear polyethylene film bag of minimum 0.0015-inch thickness. All excess air within the bag shall be expelled and the bag closed by heat sealing.

* 5.1.1.2 Intermediate packaging.- Twelve combs, unit packaged as specified, in 5.1.1.1, shall be packaged in a snug-fitting folding or set-up paperboard box conforming to PPP-B-566; or PPP-B-676, respectively. Closure shall be in accordance with the appendix of the applicable box specification.

* 5.1.2 Level C.- Combs shall be packaged to afford adequate protection against physical damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing.- Packing shall be level A, B, or C, as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

☆ 5.2.1 Level A.- Three hundred and sixty combs, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC or V2s of PPP-B-636. Closure, waterproofing, and reinforcing by means of flat strapping or tape banding shall be in accordance with the appendix of the container specification.

☆ 5.2.2 Level B.- Three hundred and sixty combs, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF or SF, class domestic, variety optional, grade 275 of PPP-B-636. Closure shall be according to method II as specified in the appendix of the box specification.

☆ 5.2.2.1 When specified (see 6.2), the shipping container shall be V3c, V3s, or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix thereto.

☆ 5.2.3 Level C.- Combs shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Marking.- In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use.- The dog comb covered by this specification is used in grooming scout, marijuana detectors and sentry dogs.

☆ 6.2 Ordering data.- Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. Selection of applicable levels of packaging and packing (see 5.1 and 5.2).
c. When weather-resistant fiberboard is required for level B shipments (see 5.2.2.1).

☆ 6.3 The margins of this specification have been marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This has been done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and suppliers are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Air Force - 84

User activities:

Army - MD
Navy - MC

Preparing activity:

Army - GL

Project No. 3770-0102

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.




FIGURE 1 - COMB, DOG

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION: Comb, Dog MIL-C-3458C

ORGANIZATION:

CITY AND STATE:

CONTRACT NUMBER:

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?
   ☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:19Z
Check the source to verify that this is the current version before use.