MILITARY STANDARD

MIL-STD-1320-136 A
(NAVY)

TRUCKLOADING
MINE, UNDERWATER MK 57 MOD 0 "CONFIGURATION A" IN CRATE MK 109 MOD 0

3 DECEMBER 1982
SUPERSEDING
MIL-STD-1320-186
1 DECEMBER 1977

CRATED DATA

MINES PER CRATES	1
OVERALL DIMENSIONS ..	128 L X 26 W X 29 4 H
CUBE . ..	56 6 CU FT
WEIGHT (APPROXIMATE)	2441 LBS
DRAWING .	OR-68/30



INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL & LTL NOTES	2
FTL 40 FT FLATBED	3

REV LTR	REVISION DESCRIPTION
A	DEPICTS USE OF NEW MK 109 CRATE FOR ALPHA CONFIGURED MK 57 MINE

NOTE

1 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

2 FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENT

W. S. Gray NWHC 6/18/82
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J. E. Kelly 6/16/82
SIGNATURE SEA SYSCOM BY DIRECTION DATE

ORIGINATOR 10 June 82
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

GENERAL NOTES

1 THIS DOCUMENT PROVIDES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE MK 57 UNDERWATER MINE (ALPHA CONFIGURATION) WHEN THE MINE IS IN THE MODIFIED COMBINED MK 103 EXPLOSIVE SECTION CRATE/MK 104 MECHANISM COMPARTMENT CRATE THE CRATED MINE SHALL COMPLY WITH OR-68/30

2 THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR FLATBED TRAILERS AND TRUCKS SHIPMENT OF THE CRATED MINES IS LIMITED TO ONE HIGH ONLY BECAUSE THE MINE CRATES DO NOT HAVE INTERLOCKING STACKING FEATURES DO NOT USE TRAILERS WITH NON-NAILABLE FLOORS.

3 CHAIN AND STEEL STRAP MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS

4 CHAINS FITTINGS AND LOADBINDERS SHALL MEET THE REQUIREMENTS OF THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

5 THE STEEL STRAP SHALL BE 2 X 050 INCHES AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

6 PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTINGS AND LOADBINDERS SHALL BE INSPECTED FOR STRETCH, GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOADBINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626. ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOADBINDER

7 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS

8 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO THE DUNNAGE IN AN ACCESSIBLE AREA AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES FRONT AND BACK OF TRAILER

9 APPLICABLE MATERIAL SPECIFICATIONS DUNNAGE LUMBER MM-L-751, NAILS, FF-N-105 TYPE II STYLE 10, COMMON BRIGHT, STRAPPING QQ-S-781, TYPE I, HEAVY DUTY, FINISH A B OR C

10 FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY)

FTL AND LTL NOTES

1 THE NUMBER OF STACKS OF MINES THAT MAY BE LOADED ON A VEHICLE DEPENDS UPON THE LENGTH OF THE CARGO CARRYING AREA SEE TABLE I

TABLE I

MINIMUM LENGTH CARGO AREA	NO OF STACKS	NO OF MINES
17 FT	1	3
28 FT	2	6
40 FT	3	9

2 THE LOAD DEPICTED ON PAGE 3 IS A FTL FOR A 40 FT FLATBED TRAILER SHORTER VEHICLES WITH LESS STACKS OF CONTAINERS (1 OR 2 STACKS) SHOULD BE BLOCKED AND TIED DOWN USING THESE PRINCIPLES

3 WHEN SHIPPING LESS THAN TRUCKLOAD (LTL), THE NUMBER OF CRATED MINES IN A STACK MAY BE DECREASED FROM THREE ACROSS TO TWO OR ONE ACROSS THE VEHICLE BLOCK AND TIE DOWN USING THE PRINCIPLES FOR A FULL STACK OF THREE MINES



SECTION A-A



2 X 6 TRIPLED. NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS NAIL 2ND PIECE TO 1ST AND 3RD TO 2ND IN LIKE MANNER

2 X 4 TRIPLED NAIL 1ST PIECE TO TRAILER FLOOR W/4-16d NAILS NAIL 2ND PIECE TO 1ST AND 3RD TO 2ND IN LIKE MANNER

2 X 6 TRIPLED NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST AND 3RD TO 2ND IN LIKE MANNER

2 X 6 TRIPLED NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST AND 3RD TO 2ND IN LIKE MANNER

TRUCKLOAD DATA

NUMBER OF MINES	9
WEIGHT (APPROXIMATE) .	21,969 LBS

6	5	CHAIN & LOADBINDER	SEE GENERAL NOTES	5/16 OR 3/8
36	4	SLEEPER	SEE FIELD NOTE	2 X 4 X 12
12	3	SEPARATOR	SEE FIELD NOTE	2 X 6 X 83
24	2	BACKUP CLEAT	SEE FIELD NOTE	2 X 6 X 28
6	1	END CROSSMEMBER	SEE FIELD NOTE	2 X 6 X 83
REQ'D	**ITEM**	**DESCRIPTION**	**MAT'L/DWG**	**DIMENSIONS**

LIST OF MATERIALS

FTL 40 FT FLATBED TRAILER

REVIEW ACTIVITY
NAVY-OS

PREPARING ACTIVITY
NAVY OS
(PROJECT NO 1320 - N539)

FOLD

DEPARTMENT OF THE AIR FORCE

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 73236 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE AIR FORCE

Commanding Officer
Naval Weapons Handling Center, Earle
Colts Neck, New Jersey 07722

FOLD

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-STD-1320-186A (NAVY)

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1 OCT 76 1426

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-3260

☆ 1978—703-073/2081 3-1