MILITARY STANDARD

MIL-STD-1320-256
(NAVY)

13 AUGUST 1992

TRUCKLOADING

WARHEAD, HE, WDU-36/B

ON PALLET MK 12 MOD 1


UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT


UNIT LOAD DATA

UNIT LOAD DOCUMENT MIL-STD-1322-104
DIMENSIONS . . . . 52 L X 35 1/4 W X 22 1/2 H
GROSS WEIGHT . . . . . 1603 LBS Δ
CUBE . . . . . 23.9 CU FT

Δ DO NOT USE FOR SHIPPING WEIGHT

FOR HAZARD CLASSIFICATIONS SEE NAVSEA OP 2165





AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE:
DISTRIBUTION IS UNLIMITED.

NOTES:

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

AUTHORIZED AND RELEASED
FOR HIGHWAY SHIPMENT ONLY.

SIGNATURE TDA, WPNSTA EARLE 8-13-92 DATE

SIGNATURE SEASYSCOM BY DIRECTION 5/14/92 DATE

ORIGINATOR 92-2-13 DATE

WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

GENERAL NOTES:

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING DOMESTIC AND OVERSEAS UNIT LOADS OF THE WDU-36/B WARHEAD. THE UNIT LOAD SHALL BE IN ACCORDANCE WITH MIL-STD-1322-104 (NAVY).
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 FT OR LONGER ENCLOSED TRAILERS WITH THE TRAILER'S TANDEM AXLES LOCATED IN THE "WESTERN POSITION" (AT THE EXTREME REAR OF THE TRAILER). DO NOT USE TRAILERS WITH ALL METAL FLOORS.
3. WHEN THE SPACE BETWEEN THE LOAD AND THE REAR OF THE TRAILER IS LESS THAN 12 INCHES, USE DETAIL C ON PAGE 3 AS THE REAR FILLER ASSEMBLY. WHEN THE SPACE IS BETWEEN 12 AND 36 INCHES, USE DETAIL B, PAGE 3. WHEN THE SPACE IS GREATER THAN 36 INCHES, USE DETAIL J ON PAGE 6. DO NOT USE TRAILERS WITH ROLL UP DOORS.
4. THE REAR BLOCKING ASSEMBLY SHALL FILL THE SPACE BETWEEN THE LADING AND THE TRAILER DOORS WHEN THE DOORS ARE CLOSED (EXCEPT WHEN THE SPACE IS GREATER THAN 36 INCHES).
5. USE DETAIL A ON PAGE 3 AS THE FORWARD BULKHEAD ASSEMBLY WHEN USING 40 THROUGH 45 FT TRAILERS. FOR 48 FT TRAILERS, USE DETAIL G AS DIRECTED ON PAGES 4 AND 5.
6. THE MAXIMUM NUMBER OF UNIT LOADS THAT CAN BE LOADED ONTO A TRAILER IS:

   40 FT TRAILER - 20 UNIT LOADS
   42 FT TRAILER - 21 UNIT LOADS
   44/45 FT TRAILER - 22 UNIT LOADS
   48 FT TRAILER - 24 UNIT LOADS

7. DO NOT STACK UNIT LOADS.
8. UNLESS OTHERWISE SPECIFIED, DUNNAGE LUMBER, STEEL STRAPPING, STRAP SEALS, AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY).
9. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS, AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS.
10. AFTER THE BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA INSIDE THE TRAILER. ATTACH THE PROPER EXPLOSIVES PLACARDS TO BOTH SIDES, FRONT, AND BACK OF THE TRAILER.
11. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY).


* TW = INSIDE TRAILER WIDTH


LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
2	1	AFT CROSS MEMBER	WOOD	2 X 6 X TW* - 1
2	2	FWD CROSS MEMBER	WOOD	2 X 6 TO SUIT
4	3	VERTICAL (FWD)	WOOD	4 X 4 X 22 1/2
5	4	STRUT	WOOD	2 X 6 TO SUIT
2	5	CROSS MEMBER	WOOD	2 X 6 X TW* - 1
8	6	SUPPORT	WOOD	2 X 4 TO SUIT
10	7	HORIZONTAL	WOOD	1 X 6 X 86
20	8	VERTICAL (SIDE)	WOOD	2 X 4 X 22 1/2
AS REQD	9	SLEEPER (SIDE)	WOOD	2 X 4 X 52
AS REQD	10	SLEEPER (END)	WOOD	2 X 4 X 35 1/4
AS REQD	11	BRACE (ANGLE)	WOOD	2 X 6 TO SHAPE
AS REQD	12	BRACE (FLOOR)	WOOD	2 X 4 X 21
AS REQD	13	BRACE (VERTICAL)	WOOD	2 X 4 X 22 1/2
AS REQD	14	BRACE (BACKUP)	WOOD	2 X 8 X 30
AS REQD	15	BACKUP CLEAT	WOOD	2 X 8 X 7 1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.


FTL 40 FT TRAILER (ENCLOSED)






DETAIL D

SIDE GATE FOR CHIMNEY PATTERN
ASSEMBLE WITH 6d NAILS




DETAIL B

REAR FILLER ASSEMBLY
USE TO FILL 9" - 36" GAP
ASSEMBLE WITH 8d NAILS



DETAIL C

REAR FILLER ASSEMBLY
USE TO FILL 0" - 9" GAP
ASSEMBLE WITH 8d NAILS





DETAIL A

FORWARD BULKHEAD
ASSEMBLE WITH 8d NAILS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

FTL 42, 44, 45, 48 FT TRAILER (ENCLOSED)






SECTION E - E

BLOCKING FOR DOUBLE ROW PATTERN


NOTE

BECAUSE WALL THICKNESSES VARY FROM TRAILER TO TRAILER, DIMENSION X IS TAKEN FROM THE OUTSIDE OF THE FRONT WALL TO THE FORWARD MOST POINT OF THE LOAD. TO OBTAIN THE CORRECT DISTANCE FROM THE INSIDE OF THE FORWARD WALL TO THE FRONT OF THE LOAD, SUBTRACT THE FORWARD WALL THICKNESS FROM DIMENSION X.



SECTION F - F

BLOCKING FOR SINGLE ROW PATTARN



DETAIL G

FRONT BULKHEAD ASSEMBLY FOR 48 FT TRAILER WITH 21 OR MORE UNIT LOADS

ASSEMBLE WITH 8d NAILS

48 FT TRAILER	
NUMBER OF UNIT LOADS	DIMENSION X
24	44
23	30
22	27
21	18
20 OR LESS	BUTT AGAINST FRONT (USE DETAIL A)

* TW = INSIDE TRAILER WIDTH

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
8	20	SPACER	WOOD	2 X 6 X 5 1/2
2	19	FORWARD CROSS PIECE	WOOD	2 X 6 TO SUIT
4	18	CROSS PIECE	WOOD	2 X 4 X TW* - 1
16	17	STRUT	WOOD	2 X 6 TO SUIT
8	16	VERTICAL	WOOD	2 X 6 X 22 1/2

LIST OF MATERIALS FOR DETAIL G


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

LTL 40 THRU 48 FT TRAILER (ENCLOSED)

40 FT TRAILER

FWD END OF TRAILER


NUMBER OF UNIT LOADS




42 FT TRAILER

FWD END OF TRAILER

NUMBER OF UNIT LOADS




44/45 FT TRAILER



48 FT TRAILER


DIM X (SEE TABLE ON SHEET 4)



NOTE


ARROWS INDICATE NOSE END OF WARHEAD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.



DETAIL H

USE OF KNEE BRACES FOR LTL



DETAIL J

KNEE BRACE
ASSEMBLE WITH 8d NAILS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N962)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.