MILITARY STANDARD

MIL-STD-1322-53

12 NOVEMBER 1982


UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
PROPELLANT GRAIN MK 90 MOD 0
IN CONTAINER DWG 233AS171
PACKED IN PALLET CRATE MK 2 MOD 0

UNIT LOAD DATA


	DODIC/NALC TBD
NUMBER OF GRAINS PER TUBE	1
GROSS WEIGHT OF ONE TUBE (ESTIMATED)	10 LBS.
NUMBER OF TUBES PER UNIT LOAD	186
NUMBER OF GRAINS PER UNIT LOAD	186
WEIGHT OF PALLET CRATE (APPROX)	246 LBS.
WEIGHT OF UNIT LOAD (ESTIMATED)	2106 LBS.
CUBE (48 X 41 3/8 X 49 3/8)	56.8 CU. FT.

DO NOT STACK MORE THAN
3 UNIT LOADS HIGH IN STORAGE.

CLASS B EXPLOSIVES



CONTAINER
DWG. 233AS171



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322.

M J Geary NWHC 11/12/82
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J E Peller 11/15/82
SIGNATURE AIRSYSCOM BY DIRECTION DATE

ORIGINATOR Charles McBride 11/15/82
DATE


NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

1. LOAD BOTTOM LAYER OF PALLET CRATE WITH 158 CONTAINERS STANDING ON END AS SHOWN IN SECTION F-F.
2. LOAD TOP LAYER OF PALLET CRATE WITH 28 CONTAINERS. PLACE 26 CONTAINERS CROSSWISE IN PALLET CRATE AS SHOWN IN VIEW C & E. PLACE 2 CONTAINERS LENGTHWISE IN PALLET CRATE AS SHOWN IN VIEW B & E, MAKING A TOTAL OF 186 CONTAINERS.
3. CONSTRUCT SPACER, PCS. 2 & 3 AND PLACE IN REMAINING VOID AS SHOWN IN VIEW E.
4. INSTALL PALLET CRATE COVER.

MARKING: IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.



DEPALLETIZING PROCEDURE

1. REMOVE PALLET CRATE COVER.
2. REMOVE TOP LAYER OF CONTAINERS AND SPACER.
3. REMOVE BOTTOM LAYER OF CONTAINERS.
4. REPLACE COVER AND SPACER IN PALLET CRATE.

NOTE:


1. ALL MATERIALS SHALL BE AS SPECIFIED IN THE GENERAL DOCUMENT, MIL-STD-1322.


REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
2	3	SPACER END	SEE NOTE 1	5 X 6 3/4 X 1/2
2	2	SPACER SIDE	SEE NOTE 1	13 1/2 X 6 3/4 X 1/2
1	1	PALLET CRATE MK 2 MOD 0	1350840	48 X 41 3/8 X 49 3/8

LIST OF MATERIALS


Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:52:52
Check the source to verify that this is the current version before use.

SPACER CONSTRUCTION







VIEW A




VIEW B




VIEW C



VIEW D



VIEW E



SECTION F-F

REVIEW ACTIVITY:
NAVY - OS, AS

PREPARING ACTIVITY:
NAVY - OS
(PROJECT NO. 8140-N 566)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-STD-1322-53

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Naval Weapons Station Earle
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.