Department of the Navy

PALLETIZING
DOMESTIC UNIT LOAD


250 LB LOW DRAG BOMB (G. P.) MK 81 & MODS, WITH METAL OR PLASTIC NOSE PLUGS*

UNIT LOAD DATA


GROSS WEIGHT OF ONE BOMB	(Lbs.)	250
NUMBER OF BOMBS PER UNIT LOAD		12
WEIGHT OF PALLET AND DUNNAGE (EST.)	(Lbs.)	240
WEIGHT OF UNIT LOAD	(Lbs.)	3240
CUBE (WITH METAL NOSE PLUGS)	(Cu. Ft.)	46.3
CUBE (WITH PLASTIC NOSE PLUGS).....	(Cu. Ft.)	44.4

DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE

CLASS A EXPLOSIVES



BOMB
LD 165772
1366026



* THIS UNIT LOAD SHALL ONLY BE USED WHEN STEEL BOMB PALLETS MK 6 MOD 0 ARE NOT AVAILABLE.
FOR FLEET ISSUE UNIT LOAD USE MIL-STD-1323-15

NOTES:
1. FOR GENERAL PALLETIZING REQUIREMENTS SEE MIL-STD-1322 (NAVY).
2. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.

MIL-STD NUMBER	ASSOCIATED PROCESS

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER IN COMPLIANCE WITH DOT REGULATIONS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) PLACE LONGITUDINAL STRAPPING, PC. 2. ON PALLET DECK, PC. 1.
(b) PLACE PREFABRICATED BOTTOM FRAME ON PALLET DECK AND CENTER LONGITUDINAL STRAPPING BETWEEN SCALLOPS.
(c) POSITION BOTTOM ROW OF BOMBS ON BOTTOM FRAME WITH EDGES OF BASE PROTECTING CAPS SNUG AGAINST THE BASE CHOCK.
(d) PLACE PREFABRICATED INTERMEDIATE FRAME ON TOP OF BOMBS WITH BASE CHOCK SNUG AGAINST THE EDGES OF BASE PROTECTING CAPS.
(e) POSITION SECOND ROW OF BOMBS ON INTERMEDIATE FRAME WITH EDGES OF BASE PROTECTING CAPS SNUG AGAINST THE BASE CHOCK.
(f) REPEAT STEP (d).
(g) POSITION THIRD ROW OF BOMBS ON INTERMEDIATE FRAME WITH EDGES OF BASE PROTECTING CAPS SNUG AGAINST THE BASE CHOCK.
(h) PLACE PREFABRICATED TOP FRAME ON THE THIRD ROW OF BOMBS WITH BASE CHOCK SNUG AGAINST THE EDGES OF BASE PROTECTING CAPS.
(i) POSITION LATERAL STRAPPING, PC. 9. UNDER PALLET DECK AND AROUND UNIT LOAD. TENSION AND DOUBLE CRIMP SEAL, PC. 14.
(j) POSITION LONGITUDINAL STRAPPING AROUND THE UNIT LOAD. TENSION AND DOUBLE CRIMP SEAL.
(k) SECURE STRAPPING TO FRAME WITH STAPLES, PC. 10.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY ORDER OR CONTRACT, UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.

DEPALLETIZING PROCEDURE


(a) REMOVE STAPLES.
(b) CUT AND REMOVE STRAPPING.
(c) REMOVE TOP FRAME.
(d) REMOVE TOP ROW OF BOMBS.
(e) REMOVE INTERMEDIATE FRAME.
(f) REMOVE MIDDLE ROW OF BOMBS.
(g) REMOVE INTERMEDIATE FRAME.
(h) REMOVE BOTTOM ROW OF BOMBS.
(i) REMOVE BOTTOM FRAME AND PALLET.

* MIL-P-3938 MAY BE USED AS AN ALTERNATE PALLET.
** ACTUAL SIZE.

LIST OF MATERIALS


REQ.	ITEM	DESCRIPTION	MAT'L.	MAT'L. SPEC.	DIMENSIONS
1	1	PALLET	WOOD	MIL-P-15011 *	40 X 48 X 5-1/2
1	2	LONGITUDINAL STRAPPING	STEEL, COATED	QQ-S-781 TY. I CL. A OR B	1-1/4 X .035 X 13 FT. 6
6	3	BASE CHOCK	WOOD, DRESSED	MIL-STD-731	4 X 4 X 36-3/4
6	4	NOSE CHOCK	WOOD, DRESSED	MIL-STD-731	4 X 4 X 36-3/4
4	5	TOP AND BOTTOM SIDE PIECE	WOOD, DRESSED	MIL-STD-731	2 X 4 X 40
4	6	INTERMEDIATE SIDE PIECE	WOOD, DRESSED	MIL-STD-731	2 X 6 X 40
2	7	LONGITUDINAL SPREADER	WOOD, DRESSED	MIL-STD-731	2 X 4 X 32-3/4
6	8	LATERAL SPREADER	WOOD, DRESSED	MIL-STD-731	1-1/4** X 4 X 36-3/4
3	9	LATERAL STRAPPING	STEEL, COATED	QQ-S-781 TY. I CL. A OR B	1-1/4 X .035 X 13 FT. 6
AS REQ'D	10	STAPLE	STEEL, CEMENT COATED	COM'L.	1-1/4
2 PER JOINT	11	NAIL, STANDARD BOX	STEEL	FF-N-105	20d
2 PER JOINT	12	NAIL, STANDARD BOX	STEEL	FF-N-105	16d
2 PER JOINT	13	NAIL, STANDARD BOX	STEEL	FF-N-105	8d
4	14	SEAL	STEEL, COATED	COM'L.	1-1/4 X 22 GA. MIN.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.




ASSEMBLED UNIT LOAD

CONSTRUCTION DETAILS




INTERMEDIATE FRAME ASSEMBLY




TOP AND BOTTOM FRAME ASSEMBLY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.


CONSTRUCTION DETAILS




DETAIL C




NOSE CHOCK DETAIL



SECTION A-A



BASE CHOCK DETAIL



SECTION B-B

Source: https://assist.dla.mil -- Downloaded: 202610-23T23:54Z
Check the source to verify that this is the current version before use.