MILITARY STANDARD

MIL-STD-1323-262

(NAVY)

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
FIN ASSEMBLY, BOMB, MAU-91A/B
(SNAKEYE)

22 MARCH 1979


SUPERSEDING
WR-54/262
10 JUNE 1974

UNIT LOAD DATA

DODIC/NALC NO.	F672
NUMBER OF FIN ASSEMBLIES PER UNIT LOAD	6
WEIGHT OF ONE FIN ASSEMBLY (APPROXIMATE)	117 LBS
WEIGHT OF WOOD CAPS AND BATTENS (APPROXIMATE)	116 LBS
WEIGHT OF STEEL STRAPPING (APPROXIMATE)	13 LBS
WEIGHT OF PALLET (APPROXIMATE)	94 LBS
GROSS WEIGHT OF UNIT LOAD (APPROXIMATE)	925 LBS *
CUBE	53.3 CU FT

DO NOT STACK MORE THAN 4
UNIT LOADS HIGH IN STORAGE

*DO NOT USE FOR SHIPPING PURPOSES



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)


SIGNATURE TECHNICAL DIRECTION AGENT (TDA) — DATE 3/23/79


SIGNATURE SEASYSCOM BY DIRECTION — DATE 3/22/79

ORIGINATOR — DATE 3-19-79


NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.





2 1/2 DIA. HOLE THROUGH ITEM 9 ONLY



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) ASSEMBLE FIN ASSEMBLIES WITH END CAPS AS SHOWN IN DETAIL A.

(b) POSITION STRAPPING, ITEM 2, AROUND FIN AND CAPS ASSEMBLY, TENSION AND DOUBLE NOTCH SEAL, ITEM 5.

(c) THREAD STRAPPING, ITEM 3, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL B.

(d) POSITION FIN AND CAP ASSEMBLIES ON PALLET WITH EQUAL OVERHANG ON BOTH ENDS AND DIRECTION OF FINS ALTERNATED BETWEEN LAYERS.


(e) POSITION STRAPPING, ITEM 3, OVER END CAPS, TENSION LIGHTLY LEAVING SLACK TO POSITION FILLER BATTENS, ITEM 10, AS SHOWN. TENSION STRAPPING AND DOUBLE NOTCH THE SEAL, ITEM 5.

(f) POSITION TOP BATTENS, ITEM 11, AS SHOWN.

(g) THREAD STRAPPING, ITEM 4, THROUGH PALLET LEGS AND AROUND UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.

(h) SECURE STRAPPING TO END CAPS AND TOP BATTENS WITH STAPLES, ITEM 15, AS SHOWN.

MARKING: THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323(NAVY)



NOTE: 1. .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED.
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

DEPALLETIZING PROCEDURE

(a) REMOVE STAPLES.

(b) CUT AND REMOVE STRAPPING.

(c) REMOVE FINS AND CAPS.

LIST OF MATERIALS

REQ.	ITEM	DESCRIPTION	MAT'L	MAT'L SPEC.	DIMENSIONS
AS REQ'D	14	STAPLE (HOOP)	STEEL CEMENT COATED	FF-N-105 TY III, ST 4	3/4 W x 3/4 L
AS REQ'D	13	NAIL, BOX	STEEL CEMENT COATED	FF-N-105 TY II, ST 4	8d
AS REQ'D	12	NAIL, BOX	STEEL CEMENT COATED	FF-N-105 TY II, ST 4	2d
3	11	TOP BATTEN	WOOD DRESSED	MM-L-751	2 x 4 x TO SUIT
2	10	FILLER BATTEN	WOOD DRESSED	MM-L-751	1 x 4 x 40 1/4
6	9	SUPPORT	PLYWOOD	NN-P-530, GRB, EXTERIOR TYPE	3/4 x 6 x 6
12	8	PANEL	PLYWOOD	NN-P-530, GR B, EXTERIOR TYPE	1/2 x 18 1/2 x 18 1/2
24	7	SIDE PIECE	WOOD DRESSED	MM-L-751	2 x 4 x 15 1/2
24	6	BOTTOM &TOPPIECE	WOOD DRESSED	MM-L-751	2 x 4 x 18 1/2
11	5	SEAL	STEEL	QQ-S-781, TY D CL H, FIN A OR B	3/4
3	4	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV, FIN B	3/4 x .035 x 14 FT
2	3	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV, FIN B	3/4 x .035 x 17 FT
6	2	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV, FIN B	3/4 x .035 x 11 FT
1	1	PALLET MK 3 MOD 0	STEEL	564200	40 x 48 x 4 3/4

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140 -N372)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1323-262 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle (NWHC-J. Bauman)
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.