MILITARY STANDARD

MIL-STD-1323-263 (NAVY)

29 FEBRUARY 1980

SUPERSEDES
WR-54/263
11 OCTOBER 1974

UNIT LOAD
FOR UNDERWAY REPLENISHMENT


CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0

UNIT LOAD DATA


	CARTRIDGE	CLEARING CHARGE
NUMBER OF CARTRIDGES PER TANK	1	1
NUMBER OF TANKS PER ADAPTER	18	18
NUMBER OF TANKS PER UNIT LOAD	36	36
GROSS WEIGHT OF ONE TANK (APPROX)	16.5 KG / 36.4 LBS	9.4 KG / 20.8 LBS
WEIGHT OF ONE ADAPTER, EMPTY (APPROX)	20.9 KG / 46.0 LBS	20.9 KG / 46.0 LBS
GROSS WEIGHT OF ONE ADAPTER, LOADED (APPROX)	320.2 KG / 706.0 LBS	192.9 KG / 425.0 LBS
WEIGHT OF PALLET, MK 3 MOD 0 (APPROX)	42.6 KG / 94.0 LBS	42.6 KG / 94.0 LBS
WEIGHT OF STRAPPING (APPROX)	6.6 KG / 14.5 LBS	6.6 KG / 14.6 LBS
GROSS WEIGHT OF UNIT LOAD (APPROX)	685.4 KG △ / 1511.0 LBS	430.5 KG △ / 949.0 LBS
CUBE	1.265 CU METER / 44.7 CU FT	1.265 CU METER / 44.7 CU FT

△ DO NOT USE FOR SHIPPING PURPOSES

DO NOT STACK MORE THAN
4 UNIT LOADS HIGH IN STORAGE



SHIPPING CONDITION
IN CARTRIDGE TANK MK 11 MOD 0
(CARTRIDGE) 10001 - 2645135
(CHARGE) 10001 - 2645200



HAZARD CLASSIFICATION		
CARTRIDGE	DOT	CG
HE-IR	A	IV
HE-PD	A	IV
BL&P	B	II-B
TPSP	B	II-B
CLEARING	B	II-B

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. ABOVE LINE DIMENSIONS ARE IN MILLIMETERS.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR SHIPMENT BY COMMON CARRIER IN COMPLIANCE WITH DOT REGULATIONS.

M.S. Gray NWHC 1/21/80
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J.E. Kelly 1/31/80
SIGNATURE SEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR S.R. Petrone 1/21/80
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

PAGE 1 of 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) POSITION THE FRONT AND REAR FRAMES, ITEMS 2 AND 3, AND PLACE THREE TANKS WITH COVER ENDS ON THE FRONT FRAME, SEE DETAIL A.

(b) STACK TWO MORE ROWS, OF THREE EACH, WITH COVER ENDS IN THE SAME DIRECTION.

(c) THREAD THE LOWER GIRTHWISE STRAPPING, ITEM 5, THROUGH SLOTS OF ADAPTER, AND TENSION LIGHTLY.

(d) STACK THREE MORE ROWS OF TANKS IN THE SAME MANNER.

(e) COMPLETE TENSIONING OF THE LOWER GIRTHWISE STRAP, AND DOUBLE NOTCH THE SEAL, ITEM 9.

(f) THREAD THE UPPER GIRTHWISE STRAP THROUGH THE SLOTS OF THE ADAPTER AND TENSION LIGHTLY.

(g) POSITION THE TOP FRAME, ITEM 4, OVER THE FRONT AND REAR FRAMES, AND OVER THE TANKS, AS SHOWN.

(h) COMPLETE TENSIONING OF THE UPPER GIRTHWISE STRAPPING, AND DOUBLE NOTCH THE SEAL.

(i) POSITION THE LATERAL STRAPPING, ITEM 6, AT THE NOTCHED SECTIONS OF THE FRONT AND REAR FRAMES AND OVER THE TOP FRAME, TENSION AND DOUBLE NOTCH THE SEAL.

(j) REPEAT PROCEDURES (a) TO (i) FOR THE SECOND ADAPTER.

(k) THREAD THE LONGITUDINAL PALLETIZING STRAPPING, ITEM 7, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL B.


(l) POSITION THE TWO LOADED ADAPTERS ON THE PALLET DECK, WITH THE ANGLED CORNER OF THE ADAPTERS TOWARD THE CENTER OF THE PALLET, AND EQUAL OVERHANG AT BOTH SIDES AND ENDS, AS SHOWN.

(m) THREAD THE LONGITUDINAL STRAPPING THROUGH THE SLOTS IN THE ADAPTERS, TENSION AND DOUBLE NOTCH THE SEAL.


(n) POSITION THE LATERAL PALLETIZING STRAPPING, ITEM 8, UNDER PALLET DECK AND OVER THE INBOARD LATERAL STRAPS OF OF THE ADAPTER UNITS, TENSION AND DOUBLE NOTCH THE SEAL.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY).




DETAIL A



DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.



POSITION LATERAL UNIT LOAD STRAPPING OVER THE INBOARD ADAPTER LOAD STRAPPING

DEPALLETIZING PROCEDURE

(a) CUT AND REMOVE THE LONGITUDINAL PALLETIZING STRAPPING, ITEM 7.

(b) CUT AND REMOVE THE LATERAL PALLETIZING STRAPPING, ITEM 8.

CAUTION

DO NOT CUT THE ADAPTER UNIT LATERAL STRAPS BENEATH THE PALLETIZING STRAPS.

(c) REMOVE THE TWO ADAPTERS FROM THE PALLET.

(d) CUT AND REMOVE LATERAL STRAPPING.

(e) REMOVE THE TOP FRAME.

(f) REMOVE TOP LAYER OF TANKS.

(g) CUT AND REMOVE UPPER GIRTHWISE STRAP.

(h) REMOVE THREE MORE ROWS OF TANKS.

(i) CUT AND REMOVE LOWER GIRTHWISE STRAP.

(j) REMOVE REMAINING TANKS AND FRONT AND REAR FRAMES.

NOTES:

1. UNLESS OTHERWISE SPECIFIED, MATERIAL SHALL BE IN ACCORDANCE WITH THE GENERAL DOCUMENT MIL-STD-1323 (NAVY).
2. COLD ROLLED, HEAT TREATED .031 STRAPPING MAY BE SUBSTITUTED.

LIST OF MATERIALS

REQ.	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
12	9	SEAL	SEE NOTES 1 & 2	19 3/4
2	8	STRAPPING, LATERAL SEE NOTES	SEE NOTES 1 & 2	19 X .89 X 4.27 METERS 3/4 X .035 X 14 FT
2	7	STRAPPING, LONGI-TUDINAL, SEE NOTES	SEE NOTES 1 & 2	19 X .89 X 4.57 METERS 3/4 X .035 X 15 FT
4	6	STRAPPING, LATERAL SEE NOTES	SEE NOTES 1 & 2	19 X .89 X 4.27 METERS 3/4 X .035 X 14 FT
4	5	STRAPPING, GIRTH-WISE, SEE NOTES	SEE NOTES 1 & 2	19 X .89 X 3.66 METERS 3/4 X .035 X 12 FT
2	4	FRAME, TOP ADAPTER, PALLET, MK 121 MOD 0	10001 - 2642764	
2	3	FRAME, REAR ADAPTER, PALLET, MK 121 MOD 0	10001 - 2642763	
2	2	FRAME, FRONT ADAPT'R PALLET, MK 121 MOD 0	10001 - 2642762	
1	1	PALLET, MK 3 MOD 0	564200	1016 X 1219.2 X 120.6 40 X 48 X 4 3/4

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N472)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1323-263 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

☆ U.S. GOVERNMENT PRINTING OFFICE: 1980 0 — 603-121/1158

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DoD 316

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Naval Weapons Handling Center (Code 803)
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.