MILITARY STANDARD

MIL-STD-1323-4 (NAVY)
16 MARCH 1979
SUPERSEDING WR-54/4A
11 OCTOBER 1974

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
PROJECTILE, 5/38
IN PALLET ADAPTER MK 11 AND MODS

UNIT LOAD DATA

SECTIONALIZED UNITS PER PALLET..... 4
PROJECTILES PER SECTIONALIZED UNIT 12
PROJECTILES PER PALLETIZED UNIT LOAD 48
WEIGHT OF PALLET (APPROX.) ..... 94 LBS.
WEIGHT OF ONE PALLET ADAPTER MK 11 MOD 0 (APPROX)..... 53 LBS.
WEIGHT OF ONE PALLET ADAPTER MK 11 MOD 1 (APPROX.)..... 39 LBS.
WEIGHT OF ONE PALLET ADAPTER MK 11 MOD 2 (APPROX.) ..... 40 LBS.
WEIGHT OF STRAPPING (APPROX.) ..... 18 LBS.
WEIGHT OF ONE PROJECTILE ..... SEE TABLE I
WEIGHT OF PALLETIZED LOAD ..... SEE TABLE I
CUBE ..... SEE TABLE I

DO NOT STACK MORE THAN 5 UNIT LOADS HIGH IN STORAGE

NOTE: THESE PROJECTILES MAY BE SHIPPED WITHOUT GROMMETS.




TABLE I

	PROJECTILE WEIGHT (LBS.)	UNIT LOAD HEIGHT (IN.)	CUBE (CU.FT.)	UNIT LOAD WEIGHT (LBS.) PALLET ADAPTER MK 11		
				MOD 0	MOD 1	MOD 2
PROJECTILE WITHOUT WATERPROOF PROJECTING CAP	55	27-1/2	30.5	2965△	2910△	2914△
PROJECTILE WITH WATERPROOF PROTECTING CAP	57.5	28-3/8	31.6	3085△	3030△	3034△
PROJECTILE WITH WINDSHIELD	55	27-1/2	30.5	2965△	2910△	2914△

△APPROXIMATE WEIGHT DO NOT USE FOR SHIPPING P

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADS, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE, AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

M. S. Bown NWHC — TECHNICAL DIRECTION AGENT (TDA) — DATE 3/16/79
J. E. Kelly — BY DIRECTION — DATE 3/16/79

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)


ORIGINATOR — NAVAL WEAPONS HANDLING ENGINEERING DEPARTMENT — NAVAL WEAPONS HANDLING CENTER — WPNSTA EARLE, NEW JERSEY — DATE 3/16/79

Source: http://assist.dla.mil -- Downloaded: 2026-10-31 12:12:56Z
Check the source to verify that this is the current version before u


TABLE II

DODIC/ NALC NO.	FSC 1320 NIIN	PROJECTILE TYPE	HAZARD CLASS	
			DOT	CG
D217	00-560-2075	AAC	A	A
D217	00-908-6850	AAC	A	A
D220	00-162-5207	TP	B	B - C
D221	00-162-5208	TP	B	B - C
D225	(1)	HE - CVT	A	A
D226	(1)	VT	A	A
D228	(1)	VT	A	A
D230	01-067-8310	AAC	A	A
D230	00-252-5326	AAC	A	A
D230	00-341-6115	AAC	A	A
D230	00-497-2341	AAC	A	A
D230	00-540-7200	AAC	A	A
D230	00-560-2073	AAC	A	A
D230	00-560-2076	AAC	A	A
D230	00-737-9285	AAC	A	A
D230	00-824-5856	AAC	A	A
D232	00-039-2769	VT	A	A
D233	00-039-2770	VT	A	A
D235	00-560-2085	HC	A	A
D235	00-640-8676	HC	A	A
D235	00-832-4650	HC	A	A
D237	(1)	COM	A	A
D238	00-039-4229	HE - PD	A	A
D238	00-055-1098	HE - PD	A	A
D238	00-103-5293	HE - PD	A	A
D238	00-119-2070	HE - PD	A	A
D238	00-930-1654	HE - PD	A	A
D238	00-999-9054	HE - PD	A	A
D241	(1)	HE - MTF	A	A
D242	00-020-0077	HC	A	A
D242	00-808-8678	HC	A	A
D243	(1)	HE - MTF	A	A
D244	01-006-3305	ILLUM	B	B - C
D244	00-039-2106	ILLUM	B	B - C
D244	00-908-4220	ILLUM	B	B - C
D245	01-028-4940	HE - PD	A	A
D245	01-028-4941	HE - PD	A	A
D245	00-039-0968	HE - PD	A	A
D245	00-103-5808	HE - PD	A	A
D245	00-243-4154	HE - PD	A	A
D246	(1)	SMK - WP	A	A - D
D247	(1)	SMK - WP	A	A - D
D248	01-003-6615	VT - NON FRAG	B	B - C
D248	00-157-2148	VT - NON FRAG	B	B - C
D249	(1)	VT - NON FRAG	B	B - C
D250	01-003-8465	VT - NON FRAG	B	B - C
D250	00-157-2150	VT - NON FRAG	B	B - C
D250	00-340-2014	VT - NON FRAG	B	B - C
D251	(1)	VT - NON FRAG	B	B - C
D255	(1)	ILLUM	B	B - C
D256	01-015-2672	ILLUM	B	B - C
D267	01-011-1474	BL - P	N/A	N/A
D267	01-011-1475	BL - P	N/A	N/A
D267	01-011-1476	BL - P	N/A	N/A
D267	01-011-1477	BL - P	N/A	N/A
D267	00-039-1932	BL - P/T	N/A	J
D267	00-039-2801	BL - P/T	N/A	J
D267	00-122-6544	BL	N/A	N/A
D267	00-159-0785	BL - P	N/A	N/A
D267	00-459-4384	BL - P	N/A	N/A
D267	00-906-0400	BL - P	N/A	N/A
D280	(1)	IR	A	A
D281	00-782-9726	SMK - WP	A	A - D
D286	(1)	CHAFF	B	B - C
D287	01-027-0347	CHAFF	B	B - C
D287	00-963-7102	CHAFF	B	B - C
D289	(1)	HE - CVT	A	A
D292	01-013-3174	HE - MT/PD	A	A
NONE	00-039-2225	VT - NON FRAG	B	B - C
NONE	00-039-2768	VT	A	A
NONE	00-517-8828	HC	A	A
NONE	00-540-4556	VT - NON FRAG	B	B - C
NONE	00-640-7857	VT - NON FRAG	B	B - C


(1) DODIC/NALC NO. COVERS TWO OR MORE NIIN'S WHICH HAVE THE SAME HAZARD CLASSIFICATION.




DETAIL A



DETAIL B





SECTION C-C

Source: https://assist.dla.mil - Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) THREAD LONGITUDINAL STRAP, ITEM 5, THROUGH DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(b) THREAD INTERMEDIARY STRAP, ITEM 4, THROUGH BOTTOM SPACER, ITEM 2, AS SHOWN IN DETAIL B.

(c) POSITION SPACER ON PALLET DECK AND LOAD WITH 12 PROJECTILES.

(d) POSITION TOP SPACER, ITEM 3, ON PROJECTILES WITH APPROPRIATE RINGS UP.


(e) THREAD INTERMEDIARY STRAP THROUGH TOP SPACER. SEE SECTION C, TENSION AND SECURE WITH DOUBLE NOTCHED SEAL, ITEM 7.

(f) REPEAT STEPS (b), (c), (d), AND (e) FOR THE OTHER THREE SECTIONAL UNITS.

(g) THREAD LONGITUDINAL STRAP THROUGH TOP SPACERS, SEE SECTION D, TENSION AND DOUBLE NOTCH SEAL.

(h) POSITION LATERAL STRAP, ITEM 6, UNDER PALLET DECK WIRES AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.

MARKING: THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY).



SECTION D-D

NOTE: .031 COLD ROLLED, HEAT TREATED MAY BE SUBSTITUTED.
DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

TABLE III

SPACER△	DRAWING NO.		
	MOD 0	MOD 1	MOD 2
TOP	981446	1372735	2645676
BOTTOM	981449	1341957	2645675

△ USE TOP AND BOTTOM SPACERS WITH THE SAME MOD DESIGNATION.

REQ.	ITEM	DESCRIPTION	MAT'L	MAT'L SPEC.	DIMENSIONS
12	7	SEAL	STEEL	QQ-S-781, TY D, CL H, FIN A OR B	1 1/4
2	6	STRAPPING LATERAL SEE NOTES	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	1 1/4 x .035 x 12 FT 6
2	5	STRAPPING LONGITUDINAL SEE NOTES	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	1 1/4 x .035 x 14 FT
8	4	STRAPPING INTERMEDIARY SEE NOTES	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	1 1/4 x .035 x 7 FT 6 IN
4	3	PALLET ADPT MK 11 TOP SPACER	STEEL	SEE TABLE III	20 x 24
4	2	PALLET ADPT MK 11 BOTTOM SPACER	STEEL	SEE TABLE III	20 x 24
1	1	PALLET MK 3 MOD 0	STEEL	564200	40 x 48

LIST OF MATERIALS


Source: https://assist.dla.mil - Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before us

DEPALLETIZING PROCEDURE (SHIPBOARD)

WARNING

DURING THE DEPALLETIZING OPERATION ABOARD SHIP, WHEN THE UPPER SPACER IS REMOVED, THE SHIPS ROLL MAY CAUSE THE PROJECTILES TO TOPPLE AND ROLL FREE. TO PREVENT THIS OCCURING THE APPROVED SHIPBOARD DEPALLETIZING PROCEDURES MUST BE FOLLOWED.

(a) CUT AND REMOVE LONGITUDINAL AND LATERAL STRAPS.
(b) CUT INTERMEDIARY STRAPS ON ONE SECTIONAL UNIT.
(c) WHEN SHIP IS IN MID-ROLL (ON EVEN KEEL) LIFT ONE TOP SPACER AND REPOSITION IT ONE ROW OUT ON THE SMALLER DIMENSION SIDE. TO ASSURE RETENTION OF THE REMAINING PROJECTILES HOLD TOP SPACER IN POSITION WHILE THE UNCOVERED PROJECTILES ARE REMOVED, SEE DETAIL BELOW.
(d) REPEAT STEP (c) AND REMOVE EACH UNCOVERED ROW UNTIL ALL PROJECTILES IN THE SECTIONAL UNIT ARE REMOVED.
(e) REPEAT STEPS (b), (c), AND (d) FOR THE OTHER THREE SECTIONAL UNITS.
(f) REMOVE BOTTOM SPACERS AND STRAPS.



SHIPBOARD DEPALLETIZING DETAIL

DEPALLETIZING PROCEDURE (ASHORE)

(a) CUT AND REMOVE LONGITUDINAL AND LATERAL STRAPS.
(b) CUT INTERMEDIARY STRAPS.
(c) REMOVE TOP SPACERS.
(d) REMOVE PROJECTILES.
(e) REMOVE BOTTOM SPACERS AND STRAPS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use