MILITARY STANDARD


MIL-STD-1386-34
(NAVY)
11 JANUARY 1974

LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS

FIN ASSEMBLY, BOMB, MK 15 AND MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD

UNIT LOAD DATA

UNIT LOAD DRAWING	VR-54/242
WEIGHT	971 LBS
DIMENSIONS	48 1 4 L x 36 1 4 W x 37 3/4 H
CUBE	38 2 CU FT
DOT HAZARD CLASSIFICATION	INERT
COAST GUARD CLASSIFICATION	NONE



NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING TRUCKLOADING AND CARLOADING MILITARY STANDARDS REFER TO THE INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

INDEX

ITEM	PAGE
GENERAL NOTES	2
TOFC COFC CONTAINERSHIP & HIGHWAY	2 & 3
DETAILS	4

FSC 8140

AUTHORIZED FOR TRAILER-ON-FLAT-CAR (TOFC), CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENTS

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

SIGNATURE AUTHORIZED BY DIRECTION DATE

ORIGINATOR

SIGNATURE

NAVAL WEAPONS HANDLING LABORATORY
NAD EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:12Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING THE MILVAN CONTAINER WITH FLEET ISSUE UNIT LOADS OF BOMB FIN ASSEMBLIES MK 15 AND MODS IN PALLET ADAPTER ADU-383/E THE UNIT LOAD SHALL BE IN ACCORDANCE WITH WR 54 24c

2 THE MILVAN SHALL BE EQUIPPED WITH A MECHANICAL LOAD-BRACING SYSTEM THAT MEETS THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C

3 IN ADDITION TO THE BELT RAILS REQUIRED BY PAMPHLET 6C THE MILVAN CONTAINER HAS BELT RAILS AT THE 72 AND 83 INCH HEIGHTS FROM THE CONTAINER FLOOR

4 CONTAINERS ARE EQUIPPED WITH 25 CROSSMEMBERS UNUSED CROSSMEMBERS MUST REMAIN WITH THE CONTAINER AND SHALL BE FASTENED INTO BELT RAILS FOR SHIPMENT

CAUTION

WHEN POSITIONING CROSSMEMBERS MAKE A VISUAL CHECK TO ENSURE THAT CROSSMEMBERS ARE LOCKED SECURELY IN PLACE

5 WHEN THE LONGITUDINAL SLACK BETWEEN A CROSSMEMBER AND THE SEPARATOR GATE IS GREATER THAN ONE INCH USE FILL MATERIAL TO SHIM BETWEEN CROSSMEMBER AND GATE AS SHOWN IN DETAIL C

6 THICKNESS OF FILLER ASSEMBLY DETAIL D MAY BE VARIED TO FILL THE VOID BETWEEN UNIT LOADS BY VARYING THE THICKNESS OF PIECES 1 AND 2 ONE INCH SLACK IS PERMITTED

7 APPLICABLE MATERIAL SPECIFICATIONS DUNNAGE LUMBER - FED SPEC MM-L-751 NAILS - FED SPEC FF-N-105 TYPE II STYLE 10 COMMON BRIGHT

8 SWAY BRACE, DETAIL F, IS ASSEMBLED IN PLACE PIECE 7 IS POSITIONED INBOARD OF THE OUTER LEGS OF THE PALLET SKIDS AND PIECE 6 IS POSITIONED AGAINST THE PALLET LEGS NAIL PIECE 6 TO PIECE 7 WITH THREE 10d NAILS PER JOINT CUT PIECE 5 TO FIT BETWEEN PIECES 6 AND NAIL TO PIECE 7 WITH THREE 10d NAILS

9 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS INSIDE THE CONTAINER IN AN ACCESSIBLE AREA AND CLOSE AND SEAL CONTAINER DOORS

TOFC/COFC,CONTAINERSHIP AND HIGHWAY


1 THE LOADED MILVAN CONTAINER MUST BE ON A 20 FT MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES WHEN BEING MOVED IN TOFC SERVICE

2 THE LOADED MILVAN CONTAINER MAY BE TRANSPORTED OVER PUBLIC HIGHWAYS ON A 20 FT MILVAN CHASSIS EQUIPPED WITH A DOUBLE BOGIE AND PULLED BY A TRACTOR WITH A DOUBLE DRIVE AXLE


NOTE

IN CERTAIN STATES THE GROSS VEHICLE WEIGHT (G V W) IS LIMITED BY THE DISTANCE BETWEEN THE AXLES OF THE ASSEMBLED RIG CARE SHOULD BE TAKEN TO SEE THAT THE PROPOSED G V W DOES NOT EXCEED THESE LIMITATIONS

3 THE LOADED CONTAINER MAY ALSO BE TRANSPORTED OVER PUBLIC HIGHWAYS USING COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY



SECTION A-A





SECTION B-B

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:12Z
Check the source to verify that this is the current version before use.

CONTAINER LOAD DATA

NUMBER OF UNIT LOADS	20
NUMBER OF CROSSMEMBERS REQ'D	16
LOAD WEIGHT	19 420 LBS
DUNNAGE WEIGHT	835 LBS
CONTAINER WEIGHT	5 785 LBS
GROSS WEIGH	26 040 LBS






DETAIL C
FILL MATERIAL
SEE NOTE 5


PIECE NO	DESCRIPTION	SIZE	NO PCS REQD	NAIL TO	NAILS NUMBER	NAILS SIZE
7	SUPPORT	2 x 4 x 32	4	SEE 5 & 6	-	-
6	STRINGER	2 x 4 x 47	4	7	3 PER JOINT	10d
5	SPACER	2 x 4 x TO SUIT	4	7	AS REQD	10d
4	HORIZONTAL	1 x 6 x 90	6	3	3 PER JOINT CLINCHED	10d
3	VERTICAL	2 x 6 x 84 1/2	12	SEE 4	-	-
2	HORIZONTAL	2 x 6 x 48	16	LAMINATE (DOUBLED)	4	10d
1	VERTICAL	2 x 6 x 76	24	2	3 PER JOINT	10d

LIST OF MATERIALS AND NAILING DATA


Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:12Z
Check the source to verify that this is the current version before use.



DETAIL D
FILLER
4 REQUIRED



DETAIL E
SEPARATOR GATE
3 REQUIRED
POSITION VERTICAL PIECES AGAINST UNIT LOAD



DETAIL F
SWAY BRACE
2 REQUIRED
TO BE ASSEMBLED IN PLACE
SEE NOTE 8

REVIEW ACTIVITY
NAVY-OS, AS

PREPARING ACTIVITY
NAVY-OS
(PROJECT NO 8140-N217

☆ U. S. GOVERNMENT PRINTING OFFICE: 1974-713 150/3268

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval No 22-R293

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document DoD contractors government activities or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side staple in corner and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1386-34 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:12Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Naval Weapons Handling Lab.,
NAD Earle,
New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:12Z
Check the source to verify that this is the current version before use.