MILITARY STANDARD


MIL STD-1385 41
(NAVY)
7 JUNE 1974

LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS

ROCKET MOTOR, MK 16 & MODS AND MK 71 MOD 0 & 1 (ZUNI)
IN CONTAINER MK 38 MOD 0
FLEET ISSUE UNIT LOAD

UNIT LOAD DATA

UNIT LOAD DRAWING	WR-54 28 & WR-54 257
DIMENSIONS	81 1 8L x 49 1 2W x 78 3/8 H
CUBE	89 2 CU FT
WEIGHT	SEE TABLE I
DOT HAZARD CLASSIFICATION	EXPLOSIVES B
COAST GUARD	CLASS II-B



INDEX

ITEM	PAGE
GENERAL NOTES	2
TOFC COFC CONTAINERSHIP & HIGHWAY	2 & 3
DETAILS	4

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING TRUCKLOADING AND CARLOADING MILITARY STANDARDS REFER TO THE INDEX TO STANDARDS MIL-HDBK-236 (NAVY)

FSC 8140

AUTHORIZED FOR TRAILER-ON-FLAT-CAR (TOFC), CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENTS

SIGNATURE, TECHNICAL DIRECTION AGENT (TDA) DATE 6/3/74

SIGNATURE AVSCOM BY DIRECTION DATE 6/3/74

US COAST GUARD APPROVAL NOT REQUIRED

APPROVED BY BUREAU OF EXPLOSIVES

DATE 5/23/74

ORIGINATOR Charles Mc Bride 6/3/74
SIGNATURE

NAVAL WEAPONS HANDLING LABORATORY
NAD EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:13Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING THE MILVAN CONTAINER WITH FLEET ISSUE UNIT LOADS OF ROCKET MOTORS, MK 16 & MODS AND MK 71 MOD 0 & 1 MOTORS SHALL BE PALLETIZED IN ACCORDANCE WITH WR 54 2B OR WR 54 2E

2 THE MILVAN SHALL BE EQUIPPED WITH A MECHANICAL LOAD-BRACING SYSTEM THAT MEETS THE REQUIREMENTS OF BUREAU OF EXPLOSIVES PAMPHLET 6C

3 IN ADDITION TO THE BELT RAILS REQUIRED BY PAMPHLET 6C THE MILVAN CONTAINER HAS BELT RAILS AT THE 72 AND 83 INCH HEIGHTS FROM THE CONTAINER FLOOR

CAUTION

WHEN POSITIONING CROSSMEMBERS MAKE A VISUAL CHECK TO ENSURE THAT THE CROSSMEMBERS ARE LOCKED SECURELY IN PLACE

4 CONTAINERS ARE EQUIPPED WITH 25 CROSSMEMBERS UNUSED CROSSMEMBERS MUST REMAIN WITH CONTAINER AND SHALL BE FASTENED INTO BELT RAILS FOR SHIPMENT

5 WHEN LONGITUDINAL SLACK BETWEEN A CROSSMEMBER AND THE UNIT LOAD IS GREATER THAN ONE INCH USE FILL MATERIAL TO SHIM BETWEEN CROSSMEMBER AND UNIT LOAD AS SHOWN IN DETAIL D

6 UNIT LOADS ARE LOADED IN A STAGGERED PATTERN WITH THE 1ST AND 3RD BAYS AGAINST LEFT WALL OF MILVAN AND THE 2ND AND 4TH BAYS AGAINST RIGHT WALL OF MILVAN

7 LENGTH OF STRUT PIECE 2 SHALL BE SUFFICIENT TO CAUSE SWAY BRACE ASSEMBLY DETAIL C TO BEAR AGAINST UNIT LOAD AND CONTAINER SIDEWALL TWIST TIE ASSEMBLY TO CROSSMEMBERS WITH 16 GAUGE TIE WIRE FOUR PLACES

8 APPLICABLE MATERIAL SPECIFICATIONS

DUNNAGE LUMBER - FED SPEC MM L-751

NAILS - FED SPEC FF-N-105 TYPE II STYLE 10 COMMON BRIGHT


9 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS INSIDE THE CONTAINER IN AN ACCESSIBLE AREA, CLOSE AND SEAL CONTAINER DOORS AND ATTACH APPLICABLE PLACARDS TO THE OUTSIDE OF THE CONTAINER FOR THE APPROPRIATE MODE OF TRANSPORTATION AS PRESCRIBED IN OP 2165 (VOL II)

TOFC/COFC,CONTAINERSHIP AND HIGHWAY


1 THE LOADED MILVAN CONTAINER SHALL BE ON A 20-FT MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES WHEN BEING MOVED IN TOFC SERVICE

2 WHEN THE MILVAN CONTAINER IS SHIPPED TOFC OR COFC THE RAIL CAR SHALL COMPLY WITH THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C

3 THE LOADED CONTAINER MAY BE TRANSPORTED OVER PUBLIC HIGHWAYS ON A 20 FT MILVAN CHASSIS EQUIPPED WITH A DOUBLE BOGIE SUITABLE CAPACITY COMMERCIAL EQUIPMENT MAY ALSO BE USED



SECTION A-A




SECTION B-B

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:13Z
Check the source to verify that this is the current version before use.

TABLE I

WP 54	ITEM	UNIT LOAD WEIGHT (LBS	CONTAINER LOAD WT (LBS	CONTAINER GROSS WT (LBS
28	ROCKET MOTOR MK 16 & MOD	2741	21 920	28 159
26	ROCKET MOTOR MK 71 MOD 0	2813	22 504	28 739
257	ROCKET MOTOR MK 71 MOD 1	3125	25 000	31 271




CONTAINER LOAD DATA

NUMBER OF UNIT LOADS	8
NUMBER OF CROSSMEMBERS REQD	20
LOAD WEIGHT	SEE TABLE I
DUNNAGE WEIGHT	446 LBS
CONTAINER WEIGHT	5785 LBS
RI S WEIGHT	SEE TABLE I

LIST OF MATERIALS AND NAILING DATA


PIECE NO	DESCRIPTION	SIZE	NO PCS REQD	NAIL TO	NAILS NUMBER	NAILS SIZE
2	STRUT	2 x 6 x TO SUIT	48	SEE 1	-	-
1	STRINGER	2 x 6 x 54	32	2	3 PER JOINT	16d

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:13Z
Check the source to verify that this is the current version before use.



DETAIL C

SWAY BRACE ASSEMBLY
16 REQUIRED



DETAIL D

FILL MATERIAL
SEE NOTE 5

REVIEW ACTIVITY
NAVY - OS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO. 8140-N231)

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:13Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No 22-R255

INSTRUCTIONS This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost Comments and the return of this form will be appreciated Fold on lines on reverse side staple in corner, and send to preparing activity Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements

SPECIFICATION

MIL-STD-1386-41 (NAVY)

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 68 1426 REPLACES EDITION OF 1 OCT 62 WHICH MAY BE USED.

S/N-0102-014-1801 C-96384

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:13Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

DOD 316

OFFICIAL BUSINESS

Commanding Officer
Naval Ammunition Depot Earle
Naval Weapons Handling Laboratory
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:13Z
Check the source to verify that this is the current version before use.