INCH-POUND

MIL-C-70630 (AR)
AMENDMENT 4
1 June 1992
SUPERSEDING
AMENDMENT 3
29 July 1991

MILITARY SPECIFICATION

CONTAINER, AMMUNITION, METAL, PA117
FOR CARTRIDGE 105MM TANK AMMUNITION

This amendment forms a part of Military Specification MIL-C-70630 (AR), dated 23 September 1987, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 3

3.3.1: Delete drawing "9378177" and substitute "9386828-3".

PAGE 6

First article inspection, Examination or Test:

Cover Assembly: Delete: "(Dwg. 9378170)" and substitute "(Dwg. 9386824-2)".

Body: Delete: "(Dwg. 9378177)" and substitute "(Dwg. 9386828-3)".

PAGE 7

First article inspection, Examination or Test:

Gasket: Delete: "(Dwg. 9378178)" and substitute "(Dwg. 12910349-3)".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

PAGE 10

4.4.2.2: Major defect 101:

Under AQL or 100%, delete "0.40%".

Under No. of Sample Units, add "5(a)".

Minor defect 201: Delete in its entirety.

Under Notes, add the following: "(a) 5 samples per lot in conjunction with Suppliers Material Certification."

PAGE 11

4.4.2.3: Next Higher Assembly: Delete "9378170" and substitute "9386824-2".

PAGE 12

4.4.2.4:

* Delete drawing number "9378179" and substitute "9344037-2".

* Delete major defect 106:

"106 True position of small diameter (two places) 0.40% 3.2 Gage".

Next Higher Assembly: Delete "9378170" and substitute "9386824-2".

PAGE 13

4.4.2.5: Next Higher Assembly: Delete "9378170" and substitute "9386824-2".

PAGE 14

4.4.2.6: Next Higher Assembly: Delete "9378170" and substitute "9386824-2".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

PAGE 15

4.4.2.7:

* Delete drawing number "9378182" and substitute "9386821-2".

* Next Higher Assembly: Delete "9378181" and substitute "9386822-2".

Major defect 101: Under AQL or 100%, delete "0.40%".

Major defect 101: Under No. of Sample Units, add "5(a)".

Under Notes, add the following: "(a) 5 samples per lot in conjunction with Suppliers Material Certification."

PAGE 16

4.4.2.8: Delete in its entirety and substitute new 4.4.2.8 included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.8	Gasket		12910349-3
			NEXT HIGHER ASSEMBLY
			9386824-2

CATEGORY	EXAMINATION OR TEST	NO OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major					
101	Material certification			3.2	Certification
102	Hardness test	5		3.2	4.5.6/Gage
103	Inside diameter, maximum		0.40%	3.2	Gage
104	Large width		0.40%	3.2	Gage
105	Middle width		0.40%	3.2	Gage
106	Height of rectangular cross section		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.7.4	Visual

REMARKS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

PAGE 17

4.4.2.9:

Next Higher Assembly: Delete "9378170" and substitute "9386824-2".

* Delete drawing number "9378182" and substitute "9386822-2".

PAGE 18

4.4.2.10:

Drawing Number: Delete "9378170" and substitute "9386824-2".

Major defect 102: Delete in its entirety.

PAGE 19

4.4.2.11:

* Major defect 103: Delete "Inside" and substitute "Outside".

Delete drawing number "9378175" and substitute "9386827-2".

PAGE 20

4.4.2.12:

* Major defect 103: Delete "Inside" and substitute "Outside".

* Delete minor defect 201:

"201 True position of interlocking cutouts 0.65% 3.2 Gage".

Delete drawing number "9378173" and substitute "9386826-2".

PAGE 21

4.4.2.13:

Drawing Number: Delete "9378177" and substitute "9386828-2".

Major defect 103: Under Examination or Test column, delete "Perpendicularity of ends" and substitute "Flatness of body end".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

PAGE 22

4.4.2.14: Drawing Number: Delete "9344045" and substitute "9386837".

PAGE 23

4.4.2.15: Delete: "108 Flatness of ..." in its entirety.

Major defect 104: Delete in its entirety.

PAGE 24

4.4.2.16: Major defect 101: Delete in its entirety.

PAGE 30

* 4.4.2.22: Delete this paragraph in its entirety.

NOTE: The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 8140-A946)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.