INCH-POUND

MIL-DTL-3661/1B
1 October 2019


SUPERSEDING
MIL-L-3661/1A
27 March 1967

MILITARY SPECIFICATION SHEET

LAMPHOLDERS, STYLES LH20 AND LH22

This specification is approved for use by all Departments and Agencies of the Department of Defense (DoD).

The complete requirements for acquiring the lampholder described herein shall consist of this document and the latest issue of MIL-DTL-3661.




NOTES:

1. Dimensions are in inches. Unless otherwise specified, tolerances are ± .031 inch (.79 mm).
2. Housing and terminal design optional provided the dimensions fall within the configuration shown.

FIGURE 1. Style LH20 design and configuration.

DISTRIBUTION A. Approved for public release: distribution unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:48Z
Check the source to verify that this is the current version before use.



NOTES:

1. Dimensions are in inches. Unless otherwise specified, tolerances are ± .031 inch (0.79 mm).
2. Housing and terminal design optional provided the dimensions fall within the configuration shown.

FIGURE 2. Style LH22 design and configuration.

REQUIREMENTS:

1. Design and construction: See figures 1, 2, and table II.
   Outer and inner dimensions are considered critical characteristics.
2. Vibration: MIL-STD-202-201, 10-55 Hz, Maximum Amplitude of .06 inch. After testing the samples shall meet the same vibration requirements of MIL-DTL-3661.

FIRST ARTICLE INSPECTION:

Group submission:

Table I: First article inspection.

Type designation	Tests MIL-DTL-3661	Extent of approval
LH20/1	(2 sample units) Group I of table IV Visual and mechanical examination only	All
LH22/1	(12 sample units) All tests of table IV	

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:48Z
Check the source to verify that this is the current version before use.

TABLE II. Lamp accommodation.

Type designation	Mating lens	Lamp accommodation	Formerly
LH20/1	N/A	Single-contact, miniature bay-onet base incandescent lamp	LH20
LH22/1	N/A	Single-contact, miniature bay-onet base incandescent lamp	LH22

REFERENCED DOCUMENTS: In addition to MIL-DTL-3661, this document references the following:

- MIL-STD-202-201

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Army — CR
Navy — AS
Air Force – 11
DLA – GS

Preparing activity:
DLA — GS2
(Project 6250-2019-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:48Z
Check the source to verify that this is the current version before use.