INCH-POUND

MIL-DTL-3661/2C
w/AMENDMENT 1
24 January 2020

SUPERSEDING
MIL-L-3661/2C
12 December 2019

DETAIL SPECIFICATION SHEET

LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES HOUSINGS, DRIPPROOF, STYLE LH50

Inactive for new design after 12 December 2019.

This specification is approved for use by all Departments and Agencies of the Department of the Defense (DoD).

The complete requirements for acquiring the indicator lights (housing) described herein shall consist of this document and the latest issue of MIL-DTL-3661.




FIGURE 1. Indicator-light housing type LH50.

AMSC N/A FSC 6210

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.

NOTES:

1. All dimensions are in inches, unless otherwise specified, tolerances are ± .031 inch.
2. Metric equivalents in accordance with FED-STD-376
3. Housing and terminal design optional provided the dimensions fall within the configuration shown.

REQUIREMENTS:

1. Design and construction: See Figure 1 and Table 1.
2. Terminal strength: 5 pounds pull.
3. Socket torque: 2 pound-inches.
4. Sealing: Meet requirements of MIL-DTL-3661.
5. Vibration: MIL-STD-202-201 (10-55 Hz max amp. 0.06 inch).

TABLE 1. Mating and accommodating components.

Type designation	Mating lens	Lamp accommodation	Formerly
LH50/1	LC14[1], LC15[2], LC17[3], and LC18[4]	T-3-1/4[5] incandescent lamp miniature bayonet base Industry numbers: 47, 1815, and 1819	LH50

1. LC14 in accordance with MIL-L-3661/14
2. LC15 in accordance with MIL-L-3661/15
3. LC17 in accordance with MIL-L-3661/17
4. LC18 in accordance with MIL-L-3661/18
5. T-3-1/4 in accordance with MIL-DTL 6363/9 or A-A-50588

REFERENCED DOCUMENTS: In addition to MIL-DTL-3661, this document references the following:

- FED-STD-376
- MIL-STD-202-201
- MIL-L-3661/14
- MIL-L-3661/15
- MIL-L-3661/17
- MIL-L-3661/18
- MIL-DTL 6363/9
- A-A-50588

CHANGES FROM PREVIOUS ISSUE. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.

Custodian:
Army — CR
Navy — AS
Air Force — 11
DLA – GS

Preparing activity:
DLA – GS2
Project (6210-2020-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Appendix A:

3D Model is for reference only. For additional information on how to enable 3D content in PDF please visit https://helpx.adobe.com/acrobat/using/enable-3d-content-pdf.html

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.