
INCH-POUND
MIL-DTL-3661/5C
15 May 2019
SUPERSEDING
MIL-L-3661/5B
09 June 1969


DETAIL SPECIFICATION SHEET

LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES DUSTTIGHT HOUSING STYLE LH73

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-3661.





RECOMMENDED MOUNTING HOLE

inches	mm
.003	.08
.005	.13
.025	.64
.031	.79
.032	.81
.047	1.19
.050	1.27
.055	1.40

inches	mm
.059	1.50
.094	2.39
1/8	3.18
7/32	5.56
.274	6.96
.278	7.06

inches	mm
9/32	7.14
.468	11.89
15/32	11.91
.472	11.99
.553	14.05
49/64	19.45

FIGURE 1. Design and construction

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.

NOTES:

1. All dimensions are in inches. Unless otherwise specified, tolerances are ± 1/32 inch for fractions.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Housing and terminal design optional provided the dimensions fall within the configuration shown.

REQUIREMENTS:

1. Design and construction: See figure 1 and table I.
2. Finish: Style LH73/2 – optional.
3. Shank length of plug gage: 0.188 (Figure 6 of MIL-DTL-3661).
4. Sand and dust: Shall meet requirements of MIL-DTL-3661.

TABLE I

Type Designation	Mating lens	Lamp accommodation	Formerly
LH73/1	LC11[1], LC12[2], and LC29[3]	T-1-3/4 midget Flange base Incandescent lamp[7]	LH73
LH73/2	LC25[4], LC26[5], and LC27[6]	T-1-3/4 midget Flange base Incandescent lamp[7]	LH73

[1] In accordance with MIL-L-3661/11
[2] In accordance with MIL-L-3661/12
[3] In accordance with MIL-L-3661/29
[4] In accordance with MIL-L-3661/25
[5] In accordance with MIL-L-3661/26
[6] In accordance with MIL-DTL-3661/27
[7] In accordance with MIL-DTL-6363/8

Referenced documents. In addition to MIL-DTL-3661, this document references the following:
MIL-L-3661/11
MIL-L-3661/12
MIL-L-3661/25
MIL-L-3661/26
MIL-DTL-3661/27
MIL-L-3661/29
MIL-DTL-6363/8
MS25082

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.

Custodians:
Army – CR
Navy – AS
DLA – GS2

Preparing activity:
DLA – GS2
(Project 6210-2019-016)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.