
MIL-L-3661/3A
27 March 1967
SUPERSEDING
MIL-L-3661/2
11 August 1960

MILITARY SPECIFICATION SHEET

LAMPHOLDERS, STYLE LH71

The complete requirements for procuring the lampholders described herein shall consist of this document and the latest issue of MIL-L-3661.



SH7663A

inches	mm
3/16	4.76
1/4	6.35
5/16	7.94
1/2	12.70
19/32	15.08
.605	15.37

inches	mm
.609	15.47
3/4	19.05
25/32	19.84
15/16	23.81
1	25.40
1-1/8	28.58
1-9/16	39.69

FSC 6250

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:49Z
Check the source to verify that this is the current version before use.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ± 1/32 INCH FOR FRACTIONS.
2. METRIC EQUIVALENTS (TO THE NEAREST .01 MM) ARE GIVEN FOR GENERAL INFORMATION ONLY AND ARE BASED UPON 1 INCH = 25.4 MM.
3. HOUSING AND TERMINAL LOCATION OPTIONAL PROVIDED THEY FALL WITHIN THE CONFIGURATION SHOWN.

A—Entire specification revised.

REQUIREMENTS:

1. Design and construction: See figure.
2. Contacts: Beryllium copper.
3. Socket torque: 5 pound-inches.

Type designation	Mating lens	Lamp accommodation	Formerly
LH71/1	N/A	Double contact candelabra bayonet base lamp (125 volt maximum)'	LH71

' Industry numbers: 10C7/DC, 656DC–125V.

Custodians:

Army—EL

Navy—SH

Air Force—11

Preparing activity:

Navy—SH

(Project 6250–0083)

Review activities:

Army—EL, MU

Navy—SH, AS

Air Force—11, 85

User activities:

Army

Navy—MC

Source: https://assist.dla.mil -- Downloaded: 202610-16T20:49Z
Check the source to verify that this is the currentversion before use.

specification where such inspections are inspections set forth in the

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity (as indicated on reverse hereof).

SPECIFICATION

ORGANIZATION (Of Submitter)	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO If "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE PLATE NO. 1541

Source: https://assist.dla.mil -- Downloaded: 202610-16T20:49Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Naval Electronic Systems Command
Attn: ELEX 5043
Department of the Navy
Washington, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-16T20:49Z
Check the source to verify that this is the current version before use.