INCH-POUND

W-C-375/10B
04 August 2004
SUPERSEDING
W-C-375/10A
September 12, 1980

FEDERAL SPECIFICATION SHEET

CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 100 AMPERES)

The General Services Administration has authorized the use of this federal specification sheet by all federal agencies.

* The complete requirements for procuring circuit breakers described herein shall consist of this document and the latest issue in effect of W-C-375.




FIGURE 1. Outline drawing.

* AMSC N/A

FSC 5925

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.

Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm
.005	.13	.33	8.4	.69	17.5	1.62	41.1	4.09	103.9
.02	.5	.34	8.6	.72	18.3	2.12	53.8	4.62	117.3
.05	1.3	.38	9.7	.75	19.0	2.55	64.8	4.88	124.0
.116	2.95	.43	10.9	.78	19.8	2.95	74.9	5.25	133.4
.12	3.0	.47	11.9	1.00	25.4	3.14	79.8	6.31	160.3
.138	3.51	.48	12.2	1.09	27.7	3.38	85.9		
.17	4.3	.53	13.5	1.375	34.2	3.62	91.9		
.250	6.35	.61	15.5	1.56	39.6	3.66	93.0		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerances are ±0.01 (0.25 mm) for two-place decimals and ±0.005 * (0.13 mm) for three-place decimals and ±1° on angles.
4. Line and load terminals furnished with circuit breaker.

FIGURE 1. Outline drawing - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

* Interface and physical dimensions: See figure 1.

Trip indication: See figure 1.

Mounting - See figure 1.

Electrical:

Interrupting current rating: See table I.

Voltage rating: See table I.

Currency rating: See table I.

Frequency: 60 hertz.

Calibration: At 40°C.

* Enclosure for overload, endurance, and short circuit tests: General Electric Catalog No. TQL100F/S, or equivalent.

Supersession data: See table II.

TABLE I. Part or Identifying Numbers (PINs) and current rating.

Government PIN	Current rating	Voltage rating	Interrupting current rating
WC375/10-002	15	120 V ac	7,500
WC375/10-003	20	120 V ac	10,000
WC375/10-004	25	120 V ac	10,000
WC375/10-005	30	120 V ac	10,000
WC375/10-006	35	120 V ac	10,000
WC375/10-007	40	120 V ac	10,000
WC375/10-008	45	120 V ac	10,000
WC375/10-009	50	120 V ac	10,000
WC375/10-010	60	120 V ac	10,000
WC375/10-011	70	120/240 V ac	5,000
WC375/10-012	80	120/240 V ac	5,000
WC375/10-013	90	120/240 V ac	5,000
WC375/10-014	100	120/240 V ac	5,000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.

TABLE II. Supersession and cross reference.

Government part number	Commercial equivalent	Will replace numbers FSCM 24446			
WC375/10-002	TEB111015WL	TEB111015	TEB111015WL	TEB111015	TE1015
WC375/10-003	TEB111020WL	TEB111020	TEB111020WL	TEB111020	TE1020
WC375/10-004	TEB111025WL	TEB111025	TEB111025WL	TEB111025	
WC375/10-005	TEB111030WL	TEB111030	TEB111030WL	TEB111030	TE1030
WC375/10-006	TEB111035WL	TEB111035	TEB111035WL	TEB111035	
WC375/10-007	TEB111040WL	TEB111040	TEB111040WL	TEB111040	TE1040
WC375/10-008	TEB111045WL	TEB111045	TEB111045WL	TEB111045	
WC375/10-009	TEB111050WL	TEB111050	TEB111050WL	TEB111050	TE1050
WC375/10-010	TEB111060WL	TEB111060	TEB111060WL	TEB111060	
WC375/10-011	TEB111070WL	TEB111070	TEB111070WL	TEB111070	
WC375/10-012	TEB111080WL	TEB111080	TEB111080WL	TEB111080	
WC375/10-013	TEB111090WL	TEB111090	TEB111090WL	TEB111090	
WC375/10-014	TEB111100WL	TEB111100	TEB111100WL	TEB111100	

* The margins of this specification are marked with asterisks to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

* MILITARY INTERESTS:

Custodians:
Navy - YD
Air Force - 11
DLA - CC

Review Activities:
Navy - MC, OS
Air Force - 99

CIVIL AGENCY COORDINATING ACTIVITIES:

DC GOVT - DCG
DOI -GES
DOJ - FPI
DOT - ACO
GSA - FSS
HHS - NPPTL
HUD - HSRS
VA - OSS

Preparing activity:
DLA - CC

(Project 5925-0350)

* NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://www.dodssp.daps.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.