FEDERAL SPECIFICATION SHEET

(DETAIL SPECIFICATION)

CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND

SERVICE, TYPE I, SERIES TRIP, THREE POLE

(15 THRU 100 AMPERES)

The complete requirements for procuring the circuit breakers described herein shall consist of this document and the latest issue of Specification W-C-375.

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.




FIGURE 1.

FSC 5925

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM
.156	3.96	2.812	71.42
.312	7.92	2.875	73.03
.438	11.13	3.000	76.20
1.250	31.75	3.094	78.59
1 562	39.67	3.281	83.34
2.062	52.37	3.344	84.94
2.312	58.72		

NOTES:

1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Tolerance is ± .010 (.25 mm).
4. Lug sizes 15 thru 50A #14 thru #4, 60 thru 70A #4 thru #2, 80 thru 100A #4 thru 1/0; terminals shall be suitable for aluminum (AL) or copper (CU) wire.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Design and construction - See figure
  Trip indication - See figure
  Common trip - All poles shall make and break simultaneously when operated manually or automatically

Electrical
  Interrupting current rating - RMS symmetrical - 10,000 amperes
  Voltage rating - 240 Vac or less
  Trip current - See table I
  Frequency - 60 hertz
  Calibration - At 40°C

Enclosure for overload, endurance, and short circuit tests - Federal Pacific Electric Catalog No 312-24, or equivalent

TABLE I Part numbers and current rating

Government part number	Current rating
WC375/15-001	15
-002	20
-003	25
-004	30
-005	35
-006	40
-007	45
-008	50
-009	60
-010	70
-011	80
-012	90
-013	100

TABLE II Supersession and cross reference

Government part number	Superseded number		Will replace number		
	FSCM 21810				
WC375/15-001	3P15	NA3P15	3P15H	NA3P15H	NAH15H
-002	20	20	20	20	20
-003	25	25	25	25	25
-004	30	30	30	30	30
-005	35	35	35	35	35
-006	40	40	40	40	40
-007	45	45	45	45	45
-008	50	50	50	50	50
-009	60	60	60	60	60
-010	70	70	70	70	70
-011	80	80	80	80	80
-012	90	90	90	90	90
-013	100	200	100	100	100

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.

MILITARY CUSTODIANS:

Navy - YD
Air Force - 85

Review activities:

Air Force - 80
DSA - ES

User activities:

Navy - OS, MC

Civil Agency Coordinating Activity

DC GOVT - DCG
GSA - FSS, PCD, PBO
DOT - ACO
HEW - FEC
HUD - TCS
Interior - BPA
Justice - FPI
Postal - POS
VA - DMS

Preparing activity:

DSA - ES

Project No. 5925-0091-15

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of the general specification to obtain extra copies and other documents referenced herein. Price 25 cents each

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:26Z
Check the source to verify that this is the current version before use.