INCH-POUND

MIL-C-60982B (AR)
AMENDMENT 7
31 August 2000
SUPERSEDING
AMENDMENT 6
21 October 1993

MILITARY SPECIFICATION

CASE, CARTRIDGE, 40MM, M169 PART FOR

MIL-C-60982 was inactivated on 12 February 1996 for new design.

This amendment forms a part of MIL-C-60982B (AR), dated 17 November 1980, and is approved for use by the U.S. Army Armament, Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1, Standards, Military, delete “MIL-STD-1235” in its entirety.

PAGE 3

3.3, Delete 3.3 and substitute:

“3.3 Hardness. The hardness of the area near the mouth shall be 62 + 12 on the Rockwell 30T scale. The hardness of the base of the cartridge case shall be 64 + 10 on the Rockwell 30T scale.”

Add new paragraph 3.6.1 as follows:

“3.6.1 Ultrasonic inspection of barstock. The aluminum bar shall be inspected ultrasonically for internal defects such as pipe inclusions and laminations.”

PAGE 5

Table I, Under No. of Sample Units, delete: “*”

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.

NOTES: Delete "* The 25 cartridge cases shall be sectioned and the diameter pf each vent hole shall be measured."

PAGE 7

* 4.4.2.1, Under Paragraph Reference/Inspection Methods, Critical and Major 101, delete "Automatic Gage or Visual/Manual" and substitute "AIE"

PAGE 8

4.4.2.1, Major 107, Delete: "Concentricity of flange diameter with second largest outside diameter. See 4.5.1" and substitute "Concentricity of flange diameter with second largest diameter, See 4.5.1, 0.40%, 3.2, Gage."

Delete Major 115 in its entirety and substitute:

"115. Parallelism of open end to base 0.40% 3.2 Gage (see 6.6)"

Delete defect characteristic Major 127 in its entirety.

* 4.4.2.1, Add new Minor defect 204 as follows:

"204. Length of Chamfer 0.65% 3.2 Gage"

PAGE 9

* 4.4.3.1, Delete "The same size . . . AQL 0.40 percent." in its entirety.

Add new paragraph 4.4.3.2 as follows:

"4.4.3.2 Ultrasonic inspection of barstock. The material shall be examined 100% for conformance with the criteria defined in 3.6.1. The test shall be conducted in accordance with 4.5.7. The standard shall be established jointly by representatives of the barstock supplier and the contractor."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.

4.5.2, Delete in its entirety and substitute:

"4.5.2 Hardness. The cartridge case shall be subjected to a Rockwell Hardness Test in accordance with ASTM E18-67. Three (3) readings shall be taken approximately 120° apart. The average of these readings shall meet the requirement of paragraph 3.3. If any individual reading at the mouth of the case is below 60 that case shall be considered a reject. This test is a non-destructive test. Parts so tested may be returned to the lot."

4.5.3:

Delete: "and base plug"

Delete: "240" and substitute "Level B"

Delete: "Level B" and substitute "72"

4.5.5:

Delete ". . .1/4 inch in from the mouth . . ." and substitute ". . .1/8 to ¼ inch in from the mouth. . ."

Delete the last sentence and substitute:

"Each specimen must exhibit a minimum tensile strength of 50,000 psi and a yield strength of 45,000 psi to 55,000 psi."

Add new paragraph 4.5.7 as follows:

"4.5.7 Ultrasonic inspection of barstock. The test procedures, acceptance/rejection criteria and equipment design shall be submitted for approval in accordance with paragraph 6.3."

5.1.1, Delete "Level C" and substitute "Level B"

5.2.1, Delete "Level C" and substitute "Level B"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.

6.3, Delete “AMSMC-QAF-S (D), ARDC” and substitute “AMSMC-QAF-I (D), ARDEC.”

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1310-0608)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.