MILITARY SPECIFICATION

MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY, TTL, CASCADABLE, DECADE COUNTERS, MONOLITHIC SILICON

This amendment forms a part of MIL-M-38510/381(USAF), dated 21 February 1984, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Title: Delete and substitute as printed above.

1.2.1, Device type, delete and substitute:

"1.2.1 Device types. The device types shall be as follows:

Device type	Circuit
01	Synchronous 4-bit decade counter (asynchronous clear), cascadable
02	Synchronous 4-bit decade counter (synchronous clear), cascadable
03	Synchronous 4-bit UP/DOWN decade counter, cascadable
04	Synchronous 4-bit decade counter with 3-state outputs, cascadable
05	Synchronous 4-bit UP/DOWN decade counter with 3-state outputs, cascadable"

* 1.2.3, Case outline, add the following:

"X C-2A (20-terminal, .350" x .350"), square chip carrier package"

* 1.3, Thermal resistance, delete and substitute:

"Thermal resistance, junction-to-case (θ_{JC}):
Cases E, F, R, S, X, and 2 - - - - - (See MIL-M-38510, appendix C)

* 1.3, Junction temperature (T_J) 3/: Delete "3/" as added in Amendment 1 and substitute "2/".

* Bottom of page: Delete footnote 2/ in its entirety (added in Amendment 1).

* Add footnote 2/ as follows:

"2/ Maximum junction temperature shall not be exceeded except for allowable short duration burn-in screening conditions per method 5004 of MIL-STD-883."

PAGE 3

3.2.4, delete and substitute:

"3.2.4 Schematic circuits. Schematic circuits shall be submitted to the preparing activity prior to inclusion of a manufacturer's device in the specification and shall be submitted to the qualifying activity and agent activity (DESC-ECS) as a prerequisite for qualification. All qualified manufacturers' schematics shall be maintained by the agent activity and will be available upon request."

3.2.5, Case outlines: Delete "as specified in" and substitute "in accordance with".

PAGE 6

* TABLE I, t_{PLHB}, minimum limits column: Delete "5" and substitute "3".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T14:34Z
Check the source to verify that this is the current version before use.

PAGE 8

TABLE II, Class B devices column, Group A test requirements: Add "8".

PAGE 9

4.2.a(1), after test condition D: Add "or E".

4.4.3b(1), after test condition D: Add "or E".

4.4.3b(3), delete "appendix B of MIL-M-38510 and".

PAGE 11

* FIGURE 1, device types 01, 02, and 03: Delete "Case 2" and substitute "Cases X and 2".

PAGE 12

* FIGURE 1, device types 04 and 05: Delete "Case 2" and substitute "Cases X and 2".

PAGE 46

* TABLE III, Symbol I_O, Test no. 51, minimum and maximum limits: Delete "-15" and "-70" and substitute "-30" and "-112", respectively.

PAGES 46 THROUGH 57

* TABLE III: Delete "Case 2" and substitute "Cases X, 2".

PAGE 47

* TABLE III, pin QB, Test nos. 72, 73, 74, 75, 76, and 77: Delete "L" and substitute "H" (6 places).

PAGE 49

* TABLE III, t_{PLHB}, Test no. 160, minimum limits column: Delete "5" and substitute "3".

* TABLE III, t_{PLHB}, Test no. 172, minimum limits column: Delete "5" and substitute "3".

PAGE 50

* TABLE III, Test no. 51, minimum and maximum limits columns: Delete "-15" and "-70" and substitute "-30" and "-112", respectively.

PAGE 55

* TABLE III, Test no. 51, minimum and maximum limits columns: Delete "-15" and "-70" and substitute "-30" and "-112", respectively.

PAGE 58

* TABLE III, Cases R, S, X: Add "2".

PAGES 59 THROUGH 67

* TABLE III, Cases R, S, 2: Add "X".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T14:34Z
Check the source to verify that this is the current version before use.

PAGE 68

* TABLE III, Cases R, S, X: Add "2".

PAGE 69

6.1: Delete in its entirety.

Custodian:
Air Force - 17

Review activities
Air Force - 11, 19, 85, 99
DLA - ES

Preparing activity:
Air Force - 17

Agent:
DLA - ES

(Project 5962-F717)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T14:34Z
Check the source to verify that this is the current version before use.