
MILITARY SPECIFICATION SHEET

GROMMET, METALLIC, PLAIN, WITH TOOTHED WASHER (TYPE II)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the grommets described herein shall consist of this specification and the latest issue of MIL-G-16491.



NOTES:
1. All dimensions are in inches.
2. The assembly shall consist of one grommet and one washer of the same material.

FIGURE 1. GROMMET, METALLIC, PLAIN, WITH TOOTHED WASHER (TYPE II)

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:10Z
Check the source to verify that this is the current version before use.

Requirements:


1. Material: Brass Sheet, Composition II in accordance with QQ-B-613.

2. Protective finish:

Code "B" - Black Enamel Finish in accordance with TT-E-489.
Code "C" - Black Chemical Finish in accordance with MIL-F-495.
Code "N" - Nickel Plating in accordance with QQ-N-290.
No Code - Bright Finish.

3. Part number: The part number consists of the letter "M", the basic number of this specification sheet, and a dash number taken from Table I and/or Table II followed by a finish code letter.

Example: M16491/1-0170N



M16491/1-0170N - Indicates Grommet, Plain, With Toothed Washer (Type II); Grommet Dimensions; Washer Dimensions; Nickel Plating.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:10Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS, GROMMET

DASH NUMBER	TRADE SIZE NUMBER	ØA	ØB	ØC	D	E	TOL
00	00	.176	.218	.425	.170	.035	±.0050
01	0	.240	.290	.545	.210	.035	±.0050
10	1	.286	.375	.687	.220	.035	±.0050
11	1-J	.298	.375	.680	.295	.032	±.0050
20	2	.362	.475	.815	.250	.035	±.0050
21	2-J	.394	.490	.840	.295	.035	±.0050
30	3	.433	.545	.970	.345	.050	±.0050
40	4	.486	.630	1.050	.420	.046	±.0050
50	5	.594	.785	1.220	.375	.045	±.0075
60	6	.810	.885	1.750	.312	.080	±.0075

TABLE II. DASH NUMBERS AND DIMENSIONS, WASHER

DASH NUMBER	ØF	ØG	H	J	TOL	NOMINAL THICKNESS BASIC METAL
70	.290	.570	.125	.035	±.0050	.0115
71	.350	.680	.140	.040	±.0050	.0140
72	.350	.680	.140	.040	±.0050	.0140
73	.468	.840	.180	.040	±.0050	.0126
74	.468	.840	.180	.040	±.0050	.0160
75	.545	.945	.180	.040	±.0050	.0126
76	.593	1.050	.250	.045	±.0050	.0180
77	.720	1.190	.288	.050	±.0075	.0170

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:10Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Navy - YD
Air Force - 99

Review Activities:
Army - GL, MI
Navy - AS
DLA - IS

User Activities:
Navy - MC, SA, SH

Preparing Activity:
Air Force - 82

Agent:
DLA - IS

(Project 5325-0278)

Source: https://assist.dla.mil -- Downloaded: 202640-18T09:10Z
Check the source to verify that this is the current version before use.