MIL-C-46695B (AR)
AMENDMENT 3
29 February 1988
SUPERSEDING
AMENDMENT 2
11 May 1984

MILITARY SPECIFICATION

CHARGE, PROPELLING, 8 INCH, M2
(WHITE BAG) LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-46695B (AR), dated 2 June 1981 and is approved for use within the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1: Delete "9331256-Packing and Marking For Container, Ammo, Metal PA93: for Charge, Propelling, 8 Inch, M2" and substitute "7548187-Packing and Marking of Metal Containers for Propelling Charges and Details" (This reinstates the use of the round end container, dwg 7548187, which was replaced by the square end container, dwg 9331256, by Amend 1 dated 20 July 1981).

PAGE 4

* 4.3.1 Drawing: Delete "9331256" and substitute "7548187" (This reinstates the use of the round end container, dwg 7548187, which was replaced by the square end container dwg 9331256, by Amend 1 dated 20 July 1981).

PAGE 6

* TABLE II: Delete "Dwg 8861374/9331256" and substitute "Dwg 8861374/7548187" (This reinstates the use of the round end container, dwg 7548187, which was replaced by the square end container, dwg 9331256, by Amend 1 dated 20 July 1981).

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:42Z
Check the source to verify that this is the current version before use.

PAGE 20

4.4.2.11, Container, Prior to Sealing:

* Delete "9331256" and substitute "7548187".

Major category: Add new major defect 102 as follows:

"102 Charge cannot be removed by hand. 1/ 3.2 4.5.7"

Minor category: Delete minor defect 201 in its entirety.

Add the following note:

"1/ One sample from every 8 hours production."

PAGE 21

* 4.4.2.12, Container, sealed: Delete "9331256" and substitute "7548187".

PAGE 23

4.5.6:

Delete "Primer, MK2A4" and substitute "Primer, M82".

Delete "temperature (± 2°F)" and substitute "temperature (± 2.5°F)".

PAGE 24

Add the following paragraph:

"4.5.7 Charge removal from container. Each sample shall be tested for removal of the propelling charge from the container by hand. The charge may be pulled out by the straps or the container may be inverted and the charge either pulled out or slid out. Any charge that cannot be removed from the containerusing the above method shall be cause for rejection of the production represented by the sample."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:42Z
Check the source to verify that this is the current version before use.

* 5.1: Delete paragraph 5.1 in its entirety and substitute the following:

"5.1 Preservation and packaging. N/A

5.2 Packing

5.2.1 Level A. The propelling charges shall be packed, sealed and tested in accordance with the specified requirements of drawing 7548187.

5.2.2 Level B. Pack the same as Level A.

5.2.3 Level C. Pack the same as Level A.

5.3 Marking. Marking shall be in accordance with the specified requirements of drawing 7548187 ."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 1320-A986)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:42Z
Check the source to verify that this is the current version before use.