INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

COMPRESSOR, PISTON RING, BAND TYPE

This Interim Amendment was developed by the U. S. Army Natick Laboratories (GL), Natick, Massachusetts, based on currently available technical information. This Interim Amendment has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy and Air Force. It is recommended that Federal Agencies use it in procurement. The General Services Administration has authorized the use of this Interim Amendment as a valid exception to Federal Specification GGG-C-555, dated December 8, 1955.

Page 1, section 2—Delete in its entirety and substitute:

"2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

FEDERAL STANDARDS

Fed. Std. No. 102—Preservation, Packaging and Packing Levels

Fed. Std. No. 123—Marking for Domestic Shipment (Civilian Agencies)

(Activities outside the Federal Government may obtain copies of Federal Specifications and Standards as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.)

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco and Auburn, Wash.)

(Federal Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

MILITARY SPECIFICATION

MIL-H-15424 —Hand Tools; Packaging of

MILITARY STANDARDS

MIL-STD-105 —Sampling Procedures and Tables for Inspection by Attributes

MIL-STD-129 —Marking for Shipment and Storage

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)"

Page 3, paragraphs 4 through 4.4 and tables I and II—Delete in their entirety and substitute the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

"4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 **Responsibility for inspection.** Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 **Sampling for inspection and acceptance.** Sampling for inspection and acceptance shall be performed in accordance with the provisions set forth in Standard MIL–STD–105, except where otherwise indicated herein.

4.2.1 *Inspection of materials and components.* The supplier is responsible for insuring that the materials and components used were manufactured, tested and inspected in accordance with the requirements of referenced subsidiary specifications and standards to the extent specified herein, or, if none, in accordance with this specification.

4.2.2 *Inspection of the end item.* Inspection of the compressors shall be performed as specified in the following paragraphs. A lot shall consist of compressors of the same size. The sample unit shall be one completely fabricated compressor.

4.2.2.1 *Visual examination.* Each sample unit shall be visually examined for the defects set forth below. The inspection level shall be level II, with an acceptable quality level of 2.5 defects, expressed in terms of defects per hundred units.

Examine	*Defect*
Finish	Indication of rust.
	Not smooth, burs, oxide scale.
Design	Characteristics not in accordance with specified requirements.
Construction and workmanship	Operation omitted or not properly performed.
	Tension bands not securely joined to spool.
	Ratchet mechanism not securely joined to spool.
	Teeth of ratchet, missing, broken or damaged.
	Rivets or screws missing or loose.
	Key or wrench binds, not easily inserted or removed from spool.
	Bead on lower edge of compression band missing.
Marking	Missing, incorrect, or illegible.

4.2.2.2 *Dimensional examination.* Each sample unit shall be examined for dimensional specifications in applicable paragraphs. The inspection level shall be L8 with an acceptable quality level of 4.0 defects, expressed in terms of defects per hundred units.

4.3 **Inspection of preparation for delivery.** Unless otherwise specified, inspection to determine compliance with preparation for delivery requirements shall be performed in accordance with Specification MIL–H–15424."

Page 4, section 5—Delete in its entirety and substitute:

"5. PREPARATION FOR DELIVERY

Federal Standard No. 102 shall be referred to for definitions and application of the various levels of preservation, packaging and packing for civilian agency procurements.

5.1 **Levels A, B, and C.** Preservation, packaging and packing shall be in accordance with the applicable requirements for the level specified in Specification MIL–H–15424 (see 6.2).

5.2 **Marking.**

5.2.1 *Civilian agencies.* In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with Federal Standard No. 123.

5.2.3 *Military requirements.* In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with Standard MIL–STD–129."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

Page 4, paragraph 6.1—Delete subparagraph "(C)" in its entirety and substitute: "(C) Selection of applicable levels of preservation, and packaging and packing (see 5.1)".

Military custodians:
Army—GL
Navy—Docks
Air Force—MOA

Project No. 5120–0440

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.