GGG-T-00559(GSA-FSS)
April 3, 1964

INTERIM FEDERAL SPECIFICATION

TOOL KIT, LEATHERCRAFT

This Interim Federal Specification was developed by the Standardization Division, Federal Supply Service, General Services Administration, Washington, D. C. 20407, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

1. SCOPE

1.1 This specification covers the requirements for one type of leathercraft tool kit used for decorating leather.

1.1.1 Federal specification coverage.- Federal specifications do not include all varieties of the commodity as indicated by the title of the specification, or which are commercially available, but are intended to cover only those generally used by the Federal Government.

2. APPLICABLE SPECIFICATIONS, STANDARDS, AND OTHER PUBLICATIONS

2.1 Specifications and standards.- The following specifications and standards, of the issue in effect on date of invitation for bids, form a part of this specification:

Federal Specifications:
PPP-B-585 - Boxes, Wood, Wirebound.
PPP-B-591 - Boxes, Fiberboard, Wood-Cleated.
PPP-B-601 - Boxes, Wood, Cleated-Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636 - Box, Fiberboard.
PPP-B-640 - Boxes, Folding, Fiberboard, Corrugated, Triple Wall.

Federal Standards:
Fed. Std. No. 102 - Preservation, Packaging, and Packing Levels.
Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

Military Specifications:
MIL-P-116 - Preservation, Methods of.
MIL-A-148 - Aluminum Foil.

Military Standards:
MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Illustrations.- The illustrations shown herein are for the convenience of identification, and are not intended to preclude the purchase of tool kits which are otherwise in accordance with the requirements of this specification.

3.2 Material.- The material used in the construction of the tool kits shall be of good commercial quality which is suitable for the purpose intended. All materials used shall be free from defects and imperfections that may adversely affect the serviceability of the finished product.

3.3 Design.- The tool kit shall consist of leather working tools contained in a suitable carrying case. The tool kit shall be similar to figure 1 and shall consist of the following components:



Figure 1. - Tool Kit, Leathercraft.

3.3.1 Double chuck handle and tools.- Two double chuck handles approximately 3 inches long with one spoon, one curved liner, one tracer, one small ball modeller, one dierfoot, and one large ball modeller (see figure 2).




Figure 2. - Double chuck handle and tools.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

3.3.2 Universal handle and tools.- One universal chuck handle approximately 4-3/8 inches long with one fid, one edge beveller, one awl, one edge creaser, and one spacer (see figure 3).




Figure 3. - Universal handle and tools.

3.3.3 Swivel handle and tools.- One swivel chuck handle approximately 3-1/8 inches long with one 3/16 inch blade, one 1/4 inch blade, and one 3/8 inch blade (see figure 4).




Figure 4. - Swivel handle and tools.

3.3.4 Chisel handle and tools.- One chisel chuck handle approximately 4-3/4 inches long with one thonging chisel with one prong, one thonging chisel with four prongs, and one skiving blade (see figure 5).




Figure 5. - Chisel handle and tools.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:40Z
Check the source to verify that this is the current version before use.

3.3.5 Leather punch and dies.- One frame 8 inches long with 6 punches and snap fastener dies (see figure 6).




Figure 6. - Leather punch and dies.

3.3.6 Square.- One steel square 0.75 inches thick, size 12 inches by 1-1/2 inches and 8 inches by one inch, with 1/16 inch and 1/8 inch graduations on both sides (see figure 7). Each inch graduation shall be numbered. Graduation lines representing equal fractional aliquots on each scale, in descending order, shall be of equal height and distinguishable by their relative height.




Figure 7. - Square.

3.3.7 Mallet.- One lignum vitae wood mallet weighing not less than 9 ounces (see figure 8).




Figure 8. - Mallet.

3.3.8 Cutting board.- One maple cutting board. The board shall be kiln-dried, sanded smooth, and free of knots and cracks. The size shall be 3/4 inch by 7-3/4 inches by 10-3/4 inches minimum.

3.3.9 Instruction book.- One instruction book on leathercraft. The book shall contain instructions on the use of the tools contained in the kit and general instructions on leathercraft.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:40Z
Check the source to verify that this is the current version before use.

3.3.10 Carrying case.- One wooden carrying case designed to hold the tools in a fixed position. The case shall have a handle for carrying and a positive catch for holding the case in a closed position The overall dimensions of the case shall be approximately 3-1/2 inches by 10 inches by 14 inches.

3.4 Construction.- All components of the tool kit shall be properly constructed for the purpose intended. All tools shall be properly formed and free from burrs or other defects which would affect their serviceability. Chucks on the handles shall hold the tools firmly and securely. Tools shall be properly hardened and tempered to prevent breaking or permanent distortion in normal usage. All tools with cutting edges shall be sharpened in accordance with accepted industry practice.

3.5 Identification of product.- Tool kits shall be permanently marked in a plain and legible manner with the manufacturer's name or with a trademark of such known character that the source of manufacture may be readily determined.

3.6 Workmanship.- Workmanship shall be in accordance with high grade commercial practice.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Sampling.

4.2.1 Inspection lot.- All tool kits manufactured by a single production process and offered for delivery at one time shall be considered a lot for purposes of acceptance inspection.

4.2.2 Sampling for visual and dimensional inspection.- A random sample of tool kits shall be selected from each lot in accordance with Standard MIL-STD-105 at inspection level II. The acceptable quality level (AQL) shall be 1.5 percent defective.

4.2.3 Sampling for acceptance tests.- A random sample of tool kits shall be selected from each lot in accordance with Standard MIL-STD-105 at inspection level S-1. The AQL shall be 6.5 percent defective.

4.3 Visual and dimensional inspection.- Each sample selected in accordance with 4.2.2 shall be visually and dimensionally examined to determine compliance with this specification. Any sample containing one or more defects shall be rejected.

4.4 Acceptance tests.- Each sample selected in accordance with 4.2.3 shall be tested in accordance with 4.5 to verify compliance with this specification. Any sample which does not meet the requirements for any of these tests shall be rejected.

4.5 Function test.- The components of each sample kit shall be functionally tested to determine conformance with this specification. The tool kit shall be rejected if any tools are not properly formed; if mating parts do not fit properly; or if cutting tools are not properly sharpened.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T12:40Z
Check the source to verify that this is the current version before use.

4.6 Inspection of preparation for delivery requirements.- An inspection shall be made to determine that packaging, packing and marking requirements of section 5 of this specification are complied with. Defects shall be scored in accordance with table I. For examination of contents the sample unit shall be one shipping container fully prepared for delivery selected just prior to the closing operations. Defects of closure listed shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be II and the AQL shall be 4.0 defects per hundred units.

Table I. - Classification of Preparation for Delivery Defects

Examine	Defects
Markings (exterior and interior)	Omitted; incorrect; illegible; or improper size, location, sequence, or method of application.
Materials	Any component missing, or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, loose strapping, inadequate stapling. Bulging or distortion of container.

5. PREPARATION FOR DELIVERY
(For civil agency procurement the definitions and application of levels of packaging and packing shall be in accordance with Fed. Std. No. 102).

5.1 Preservation and packaging.- Preservation and packaging shall be level A, B or C as specified (see 6.1).

5.1.1 Level A.

5.1.1.1 Cleaning and drying.- The tools with the exception of the mallet and board shall be cleaned by process C-3 and dried by procedure D-4 in accordance with MIL-P-116.

5.1.1.2 Preservative application.- All metal surfaces of the tools shall be coated with type P-9 preservative in accordance with MIL-P-116.

5.1.1.3 Unit packaging.- Each tool with the exception of the mallet and board shall be wrapped with material conforming to MIL-A-148, inserted in the applicable slot provided in the case and the complete set packaged in a close-fitting box conforming to PPP-B-636, class 2, style RSC. The box shall be closed in accordance with the appendix to the box specification.

5.1.1.3.1 Instruction books.- The instruction books shall be packaged together method IC-1 in accordance with MIL-P-116 and inserted in the applicable compartment provided in the case.

5.1.2 Level B.- Each complete tool chest set shall be packaged in a close-fitting box conforming to PPP-B-636, class 1, style RSC. The box shall be closed in accordance with the appendix to the box specification.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:40Z
Check the source to verify that this is the current version before use.

5.1.3 Level C.- Preservation and packaging which will afford adequate protection against corrosion, deterioration, and damage during shipment from supply source to the first receiving activity for immediate use. (vendor to user)

5.2 Packing Packing shall be level A, B or C as specified (see 6.1).

5.2.1 Level A.- The sets shall be packed in close-fitting boxes conforming to PPP-B-585, class 3, PPP-B-591, class II, PPP-B-601, type II, class 2, PPP-B-621, class 2, PPP-B-636, class 2 or PPP-B-640, class 2, grade A. The boxes shall be closed in accordance with the requirements to the applicable specification or appendix thereto. The gross weight of the triple wall fiberboard box and the wood boxes shall not exceed approximately 200 pounds. The gross weight of the PPP-B-636 fiberboard box shall not exceed the weight limitations of the box specification. Strapping shall be in accordance with the appendix to the applicable box specification.

5.2.2 Level B.- Eight sets shall be packed together in a close-fitting box conforming to PPP-B-636, class 1, style RSC. The box shall be closed in accordance with the appendix to the box specification.

5.2.3 Level C.- Packing which will afford protection against damage during direct shipment from the supply source to the first receiving activity for immediate use.

5.3 Marking.

5.3.1 Civil agencies.- In addition to markings required by the contract or order, the packages and shipping containers shall be marked in accordance with Fed. Std. No. 123.

5.3.2 Military activities.- In addition to markings required by the contract or order, the packages and shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Ordering data.- Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Level of packing and packaging required (see 5.1 and 5.2).
(c) Any special marking required (see 5.3).

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:40Z
Check the source to verify that this is the current version before use.