GGG-T-558/6A
April 9, 1973
SUPERSEDING
Int. Fed. Spec. GGG-T-00558/6(GSA-FSS)
July 20, 1966 and
MIL-C-22288(SHIPS)
February 14, 1961
(See 6.2)

FEDERAL SPECIFICATION

TOOL BOX, PORTABLE (GENERAL, TWO-HANDLE TYPE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification forms a part of the latest issue of GGG-T-558 and covers the detail requirements for general, two-handled type tool boxes.

1.2 Classification. Tool boxes shall be of the following type:

Type VII - General, two-handled type.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specification:

GGG-T-558 - Tool Box, Portable; General Specification For.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

3. REQUIREMENTS

3.1 General requirements. The general requirements for this tool box shall be in accordance with GGG-T-558.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

3.2 Design. The tool box shall consist of a body and lid, handles, hinges, hasp and staple, and plywood insert. The shape of the tool box shall be similar to figure 1.




FIGURE 1. Tool box, portable.

3.2.1 Dimensions. Tool boxes shall conform to table I for the size specified (see 6.1).

TABLE I. Dimensions, type VII, general, two-handled tool boxes

Size designation	Overall dimensions in inches, excluding projections		
	Length	Width	Height
1	42	9-3/4	12-3/4
2	38	12	17
3	38	10	10
4	33	14	12
5	24	12	12

3.2.2 Material and construction. Tool boxes shall be fabricated from at least 16 gage sheet steel for box sizes 1 through 4, and at least 18 gage for size 5. The exposed front edge of the box body shall be flat folded inward a minimum of 1/2 inch. Suitable bracing or reinforcing shall be provided to assure capability of passing the load and drop tests in 4.1.1 and 4.1.2.

3.2.3 Hardware. The handles, hinges, and hasp and staple shall be suitable to sustain the load and drop tests and shall be attached to the box in the locations shown in figure 1. The handles shall be of the chest type with a stop to prevent their being raised above a nearly horizontal position. When not in use, the handles shall rest against the box end. The hasp and staple shall be of a size to accommodate a 1-3/4 inch padlock. Hinge and hasp pins shall be capable of passing the hinge pin test in 4.1.3.

3.3 Plywood insert. Unless otherwise specified (see 6.1), a 1/4 inch plywood insert which covers the inside bottom of the box shall be furnished with each box.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Quality assurance provisions shall be in accordance with GGG-T-558 modified as follows.

4.1.1 Load test. Each sample tool box shall be load tested with 250 pounds of tools, lead shot, or other bulk material. The tool box shall be lifted by the end handles for this test.

4.1.2 Drop test. Each sample tool box shall be drop tested with 50 pounds of tools, lead shot, or other bulk material.

4.1.3 Hinge pin test. The hinge pin test shall be in accordance with GGG-T-558.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with GGG-T-558.

6. NOTES

6.1 Ordering data. In addition to the ordering data included in GGG-T-558, purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Size required (see 3.2.1).
(c) When plywood insert is not required (see 3.3).

6.2 Supersession data. The type II chests without drawers in MIL-C-22288(SHIPS) are covered in this specification as sizes 2, 3, 4, and 5.

MILITARY CUSTODIANS:

Army - GL
Navy - SH
Air Force - 84

Review Activities:

Army - GL, WC, MD
Navy - SH
Air Force - 84

User Activities:

Army - AT, AV, ME, MI
Navy - MC, YD

Preparing Activity:

GSA-FSS

Orders for this publication are to be placed with the General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.