INCH-POUND
MIL-P-85767(AS)
AMENDMENT 1
31 January 1991

MILITARY SPECIFICATION

PROJECTILE, 20 MILLIMETER, TARGET PRACTICE
PGU-27/B

This amendment forms a part of MIL-P-85767(AS), dated 12 August 1986, and is approved for use by the Naval Air Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, last line, after "solicitation," add "(see 6.2.1)."

2.1.1, under "STANDARDS, Military," delete
"MIL-STD-882 System Safety Program Requirements"

2.1.1, under "MIL-STD-1235," add
"(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)"

PAGE 3

2.1.2, under "1575AS304" add
"Copies of Naval Air Systems Command drawings are available from the Naval Air Technical Services Facility (NATSF) (Code 312), 700 Robbins Avenue, Philadelphia, PA 19111-5097.)"

2.1.2, under "Department of the Army" delete "DI1075203" and substitute "D11075203" and add "D11075245 Production Check Standards."

2.1.2, under "D11075245" add
"(Copies are available from the Department of the Army, U.S. Army Information Systems Command (ASQNC-APP OPP-P), Picatinny Arsenal, NJ 07806-5000.)"

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

2.1.2, under "US Army Material Command,"below "AMCR 715-505,"delete

"(Copies of specifications, standards, drawings, publications, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)" and substitute

"(Copies are available from the Commander, USAISC-Letter Kenny, Attn: ASQ-NC-DL-OIP, Chambersburg, PA 17201-4186.)"

Delete in its entirety existing paragraph 2.2 and substitute

"2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein: Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2.1)."

PAGE 4

"2.2, under "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)," delete "ASTM B117-64" and substitute "ASTM B117."

2.2, under "(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)" add

"(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)"

3.3.2.1, third line, delete "serrated."

PAGE 5

Delete in its entirety existing paragraph 3.3.2.3.2 and substitute

"3.3.2.3.2 Paint coating. The paint coating shall be in accordance with the applicable requirements of Drawing 1575AS301. Exterior paint adhesion shall be in accordance with applicable requirements of TT-C-490. Unsatisfactory adhesion shall be indicated by the exposure of base metal or underlying phosphate in any of the following conditions:

a. Any area exceeding 0.090 square inch
b. More than one area exceeding 0.045 square inch
c. More than five areas of 0.021 square inch"

3.3.2.3.3, third line, after "fog," add "for not less than 24 hours."

Delete in its entirety existing paragraph 3.5 and substitute "3.5 System Safety. Not applicable (NA)."

4.1, third line, after "requirements," add "(examinations and tests)."

4.1, last line, delete "assure" and substitute "ensure."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

4.1.1, first line, delete "must" and substitute "shall."

4.1.1, seventh and eighth lines, delete "Sampling in quality conformance" and substitute "Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this _ _ _."

4.4.1.2, delete second sentence, "Each packed lot of closure discs and each packed lot of nose caps shall be identified in accordance with MIL-STD-1168 and MIL-STD-1169."

Delete existing Table II in its entirety and substitute

"TABLE II. Body, Projectile (see Drawing 1575AS3043).

Categories and defects	Method of inspection
CRITICAL: NONE DEFINED	
MAJOR:	
101. Diameter bourrelet, minimum	Gage
102. Length, mouth to rear of rotating band seat, maximum	Gage
103. Depth rotating band seat, knurling minimum	Gage 1/
MINOR:	
201. Length to rear edge of rotating band seat, minimum	Gage
202. Width rotating band seat, minimum	Gage 1/
203. Foreign matter	Gage
204. Diameter rotating band seat knurled	Gage

"

Revise Table III as follows

a. Delete "102. Diameter bourrelet" and substitute "102. Diameter body rear of rotating band, minimum"
b. After "105. Width rotating band" add ", overall"
c. Below "109," add

"110. Runout, body rear of rotating band — Gage
111. Runout, boat tail — Gage
112. Overall length, maximum — Gage"

Source: https://assist.dla.mil -- Downloaded: 2022640-23T11:29Z
Check the source to verify that this is the current version before use.

PAGE 11

Table IV, delete "203. Length, 0.326 inch Gage"

4.5.4, second line, delete "D11075203" and substitute "D11075203."

PAGE 12

Table V, below, "1. Ferrous metal discontinuity, " add "(before phosphate and paint)."

Table V, delete "102. Diameter bourrelet, minimum."

Table V, delete "103, 104, 105, 106, 107, 108" and "109"
and renumber "102, 103, 104, 105, 106, 107" and "108" respectively.

PAGE 13

Delete existing Table VI in its entirety and substitute

"TABLE VI. Lot acceptance test.

Test	Sample size	Item	Requirement paragraph
Metal parts security 1/	250	Projectile assembly	3.2.1.1
Band tightness 2/	315	Projectile assembly 1575AS301 or projectile body 1575AS303	3.3.2.1
Soundness verification 3/	315	Body	3.3.2.2
Automatic inspection 4/	---	PCS No. 1	3.3.2.2
Paint adhesion 5/	13	Projectile	3.3.2.3.2
Corrosion Resistance 6/	32	Projectile	3.3.2.3.3

"

PAGE 14

In 3/, first line, delete "0.005 inch in width" and substitute "Production Check Standard (PCS) No. 1."

In 4/, first line, delete "Clerk" and substitute "Check."

Delete existing 5/ in its entirety.

Delete "6/" and "7/" and renumber "5/" and "6/" respectively.

PAGE 15

First and second lines delete "4.5.3.1 Application of defect standards. Master defect standards, referenced on Drawing 87259545" and substitute "4.5.4.1 Application of defect standards. Master defect standards referenced on Drawing D11075245 for PCS No. 1."

Source: https://assist.dla.mil -- Downloaded: 202610-23T11:29Z
Check the source to verify that this is the current version before use.

First line, delete "4.5.3.2" and substitute "4.5.4.2" and second line, delete "DI1075203" and substitute "D11075203."

Delete "4.5.3.3, 4.5.3.4" and "4.5.4" and renumber "4.5.4.3, 4.5.4.4" and "4.5.5" respectively.

First line, delete "4.5.4.1" and substitute "4.5.5.1" and fifth line, after "recorded," add a new sentence "Failure of the phosphate coating on the standard panels to comply with the applicable requirements shall be cause for rejection of all assemblies phosphated since the preceding test."

First line, delete "4.5.4.2" and substitute "4.5.5.2" and last line, delete "recorded as a defect" and substitute "evaluated in accordance with 4.5.5.3."

Delete "4.5.4.3" and substitute "4.5.5.3."

PAGE 16

First line, delete "4.5.4.4" and substitute "4.5.5.4," and second line, delete "ASTM B117-64" and substitute "ASTM B117."

Delete existing paragraph 4.7 in its entirety and substitute "4.7 System Safety. Not applicable (NA)."

5.1 and 5.2, after bodies, delete ", closure discs and nose caps."

Below "6. NOTES," add "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

PAGE 17

6.2.1, add "e. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced, (see 2.1.1 and 2.2)."

Delete existing paragraph "6.2.2 " in its entirety and substitute

"6.2.2 Consideration of data requirements. The following data requirements should be considered when this specification is applied on a contract. The applicable Data Item Descriptions (DID's) should be reviewed in conjunction with the specific acquisition to ensure that only essential data are requested/provided and that the DID's are tailored to reflect the requirements of the specific acquisition. To ensure correct contractual application of the data requirements, a Contract Data Requirements, List (DD Form 1423) must be prepared to obtain the data, except where DOD FAR Supplement 27.475-1 exempts the requirement for a DD Form 1423.

Reference Paragraph	DID Number	DID Title	Suggested Tailoring
4.3, 4.4.4	DI-NDTI-80566	Test plan	---
4.3, 4.4.4	DI-T-2072	Reports, test	---
5.4	DI-MISC-80043	Ammunition data card	---

The above DID's were those cleared as of the date of this specification. The current issue of DOD 5010.12-L, Acquisition Management Systems and Data Requirements Control

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

List (AMSDL), must be researched to ensure that only current, cleared DID's are cited on the DD Form 1423."

PAGE 18

Delete existing paragraph 6.6 in its entirety and substitute "6.6 Explosive safety precautions. Not applicable (NA).

Add new paragraph 6.7 as follows:

"6.7 Intermediate point inspection. The classification of defects identifies the characteristics (among other things) for acceptance inspection. It may be necessary to modify the sequence of inspection stations to best suit the manufacturing process. Inspection for defect characteristics which will be hidden or altered by subsequent processing operations (including unrelated operations), should be scheduled to prevent premature acceptance which could be detrimental to the attainment of optimum product quality in the end item."

Delete existing "6.7 Subject term (key word) listing" and substitute "6.8 Subject term (key word) listing."

6.8, delete "PGU-27/B," "Projectiles" and "20 millimeter."

Preparing Activity:
Navy - AS
(Project No. 1305-ND75)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.