MIL-C-19113A(SHIPS)
AMENDMENT 2
4 April 1984
SUPERSEDING
AMENDMENT 1
22 January 1962

MILITARY SPECIFICATION

COMPRESSORS, RECIPROCATING, ELECTRIC
MOTOR DRIVEN, NAVAL SHIPBOARD
LOW PRESSURE AIR SERVICE

This amendment forms a part of Military Specification MIL-C-19113A(SHIPS), dated 16 November 1956, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 4

2.1, under "SPECIFICATIONS, MILITARY, NAVY DEPARTMENT": Delete "General Specifications for Inspection of Material."

* 2.1, under "PUBLICATIONS, MILITARY": Add:

"0900-LP-001-7000 - Piping Systems Brazed, Fabrication and Inspection."

PAGE 5

* 3.1: Delete and substitute:

"3.1 First article. When specified (see 6.1), a sample class CC or class S compressor shall be subjected to first article inspection (see 4.3.3 and 6.2)."

PAGE 8

* 3.3.7.13: Add as last sentence: "Silver brazed joints shall be in accordance with NAVSEA 0900-LP-001-7000. For joints 1/2 inch and above, preinserted ring fittings shall be used. For sizes below 1/2 inch, face feed fittings may be used."

Source: https://assist.dla.mil -- Downloaded: 202640-18T12:17Z
Check the source to verify that this is the current version before use.

PAGE 18

* 4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

* 4.3.3: Delete and substitute:

"4.3.3 First article inspection (for class CC and class S). First article tests shall be conducted at the place of manufacture for the test specified in 4.3.4 and at a laboratory designated by the Naval Sea Systems Command for the tests specified in 4.3.5 to 4.3.9, inclusive. The capacity, maximum working pressure, and other characteristics of units for first article tests shall be as arranged between the Naval Sea Systems Command and the contractor."

PAGE 19

* 4.3.3.1: Delete.

* Add as new paragraph 4.3.4.1:

"4.3.4.1 Inspection and test of joints in systems designated as hazardous shall be in accordance with NAVSEA 0900-LP-001-7000."

PAGE 24

* 6.1: Add: "(1) First article inspection, if required (see 3.1)."

* 6.2: Delete and substitute:

"6.2 First article inspection. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection as to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

* 6.2.1: Delete.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:17Z
Check the source to verify that this is the current version before use.

PAGE 27

INDEX, lines 22, 23, and 51: Delete "Qualification" and substitute "First article".

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 4310-N093)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:17Z
Check the source to verify that this is the current version before use.