INCH POUND

MIL-B-38977(USAF)
AMENDMENT 3
31 AUG 1991
SUPERSEDING
AMENDMENT 2
13 NOV 1978

MILITARY SPECIFICATION

BOMB, PRACTICE BDU-38/B

This amendment forms a part of Military Specification MIL-B-38977(USAF), dated 13 November 1978, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2, Under Specifications Federal delete the following Federal Specification:

delete: "PPP-C-650 Crates, Wood, Open and Covered"

2, Under Specifications Military delete and substitute:

delete:	"MIL-B-131	Barrier Material, Water-Vaporproof, Flexible
	MIL-D-1000	Drawings, Engineering and Associated Equipment
	MIL-P-7936	Parts and Equipment, Aeronautical, Preparation for Delivery
	MIL-A-8591	Airborne Stores and Associated Suspension Equipment, General Design Criteria For
	MIL-W-27000	Weapons, Nuclear, Practice and Training-And Similar Weapons Items, General Specification For"
substitute:	MIL-B-131	Barrier Materials, Watervapor Proof, GreaseProof, Flexible, Heat-Sealable

DISTRIBUTION STATEMENT A. Approved for public release: distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:36Z
Check the source to verify that this is the current version before use.

substitute: DOD-D-1000 Drawings, Engineering, and Associated Lists

MIL-P-7936 Parts and Equipment, Procedures for Packaging Of

MIL-A-8591 Airborne Stores, Suspension Equipment and Aircraft-Store Interface (Carriage Phase); General Design Criteria For

MIL-W-27000 Weapons, Nuclear, Practice and Training And Similar Special Weapons Items, General Specification For

MIL-C-52950 Crates, Wood, Open and Covered"

2, Under Standards Military delete and substitute:

delete: "MIL-STD-804 Formats and Coding of Tabulating Aperture Cards for Engineering Data Micro-Reproduction System

MIL-STD-810 Environmental Test Methods for Aerospace and Ground Equipment"

substitute: "MIL-STD-804 Formats and Coding of Aperture, Camera, Copy, and Tabulating Cards

MIL-STD-810 Environmental Test Methods and Engineering Guidelines"

PAGE 2

2, Under Drawings Air Force, add:

"66J14360-101 Bomb, Practice BDU-38/B (Retarded)
66J14360-103 Bomb, Practice BDU-38/B (Freefall)"

PAGE 3

3.5, Line 3: delete "MIL-D-1000" and substitute "DOD-D-1000"

PAGE 10

4.5.3.9, 1st sentence, delete and substitute:

"The assembled bomb, with tail cap and parachute assembly removed, shall be tested to withstand a load of 120,000 pound parachute

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:36Z
Check the source to verify that this is the current version before use.

opening shockloading applied longitudinally through the twelve (12) suspension line support points."

5.2.2, Line 3: delete "PPP-C-650" and substitute "MIL-C-52950"

Preparing Activity
Air Force - 79

Custodian:
Air Force - 79

Reviewer
Air Force - 15

(Project 1105-F015)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:36Z
Check the source to verify that this is the current version before use.