INCH-POUND

MIL-F-50988B (AR)
AMENDMENT 2
29 August 1995

SUPERSEDING
AMENDMENT 1
25 April 1990

MILITARY SPECIFICATION

FUZE, PD, M567
LOADING, ASSEMBLING AND PACKING

This amendment forms a part of MIL-F-50988B (AR), dated 10 October 1978, and is approved for use by the U.S. Army Armament Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 9

* 4.4.2.2, Delete Major 104 in its entirety.

PAGE 13

4.4.2.6: Add Majors 106, 107, and Note (b) as follows:.

"106 Sealant missing or improperly applied ...25 (b) ...3.2 ...Visual

Note (b) 25 samples shall have the rear bodies disassembled and inspection performed for proper application of sealant or sealant missing. If one or more samples are classed defective, the lot shall be rejected."

"107 Excessive gap between front and rear bodies (3 places circumferentially) max. ... 0.40% ... 3.2 ...Gage."

AMSC N/A FSC 1390

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:46Z
Check the source to verify that this is the current version before use.

PAGE 14

4.4.2.7, Critical 3: Change number of samples units from "108" to "80".

Major 101: Change number of samples units from "88" to "60".

Major 102: Change number of samples units from "30" to "10".

Note (a): Delete in its entirety and substitute:

"Two (2) or more duds shall cause the lot to be rejected. After three (3) consecutive lots have been accepted according to this criteria, a special double sampling plan shall be used. see 4.5.5.1.3."

PAGE 17

4.5.5.1.3: Delete in its entirety and substitute:

"4.5.5.1.3 Double sample SQ. After three (3) consecutive lots have met the ballistic requirements of paragraph 4.4.2.7, a special double sample for the ballistic, SQ phase shall be employed. Thirty (30) sample fuzes shall be fired in accordance with 4.5.5.1.1. If no (0) duds result, the lot shall be accepted. If two (2) or more duds are found, the lot shall be rejected. If one (1) dud results, another sample of thirty (30) shall be fired. If one (1) additional dud results, the lot shall be rejected and testing shall revert to 4.4.2.7 again until three (3) consecutive lots have been accepted. If only the first sample is required, the premature burst sample size shall be reduced to fifty (50)."

PAGE 18

6.4.1, Functioning: Delete in its entirety and substitute:

Weapon	Cartridge	Charge	Fuze Setting	Quantity
81MM MORTAR	81MM, HE, M734	0	SQ	30(a)
		0	Delay	5(b)
		Maximum	SQ	30(a)
		Maximum	Delay	5(b)

(a) Quantity reduced to fifteen (15) per test phase as required when employing special double sample.

(b) Results for information purposes only except for premature functionings. Charge zero quantity shall be tv-conditioned prior to functioning test."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:46Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (modifications, additions, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in this notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1390-0831)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:46Z
Check the source to verify that this is the current version before use.