INCH-POUND
A-A-55600A
25 JANUARY 1996
SUPERSEDING
A-A-55600
9 DECEMBER 1994

COMMERCIAL ITEM DESCRIPTION

BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING

THE GENERAL SERVICES ADMINISTRATION HAS AUTHORIZED THIS COMMERCIAL ITEM DESCRIPTION FOR ALL FEDERAL AGENCIES


1. SCOPE: THIS COMMERCIAL ITEM DESCRIPTION (CID) DEPICTS THE REQUIREMENTS FOR CYLINDRICAL ROLLER BEARINGS, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING.

2. SALIENT CHARACTERISTICS.

2.1 MATERIAL:
A. RINGS AND ROLLERS SHALL BE MADE OF CHROMIUM-ALLOY STEEL 52100 (UNS G52986) CONFORMING TO AMS 6440.
B. HARDNESS OF RINGS AND ROLLERS: 58 TO 66 RC.
C. CAGE MATERIAL SHALL BE SPECIFIED IN THE PART NUMBER AS FOLLOWS:
A= MANUFACTURER'S STANDARD
B= BRASS
M= MACHINED BRASS
N= NON-METALLIC
J= STEEL

2.2 TOLERANCE:
A. RBEC-1, IN ACCORDANCE WITH ANSI/ABMA STANDARD 20.
8. RADIAL INTERNAL CLEARANCE SHALL BE IN ACCORDANCE WITH ANSI/ABMA STANDARD 20 AND SHALL BE SPECIFIED IN THE PART NUMBER AS FOLLOWS:
C2= SYMBOL 2
C0= SYMBOL 0 (NORMAL)
C3= SYMBOL 3
C4= SYMBOL 4

2.3 BASIC LOAD RATINGS SHALL BE CALCULATED USING THE METHOD SPECIFIED IN ANSI/ABMA STANDARD 11.



BENEFICIAL COMMENTS, RECOMMENDATIONS, ADDITIONS, DELETIONS, CLARIFICATIONS, ETC., AND DATA WHICH MAY IMPROVE THIS DOCUMENT SHOULD BF SENT TO DEFENSE INDUSTRIAL SUPPLY CENTER ATTN: DISC-FCA. 700 ROBBINS AVENUE. PKILADELPHIA, PA 19111-5096.

DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE. DISTRIBUTION IS UNLIMITED
Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NO.	A BORE	B OUTSIDE DIA	C OVERALL WIDTH	R SHAFT & HOUSING FILLET RADIUS	RECOMMENDED SHOULDER DIAMETER		LOAD RATING Lbf		INTERCHANGEABLE SPECIFICATION
					SHAFT	HOUSING			
				MAX	MIN	MAX	DYNAMIC	STATIC	
01	17	40	12	.025	.84	1.44	1750	1550	MS19079-1
02	17	47	14	.040	.90	1.67	2600	2360	MS19079-2
03	20	52	15	.040	1.02	1.97	3300	2600	MS19079-3
04	25	52	15	.040	1.22	1.86	2000	1850	MS19079-4
05	25	62	17	.040	1.25	2.20	4350	3300	MS19079-5
06	30	62	18	.040	1.42	2.24	3600	3400	MS19079-6
07	30	72	19	.040	1.50	2.55	5700	4450	MS19079-7
08	35	72	17	.040	1.66	2.61	5150	4200	MS19079-8
09	35	80	21	.060	1.73	2.83	6950	5600	MS19079-9
10	40	80	18	.040	1.87	2.86	6750	6550	MS19079-10
11	40	90	23	.060	1.94	3.19	8400	6700	MS19079-11
12	45	95	19	.040	2.08	3.06	7100	6000	MS19079-12
13	45	100	25	.060	2.20	3.54	12300	9800	MS19079-13
14	50	110	27	.080	2.42	3.90	14700	12300	MS19079-14
15	55	100	21	.060	2.52	3.60	8500	7450	MS19079-15
16	55	120	29	.080	2.65	4.25	16800	13700	MS19079-16
17	60	110	22	.060	2.73	3.96	10700	9000	MS19079-17
18	60	130	31	.080	2.88	4.61	18700	15300	MS19079-18
19	65	120	23	.060	3.00	4.32	11400	10400	MS19079-19
20	65	140	33	.080	3.11	4.96	21000	17100	MS19079-20
21	70	125	24	.060	3.19	4.50	11400	10400	MS19079-21
22	70	150	35	.080	3.32	5.31	23200	19000	MS19079-22
23	75	130	25	.060	3.37	4.68	13900	12600	MS19079-23
24	75	160	37	.080	3.57	5.67	27700	23200	MS19079-24
25	80	140	26	.080	3.60	5.05	19400	13800	MS19079-25
26	80	170	39	.090	3.70	6.02	27700	23200	MS19079-26
27	85	150	28	.080	3.85	5.40	18100	16100	MS19079-27
28	85	180	41	.100	4.04	6.38	33400	27700	MS19079-28
29	90	190	43	.100	4.25	6.73	38000	29600	MS19079-29
30	95	200	45	.100	4.54	7.09	41000	34500	MS19079-30
31	100	215	47	.100	4.83	7.62	47600	40200	MS19079-31

3. QUALITY CONFORMANCE PROVISIONS:

3.1. THE SUPPLIERS SHALL BE RESPONSIBLE FOR THOSE IN PROCESS CONTROLS AND INSPECTIONS NECESSARY TO SUPPLY A PRODUCT CONSISTENTLY CONFORMING TO THE REQUIREMENTS OF THIS DOCUMENT.

3.2 UPON REQUEST, THE SUPPLIER WILL CERTIFY WITH DOCUMENTED TEST/inspection EVIDENCE, THAT THE PART SUPPLIED MEET THE REQUIREMENTS OF THIS DOCUMENT.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

4. NOTES:

4.1 UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS.

4.2 SNAP RINGS ARE OPTIONAL AND SHALL BE INDICATED BY ADDING AN R DESIGNATOR TO THE PART NUMBER.

4.3 THE PART IDENTIFICATION NUM8ER(PIN) SHALL CONSIST OF THE BASIC COMMERCIAL ITEM DESCRIPTION NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I AND DESIGNATORS FOR CAGE AND RADIAL INTERNAL CLEARANCE.



MILITARY INTERESTS:

CUSTODIANS
ARMY-AT
NAVY-OS

REVIEWER ACTIVITIES
MARINE CORPS-MC, NAVY-SH

PREPARING ACTIVITY:

DLA-!S

PROJECT NUMBER: 3110-1005

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3 and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6 and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, or to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-55600A	2. DOCUMENT DATE (YYMMDD) 960125

3. DOCUMENT TITLE: BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIB ON OUTER RING, TWO DIRECTION LOCATING

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach sheets if needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY DLA-IS

a. NAME Emelia Altomari	b. TELEPHONE (Include Area Code) (1) Commercial (215) 697-6827
c. ADDRESS (Include Zip Code) Defense Industrial Supply Center 700 Robbins Avenue Bldg. 3 (Code DISC-FED) Philadelphia, PA 19111-5096	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403 Falls Church, VA 22041 TELEPHONE (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.