INCH-POUND
A-A-59126/32C
16 January 2024
SUPERSEDING
A-A-59126/32B
7 January 2014

COMMERCIAL ITEM DESCRIPTION SHEET

TERMINALS, STUD, FORK TYPE
(NONINSULATED, SWAGE MOUNTED)

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-T-55155/32 for all federal agencies.

The requirements for acquiring the product described herein shall consist of this sheet and the latest issue in effect of CID A-A-59126.

REQUIREMENTS: Dimensions and configuration: see Figure 1.




Figure 1. Drawing.

Comments, suggestions, or questions on this document should be emailed to usarmy.apg.devcom-c5isr.mbx.standardization-crx@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil/.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

PART NUMBER	DIMENSIONS										Mounting board thickness (REF)
	A ±.002	B ±.015	C ±.010	D ±.005	E ±.010	F ±.005	G ±.010	H ±.010	K ±.005	L ±.005	
AA59126/32X-01	.112	.343	.062	.156	.062	.070	.125	.187	.031	.109	1/16
AA59126/32X-02	.135	.500	.125	.218	.093	.102	.171	.218	.062	.109	
AA59126/32X-03	.112	.343	.062	.156	.062	.070	.125	.187	.031	.140	3/32
AA59126/32X-04	.135	.500	.125	.218	.093	.102	.171	.218	.062	.140	
AA59126/32X-05	.185	.687	.187	.250	.187	.120	.218	.250	.090	.140	
AA59126/32X-06	.112	.343	.062	.156	.062	.070	.125	.187	.031	.171	1/8
AA59126/32X-07	.135	.500	.125	.218	.093	.102	.171	.218	.062	.171	
AA59126/32X-08	.185	.687	.187	.250	.187	.120	.218	.250	.090	.171	
AA59126/32X-09										.195	5/32
AA59126/32X-10										.234	3/16
AA59126/32X-11										.296	1/4

Type of mounting: swage.

NOTES:

1. Dimensions are in inches.
2. The drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

Table I. Substitutability data.

Part number in A-A-59126/32	Part number in MIL-T-55155/32A
AA59126/32X-01	M55155/32-1
AA59126/32X-02	M55155/32-2
AA59126/32X-03	M55155/32-3
AA59126/32X-04	M55155/32-4
AA59126/32X-05	M55155/32-5
AA59126/32X-06	M55155/32-6
AA59126/32X-07	M55155/32-7
AA59126/32X-08	M55155/32-8
AA59126/32X-09	M55155/32-9
AA59126/32X-10	M55155/32-10
AA59126/32X-11	M55155/32-11

The complete part number shall include the symbol for insulation color (X denoted since non-insulated), and the symbol for material and finish IAW the requirements of CID A-A-59126.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-7FXE

Custodian:
Army - CR
Air Force - 85
DLA - GS

Preparing activity:
Army - CR

(Project No. 5940-2024-009)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.