[INCH-POUND]
A-A-59220
May 18, 1998
SUPERSEDING
MIL-W-10698C
30 September 1969

COMMERCIAL ITEM DESCRIPTION

WRENCHES, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL

The General Services Administration has authorized the use of this commercial item description by all Federal agencies.

1. SCOPE. This commercial item description (CID) covers stamped steel wrenches for light duty use.

2. CLASSIFICATION. Wrenches shall be in the following types and sizes, as specified (see 7.2):

Type I - Double head, open end (see figure 1).

Size - 9/16-inch by 3/4-inch.
Size - 3/8-inch by 9/16-inch.
Size - 5/16-inch by 7/16-inch.
Size - 1/4-inch by 7/16-inch.

Type II - Alligator jaw and screwdriver (see figure 2).

Size - 7/8-inch maximum.

Type III - Wrench assembly (see figure 3).

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Commanding Officer (Code 15E2), Naval Construction Battalion Center, 1000 23rd Avenue, Port Hueneme, CA 93043-4301, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 5120

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS.

3.1 Description. Type I and type II wrenches are for light duty use in the servicing, adjustment, and maintenance of the M-41 and Yukon stoves. The type III wrench assembly is for use on the MIL-R-14601 - Range and Accessory Outfit, Field, Gasoline; MIL-B-40098 - Burner Unit, Gasoline Field Range Outfit, M-2; and MIL-S-40608 - Stove, Gasoline, 2-Burner.

3.2 Standard commercial product. The open end wrenches, and wrench assembly shall, as a minimum, be in accordance with the requirements of this commercial item description and shall be the manufacturer's standard commercial product. Additional or better features which are not specifically prohibited by this commercial item description but which are a part of the manufacturer's standard commercial product, shall be included in the open end wrenches being furnished. A standard commercial product is a product which has been sold or is being currently offered for sale on the commercial market through advertisements or manufacturer's catalogs, or brochures, and represents the latest production model.

3.3 Material. Material shall be in accordance with the manufacturer's standard practice using heat treated stamped steel.

3.3.1 Finish. The wrenches and wrench assembly shall be thoroughly cleaned of all rust, grease, and dirt. Wrenches shall have a corrosion-resistant finish.

3.4 Design and construction. Construction of wrenches including gas tip cleaner (see figure 4) shall be in accordance with the requirements specified herein and as shown in figures 1 through 4.

3.5 Marking for identification. Wrenches and wrench assembly shall be marked with the manufacturer's name or readily identifiable trademark.

3.6 Workmanship. All burrs and sharp edges shall be removed; parts shall operate without any binding or stiffness.

4. REGULATORY REQUIREMENTS.

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR). Unless otherwise specified herein, all equipment, material, and articles incorporated in the work covered by this commercial item description are to be new and fabricated using materials produced from recovered materials to the maximum extent possible without jeopardizing the intended use. The term "recovered materials" means materials which have been collected or recovered from solid waste and reprocessed to become a source of raw materials, as opposed to virgin raw materials. Unless otherwise specified, none of the above shall be interpreted to mean that the use of used or rebuilt products are allowed under this commercial item description.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.

4.2 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest version of ASTM SI-10 (IEEE/ASTM SI-10), and all other requirements of this commercial item description including form, fit, and function are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

5. QUALITY ASSURANCE PROVISIONS.

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. PACKAGING. The preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES.

7.1 Source of documents.

7.1.1 Copies of specifications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.

7.1.2 The Federal Acquisition Regulation (FAR) is available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

7.1.3 ASTM Standard is available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.


7.1.4 IEEE Standard is available from the Institute of Electrical and Electronics Engineers (IEEE), IEEE Service Center, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331.

7.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. Type and size required (see 2.).

7.3 Part Identification Number (PIN). The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor. The PIN to be used for items acquired to this description are created as follows:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.



7.3.1 PIN code identifier.

A = Type I.
B = Type II.
C = Type III.

1 = Size 9/16-inch by 3/4-inch.
2 = Size 3/8-inch by 9/16-inch.
3 = Size 5/16-inch by 7/16-inch.
4 = Size 1/4-inch by 7/16-inch.
5 = Size 7/8-inch maximum.

7.4 Classification cross reference. Classifications used in this CID (see 2.) are identical to those found in the superseded Military Specification MIL-W-10698C.

7.5 Supersession data. This CID replaces Military Specification MIL-W-10698C, NOTICE 1, dated 20 May 1987.

7.6 Metric products. The values states in either inch-pounds or SI units are to be regarded separately as standard. Within the text, the SI units are shown in brackets. The values stated in each system are not exact equivalents; therefore, each system shall be used independently of the other. Combining values from the two systems may result in non-conformance with standard.

7.7 Subject term (key word) listing.

Alligator jaw
Double head

MILITARY INTERESTS:

Custodians:
Army - GL
Navy - YD1
Air Force - 99

Review Activities:
Navy - MC
Air Force - 84


CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

Preparing Activity:
Navy - YD1

(Project 5120-0092)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.



DIMENSIONS inches (mm)	WRENCH SIZE			
	9/16 X 3/4	3/8 X 9/16	5/16 X 7/16	1/4 X 7/16
A	7.62 (194)	5.12 (130)	4.63 (118)	4.37 (111)
B	1.62 (41)	1.37 (35)	1.0 (25)	1.0 (25)
C	1.25 (32)	1.12 (28)	0.75 (19)	0.75 (19)
D	0.565-0.578 (14) (15)	0.378-0.384 (10) (10)	0.316-0.322 (8) (8)	0.253-0.267 (6) (7)
E	0.755-0.763 (19) (19)	0.566-0.573 (14) (15)	0.440-0.446 (11) (11)	0.440-0.446 (11) (11)
F	0.562 (14)	0.375 (10)	0.312 (8)	0.250 (6)
G	0.680 (17)	0.562 (14)	0.437 (11)	0.437 (11)
I	0.16R (4)	0.44R (11)	0.34R (9)	0.34R (9)
J	0.44R (11)	0.29R (7)	0.25R (6)	0.20R (5)
K	0.62 (16)	0.62 (16)	0.40 (10)	0.40 (10)
L	0.75 (19)	0.75 (19)	0.54 (14)	0.54 (14)

FIGURE 1. Wrenches, open end, stamped steel.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.






FIGURE 2. Wrench, alligator jaw.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.



WRENCH ASSEMBLY



WRENCH

FIGURE 3. Wrench and wrench assembly, stamped steel.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.




FIGURE 4. Cleaner, gas tip.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	**1. DOCUMENT NUMBER** A-A-59220	**2. DOCUMENT DATE (YYMMDD)** 980518

3. DOCUMENT TITLE

WRENCHES, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON *(if applicable)*	**7.DATE SUBMITTED** (YYMMDD)

8. PREPARING ACTIVITY

a. NAME KENNETH A. POLLOCK	b. TELEPHONE *Include Area Code)* (1) Commercial 805-982-5612 (2) AUTOVON 551-5612
c. ADDRESS *(Include Zip Code)* COMMANDING OFFICER, NCBC CODE 15E2K 1000 23RD AVENUE PORT HUENEME, CA 93043-4301	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:** DEFENSE QUALITY AND STANDARDIZATION OFFICE 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22401-3466 Telephone (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil/Document Id: 2026-10-26T10:06Z
Check the source to verify that this is the current version before use.