MIL-STD-2C
1 October 1963
SUPERSEDING
MIL-STD-2B
25 August 1960

MILITARY STANDARD

ENGINEERING DRAWINGS, SIZES AND FORMATS

DOD
SEAL

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

DEFENSE SUPPLY AGENCY
Cameron Station
Alexandria, Va.

Engineering Drawings - Sizes and Formats

MIL-STD-2C

1. This standard has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force, effective immediately.

2. Recommended corrections, additions, or deletions should be addressed to Standardization Division, Directorate of Logistics Services, Defense Supply Agency, Cameron Station, Alexandria, Va.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

C O N T E N T S

		Page
Section 1.	SCOPE	
Paragraph 1.1	Coverage	
Section 2.	REFERENCED DOCUMENTS	
Paragraph 2.1	Military publications	
Section 3.	DEFINITIONS (Not applicable)	
Section 4.	GENERAL STATEMENT	
Paragraph 4.1	Dimensions	
Section 5.	DETAILED REQUIREMENTS	
Paragraph 5.1	Drawing sizes	
5.2	Basic format	
5.2.1	Continuation sheets	
5.2.2	Margins	
5.2.3	Zoning	
5.2.4	Microfilm alignment	
5.2.4.1	Arrowheads	
5.2.4.2	Match lines	
5.2.5	Lines	
5.2.6	Lettering	
5.3	Blocks	
5.3.1	Title	
5.3.2	Revision	
5.3.3	List of materials or parts list	
5.3.4	Supplementary	
5.4	Security classification and notations	
5.5	International standardization agreement	

FIGURES

Figure 1.	Horizontal format for A size drawings	
2.	Vertical format for A size drawings	
3.	Format for B size drawings	
4.	Format for C, D, E, and F size drawings	
5.	Arrowheads for microfilming alignment of A, B, C, D, E, and F size drawings	
6.	Format for G, H, J, and K size drawings including multiframe-microfilming requirements	
7.	Title block (for all sheet sizes except A and B)	
8.	Multi-sheet block	
9.	Revision block (for all sheet sizes except A and B)	
10.	Mechanical properties block	
11.	Dimensional notes and material block (for all sheet sizes except A and B)	
12.	Application block	
13.	Continuation sheet	

TABLE

Table I.	Finished format sizes	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

SECTION 1. SCOPE

1.1 Coverage. This standard establishes the sizes and the minimum format requirements for the preparation of engineering drawings.

SECTION 2. REFERENCED DOCUMENTS

2.1 Military publications. The issues of the following documents in effect on date of invitation for bids form a part of this standard to the extent specified herein:

STANDARDS

MILITARY

MIL-STD-1	General Drawing Practice
MIL-STD-30	Lists Associated with Engineering Drawings

PUBLICATION

Department of Defense Industrial Security Manual for Safeguarding Classified Information

SECTION 3. DEFINITIONS (Not applicable)

SECTION 4. GENERAL STATEMENT

4.1 Dimensions. All dimensions contained herein are in inches and are subject to commercial printing tolerances.

SECTION 5. DETAILED REQUIREMENTS

5.1 Drawing sizes. Engineering drawing sizes, with applicable letter designations, shall conform to table I.

5.2 Basic format. The basic format, as applied to each finished format size specified in table I, shall conform to figures 1, 2, 3, 4, and 6, as applicable.

5.2.1 Continuation sheets. Continuation sheets may be used for the second and subsequent sheets of book-form and multi-sheet drawings. If continuation sheets are used for book-form drawings, they shall conform to figure 13; if used for multi-sheet drawings, they shall conform to figure 7 or 13.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

5.2.2 Margins. Margins shall conform to table I.

5.2.3 Zoning. Vertical and horizontal zoning may be used. When used, zoning shall be identified by alphabetical (upper case) and numerical entries in the margin spaces. Roll size zoning shall be commensurate with F size format. (See figs. 3 and 4.)

5.2.4 Microfilm alignment.

5.2.4.1 Arrowheads. Arrowheads shall be used on drawings to be microfilmed and shall be entered in the margin as illustrated on figures 5 and 6.

5.2.4.2 Match lines. On roll-size drawings for multiframe-microfilming, match lines shall be placed inside the drawing field adjoining the margin (see fig. 6), to facilitate matching the points after reproduction from multiframe-microfilm.

5.2.5 Lines. Weight of lines shall conform to Standard MIL-STD-1 and shall be applied as shown below. (For preprinted formats, weight of lines is shown in parentheses in accordance with typographer's standards.)

(a) Thick (2-point).

(1) Border.
(2) Outline of principal blocks.
(3) Main division of blocks.

(b) Medium (1-point).

(1) Division of list of material and revision blocks.
(2) Minor subdivisions of title blocks and supplementary blocks.

(c) Thin (hairline).

(1) Guidelines.
(2) Signature lines.

5.2.6 Lettering. Styles and sizes of lettering, when handprinted or typed on the drawing format to indicate zoning, columnar headings, space identification, etc., shall conform to Standard MIL-STD-1. For preprinted characters a light line Gothic type, of size comparable to the handprinted or typed characters, shall be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

5.3 Blocks. The divisions and dimensions of each block shall conform to figures 7 through 12 for all sheet sizes except the A and B sizes which are delineated on figures 1, 2, and 3. Arrangement and usage of individual blocks shall conform to the following:

5.3.1 Title. Title block shall be located in the lower-right corner of each drawing.

5.3.1.1 Record information, block A. Block A is reserved for recording the preparation, checking, approval, and date of the drawing. The information entered in this block may vary to suit the administrative practice of the design activity or the activity preparing the drawing. Drawings prepared under Government contract shall be identified with the number of the contract (see fig. 7).

5.3.1.2 Drawing title, block B. Block B is reserved for the drawing title.

5.3.1.3 Design activity identification, block C. Block C is reserved for the name and address of the design activity.

5.3.1.4 Design activity approval, block D. Block D is reserved for approval by the design activity.

5.3.1.5 Block E. Block E is reserved for approval by an activity other than the design activity.

5.3.1.6 Code identification number, block F. Block F is reserved for the code identification number of the design activity.

5.3.1.7 Drawing size, block G. Block G is reserved for the letter size of the drawing. Letter designation shall be in accordance with table I.

5.3.1.8 Drawing number, block H. Block H is reserved for the drawing number. The number may also be shown in supplementary locations as follows:

5.3.1.8.1 Roll-size drawings. On roll-size drawings the number may be added on the reverse side of the drawing, at locations shown on figure 6.

5.3.1.8.2 Prints of drawings folded to letter size. To facilitate reference to prints of drawings folded to letter size, a supplementary location of the number may be entered in the right margin, as shown on figure 4. Additional supplementary locations which do not interfere with the drawing information may be used.

5.3.1.8.3 Other provisions. When a drawing requires multiframe-microfilming, supplementary location of a drawing number shall be placed as shown on figure 6.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

5.3.1.8.4 Multi-sheet, block L. Block L is reserved for sheet numbers of multi-sheet and book-form drawings. The total number of sheets shall be shown only on sheet 1 (example: sheet 1 of 4). Remaining sheets shall be numbered in consecutive order (sheet 2, 3, etc.) (see fig. 8).

5.3.1.9 Scale, block J. Block J is reserved to show scale of the drawings.

5.3.1.10 Block K. Block K may be used to record the actual or calculated weight of the item, reference to a specification, report, etc.

5.3.2 Revision block.

5.3.2.1 Location. The revision block shall be located in the upper-right corner of the drawing. Additional revision blocks may be located to the left of, and adjacent to, the original block.

5.3.2.2 Contents. The ZONE, LTR, DESCRIPTION, DATE, and APPROVED column headings shall be included on all drawings. The ZONE column need be added only when required.

5.3.3 List of materials or parts list block. When a list of materials or parts list block is used integral with the drawing it shall conform to the applicable provisions of Standard MIL-STD-30. This block shall be placed in the lower corner above the title block (see figs. 4 and 6) and extend upward as required for all sizes except the A size. For A-size drawings the list may be located to minimize interference with other parts of the drawing. Additional list of materials or parts list blocks may be located to the left of, and adjacent to, the original block.

5.3.4 Supplementary blocks. Supplementary information may be shown in supplementary blocks. Block locations shall minimize interference with other parts of the drawing. Figures 4 and 6 show suggested location. Some suggested supplementary blocks, their contents and dimensions, are as follows:

5.3.4.1 Dimensional notes, block M. Block M shows a space provided for dimensional notes (see fig. 11).

5.3.4.2 Material, block N. Block N shows space provided for description of material used, reference to a specification, or other items such as heat treatment, final protective finish, etc. (see fig. 11).

5.3.4.3 Mechanical properties. The MECHANICAL PROPERTIES block (see fig. 10), when used, shall contain space for the listing of information concerning the physical or mechanical properties of the material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

5.3.4.4 Application block. The APPLICATION block (see fig. 12) may be used to identify by their drawing numbers the larger units of which the detail part or subassembly shown on the drawing forms a component, and when required this block shall be included on the drawing near the title block, or may form a part of the list of materials block.

5.3.4.4.1 The NEXT ASSY column shall show the drawing number of the next larger assembly(s) to which the drawing applies.

5.3.4.4.2 The USED ON column shall show the model number or equivalent designation of the assembled unit(s) of which the part is a component.

5.3.4.4.3 When used, the QUANTITIY REQD columns shall show the number of parts required to make up the next assembly(s) as well as the total number of parts required to make up the final assembly(s).

5.4 Security classification and notations.

5.4.1 Use. The security classification, espionage, and applicable downgrading notations, shall be shown on drawings warranting a security classification, in locations indicated on figures 1, 2, 3, and 4, in accordance with the DOD Industrial Security Manual for Safeguarding Classified Information. Security stamp on each sheet shall be that of the highest classification for any item shown on that individual sheet, and not the general overall classification of the entire set of drawings or the end item.

5.4.2 Location on roll-size drawings. On roll-size drawings, the security classification shall also be shown on the reverse side, at both ends of the drawings, next to the drawing number, so that it can be seen without the drawing being unrolled. For microfilming, the security classification shall also be located adjacent to the drawing number block as illustrated by "Detail A" on figure 6.

5.4.3 Lettering. All lettering for the security classification shall be stamped, printed, or lettered in heavy opaque letters at least 1/4-inch high.

5.5 International standardization agreement. Certain provisions of this standard are the subject of international standardization agreement (ABC). When revision or cancellation of this standard is proposed, the departmental custodians will inform their respective Departmental Standardization Office (DepSO) so that appropriate action may be taken respecting the international agreement concerned.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

(Copies of this standard for military use may be obtained as indicated in the foreword to, or the general provisions of, the Department of Defense Index of Specifications and Standards.)

(The title and identifying symbol should be stipulated when requesting copies of military standards.)

Custodians:

Army -- MO
Navy -- Ships
Air Force -- AFLC

Review interest:

Army -- MO, MU, EL
Navy -- Ships, Weps, Docks
Air Force -- AFLC

User interest:

Army -- GL
Navy -- MC

Preparing activity:

Army -- MO(AVSCOM)


Project No. DRPR-0048

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

TABLE I.-- Finished format sizes (inches).

FLAT SIZES				ROLL SIZES				
SIZE DES (LTR)	X (WIDTH)	Y (LENGTH)	Z (MARGIN)	SIZE DES (LTR)	X (WIDTH)	Y MIN (LENGTH)	Y MAX (LENGTH)	Z (MARGIN)
A(HORIZ)	8.50	11	.25&.38*	G	11	42	144	.38
A(VERT)	11	8.50	.25&.38*	H	28	48	144	.50
B	11	17	.38	J	34	48	144	.50
C	17	22	.50	K	40	48	144	.50
D	22	34	.50					
E	34	44	.50					
F	28	40	.50					

*HORIZONTAL MARGINS .38-INCH, VERTICAL MARGIN .25-INCH, SEE FIGS. 1 & 2



Reduce to 39½ Pica

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.





FIGURE 1. — HORIZONTAL FORMAT FOR A SIZE DRAWINGS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

FIGURE 2.—VERTICAL FORMAT FOR A SIZE DRAWINGS.





FIGURE 3.—FORMAT FOR B SIZE DRAWINGS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.





FIGURE 5. - ARROWHEADS FOR MICROFILMING ALIGNMENT OF A, B, C, D, E, AND F DRAWINGS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:40Z
Check the source to verify that this is the current version before use.



NOTES:

1. Blocks, figures 10, 11, 12, etc., placed in this area shall be 2-7/8 inches high.
2. Increment spacing for multiframe-microfilming not applicable to drawing 48 inches or less.
3. Zoning may be omitted from bottom margin.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49
Check the source to verify that this is the current version before






FIGURE 7.--TITLE BLOCK (FOR ALL SHEET SIZES EXCEPT A AND B).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.




(a) NUMBERING OF FIRST SHEET



(b) NUMBERING OF SECOND SHEET

Source: https://assist.dla.mil -- Downlo
Check the source to verify that this is th

FIGURE 8.--MULTIPLE-SHEET BLOCK.



Reduce to 45 Plate

FIGURE 9. --REVISION BLOCK (FOR ALL SHEET SIZES EXCEPT A AND B).

Source: https://assist.dla.mil -- Downl
Check the source to verify that this is th




FIGURE 10.--MECHANICAL PROPERTIES BLOCK.

Source: https://apps.dtic.mil -- Check the source to verify that th




FIGURE 11.--DIMENSIONAL NOTES AND MATERIAL BLOCK (FOR ALL SHEET SIZES EXCEPT A AND B).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.




FIGURE 12.--APPLICATION BLOCK.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:49Z
Check the source to verify that this is the current version before use.




FIGURE 13.--CONTINUATION SHEET.